


HEXAGONE-



Your new tool for disinfection PRO active against SARS-CoV-2







POOL OPENING

PROTOCOL





Public swimming pools in France today have a cleaning and disinfection procedure that meets our expectations, our swimming pools are clean, the sanitary situation today with COVID19 forces us to rethink the access of swimming pools to agents and users , to strengthen our cleaning and disinfection procedures.

The entry to the swimming pool must be adapted to the surface of the water, i.e. 2 bathers for 3M² of the water, a bather cannot stay more than 1 hour and 30 minutes in the establishment, access must be by rotations leaving 30 minutes for the maintenance of the establishment between each rotation, a single-use or washable plastic bag must be provided to the user to put his belongings and not to pollute the locker. Entrance tickets must be sold as much as possible online with slot reservation (aqua bike course type) or at an order terminal. Temperature measurement at the entrance of each user with impossibility of entering above 38 °C, bathing cap compulsory, no swimming shorts, soaped shower compulsory, installation in front of the establishment's entrance 2X2 meters panel with all the safety instructions and indication of the passage circuit, masks, gloves, hydroalcoholic gel must be made available in sufficient quantity to each agent, agents must be trained in their use.

We must keep the same products the same machines for cleaning and disinfecting floors, use them at each user rotation, modify our cleaning and disinfection procedures taking into account all surfaces contaminated by touch and air (door handles, switch, locker, doors, fittings, bench, coat hook, etc.)

Identification of risk areas and precaution to be implemented:

1/ Entrance

Provide for the installation of a plexiglass for the hostess, a direction of circulation to access the changing rooms and not having contact between users, an entry with a tripod to record the number of entries the direction of circulation does can be changed so that people all use the same route to enter and exit the pool. Distribution machines (coffee, confectionery) must be out of order.



Provide a heaving area without bench or seat, shoes must be put in a plastic bag as well as all clothing, the movement within the premises of the establishment can not be done barefoot, cleaning with a scrubber, disinfection with hexagun for the floor, for the contact points, by the touch the fogger and steam engine at each rotation.

2/ Changing rooms

We must clean and disinfect after each rotation of users the floor, the contact points by touch, use of a scrubber, lineo, hexagun, fogger, steam engine.

3/ Toilets

Must be disinfected after each use do not forget the door handle, flush button, it is necessary to install non-contact soap dispensers near the sinks, use of the hexagun lineo, fogger, steam engine, we can install a purifier air.

4/ Showers

Soaped showers must be mandatory before entering the pool, provide contactless soap dispensers see if you can install showers with automatic soap injection, audible messages from covid instructions, clean, disinfect floors and walls, use of a scrubber-drier, lineo and hexagun.

5/ Basin and beaches

The water lines must be installed this will allow to manage the bathers 2 for 3M² either in a line of 25 meters 40 bathers, a line must be used for a direction of swimming, the water line next to it is provided for the opposite direction, for the courses the aquagym fitness disinfection teaching material before putting it away, between each rotation the ranges, starting pad, ladder arm, must be cleaned and disinfected, use of a scrubber-dryer, hexagun, for the solariums on must set up relaxation areas with security perimeter, do not install sunbathing or chairs, closing pentagliss Beach volley slides, outdoor games, garbage bags must be changed every day. The play pools must be closed or reserved for aqua gym fitness activities.

Disinfection of MNS chairs, handrail every day, cleaning and disinfection of the stands using the hexagun or fogger and monobrush.

If using a walkie-talkie, it must be nominative and disinfected by its user every day as soon as it is picked up and when it is recharged with a wipe.

Passage of the robot in the basin every day and twice a week with the viking kit.

6/ Infirmary

After each cleaning and disinfection of the floor, care equipment used, the trash bags must be changed every day, installation of an air purifier, essential equipment, a single-use insufflator of 3 different sizes, visors.

Every evening at closing or in the morning before opening, the entire walls of the establishment must be cleaned and disinfected with a disinfection device in the form of dry mist by air.

Identification of areas with less traffic and precaution to be implemented:

1/ Changing rooms

Agents should only be used by one person at a time after

each passage cleaning and disinfection of the room by the user with wipes on the contact bridges, in the evening the floor will be cleaned and disinfected use of a scrubber-dryer and lineo, disinfection of surfaces by air, the staff must remove their shoes the entry the shoes will be put in a plastic bag then in the locker locker like the users, must move in the establishment with either a pair of thong, flip-flop or a pair of sports shoe intended only for the interior.

2/ Local

Coffee break, lunch installation of an air purifier according to the size of the room no more than 1 person for 2 M^2 at the table people can not be face to face or side by side systematic cleaning of utensils glass cup plate etc . after using a household appliance disinfection of the affected areas, the trash bags will be changed every evening, cleaning and disinfection every day of the floor of the table chairs, use of a scrubber, steam machine disinfectant wipes, at the end of the day put in places the device for surface disinfection by air.

3/ Office

Installation of an air purifier, daily cleaning and disinfection of the floor, seats, door handles with a steam engine, change of garbage bags every day, at the end of the day set up the surface disinfection device by airway.

4/ Technical aera

Disinfection of door handles, handwheels of hydraulic valves, control panel, analysis pc, the chemicals must be depalletized disinfected with Hexagun, stored in a room provided for this purpose, make access to the technical room only technicians.

Materials

1/ Battery-powered scrubber-dryer, at least 2 sizes must be provided, one for large surfaces (beaches, entrance hall) and one for small surfaces (changing rooms, cabins) It is imperative to clean the surfaces before disinfecting them.

2/ Lineo is a small monobrush on a battery which makes it possible to clean in small corners (behind the toilet) on the walls (showers, lockers) the footbaths, water line, chutes.

3/ Hexagun is a chlorine diffuser which is connected to a garden hose and diffuses a chlorine solution at 70 PPM.

4/ Battery fogger allows you to mist a product, either disinfectant, degreaser, descaler in lockers, door handles, switches, to go to places inaccessible to scrubbers.

5/ High pressure steam cleaner producing 6 bars at 165°C for all surfaces.

6/ Device for disinfecting surfaces by air in the form of dry mist makes it possible to disinfect in its entirety with a mediumsized device (there are 3) a room with an area of 200 M³ we use biodegradable hydrogen peroxide and do not damage electrical devices computers screens ect ... which must be turned off. The room must be without anyone inside the contact time is minimum 30 minutes.

7/ Viking kit on the robot for sucking the biofilm at the bottom of the pool which will be returned to the filtration of the pool.

Hexagone is by your side to implement your new organization, a trusted partner since 1987.









ELIMINATE 99,9% of VIRUSES

Fighting against the points of "Contacts"

HEXAGUN IN 3 STEPS:







CHLORINE CHLORINE 99,9% of VIRUSES

PROTECTS AGAINST:

- E.coli
- Clostridium perfringens
- Clostridium difficile
- MRSA
- Listeria
- Salmonella
- Influenza Virus (H1N1 and H5N1)
- Legionella
- Campylobacter
- Candida
- NorovirusHepatitis
- Staphylococcus

- Tuberculosis
- Streptococcus
- Parvovirus (canine and feline)
- Herpes (canine and feline)
- Feline Calicivirus (FCV)
- Para Influenza (Kennel cough)
- Distemper (canine)
- Adenovirus (canine)

Coronavirus

- Pseudo-Rage
- Rabies
- Swine Parvovirus (PPV)

HEXAGUN'S STRONG POINTS

- Safe, Efficient, low cost and easy to use
- Elimination of bacteria, **viruses**, algae, micro-organisms, mould, and odours
- Biodegradable
- Safe for humans, animals, and plants
- · Perfect for septic tanks
- Both disinfection and sanitation in a single operation
- Operational chlorine level tested by the EPA and approved by the USDA
- Meets European standards
- No rinsing necessary, except on plastic or foam parts.
- A water spray outlet adjustable from 2 to 5 bars
- Duration of a cartridge between 450 to 900 M² depending on the spray
- 70ppm chlorine leveldepending on the spray





Non-contractual photos.



BY
HEXAGONE
MANUFACTURE





BETTER THAN A WIPE A VIRUS KILLER

Hand contact areas



Let us tell you about our technology:

It is important to clean and then disinfect. Today, the best way to stop the virus is to continue using your regular cleaning methods.

But today, it is important to incorporate in addition to your traditional method, ultra disinfection, and especially on the surfaces that we could neglect a little before, that is to say the points of contact with the hands and places where people can wiggle on it.

The Hexa Zoom is there for that.



SANI-ZOOM'S STRONG POINTS:

Hand contact areas

MIST WAND

Wipe 2.0, a misting wand system with a small power supply to project the micro-droplets disinfectants for a perfect imprint on the objects or surfaces to be disinfected.

The important thing is that the droplets are fine enough to be homogeneous and leave no contamination «space». LOCKERS DOOR HANDLES.

Mist spraying 1 liter for 75 m² for 100% coverage and spraying at 30 cm (250 m² of surface). Compatible with most disinfectants. Very light - 300 grs. Quick nozzle change.

Spear storage on the belt. 1h30 of autonomy.







HEXAGONE
MANUFACTURE



Take care of your pools



ROBOTIC EXTRACTOR OF BIOFILM

Eliminates 99,8% of bacteria*

Evolution kit available for any chrono or premium robot (Retro Fit)



THE ARMOURED ARM OF YOUR FILTRATION

VIKING'S STRONG POINTS:

Incomparable results, very economical.

Vacuum and extract the biofilm at within 5 cm of the bottom of the pool.

Reduces the consumption of chemicals.


Used to extract bacteria from the bottom of the holding tanks. Substantial drop in the level of chloramines.

A technology unique in the world * (* International patent pending).





Non-contractual phot



of the nano world:

Pool cleaners cannot take anything under 5 microns and hold it in their internal filter, therefore they cannot retain viruses and biofilm. It is imperative that debris is removed externally and then drained back

Frontiers





Take care of your pools



AUTOMATIC BALANCE

TANK CLEANER

Fight against biofilm in the Balance Tank!





CLEANS INACCESSIBLE AREAS

DARK CLEANER'S STRONG POINTS

LIMIT ACCESS TO THE BUFFER TANK WITHOUT POISONING FOR USERS

Permanently stays in a balance tank. Innovative automatic cleaning solution. Much simpler and safer for users.

Real daily cleaning without waiting for emptying. Fights against chloramine and biofilm.



Non-contractual photos

THE DARK CLEANER DOESN'T NEED ANYONE TO GET STARTED AND IT WILL NEVER GET OUT OF THE BUFFER TRAY. EVERY 4 HOURS, IT STARTS ITS OPERATION CYCLE AND WILL CLEAN OFF THE BIOFILM.





Take care of your pools



MINI ROTARY **BATTERY BRUSH**

line

Let us tell you about our

gutter grates and your sanitary facilities.

more than 200 rpm unclogs the surfaces biofilm.

protozoa), adhering to each other and to a surface.

The Lineo is the best for cleaning air / water line,

The Lineo robotic brush is perfect for cleaning surfaces that mix air and water and are difficult to clean. Its rotates at

Biofilm is a more or less complex multi cellular community of micro organisms (bacteria, micro-fungi, micro algae or

It is very important to eliminate it for the purpose of ultra

technology:



Air | water line zones, footbath

COMPLETE LINEO M BRUSH:

LINEO'S STRONG POIN'

ELIMINATE BIOFILM. BACTERIA EVERYWHERE ACCESS IS DIFFICULT

Perfect for the air / water line, sanitary and locker rooms, stairs, windows, showers, gutter grates. Small waterproof monobrush on battery.

- Cleans and polishes.
- Brush diameter 15 cm. Power supply 12V marine battery.
- Telescopic handle from 1.50m to 2.50m.
- Battery charger in series.

Accessories, brushes, pad optional, contact us









BY HEXAGONE

MANUFACTURE

www.myhexagone.com

disinfection.





DISINFECTION BY DRY STEAM 150°

areas and lockers Walked







HEXA-STEAM'S STRONG POINTS

The steam temperature guarantees a powerful biocidal efficiency, and the excellent disinfection results comply with European standards NF EN 14561: 2007, NF EN 15562: 2006.

The vapour eliminates the bacterial biofilm and thus allows an excellent renovation of the surfaces.

Steam works in hard-to-reach places and removes dirt. Cleaning is easier, more efficient and more durable. The steam at high temperature (150 ° C) and under pressure (5 bar) provides a foolproof cleaning power, elimination of stains and biofilms, no residual trace of chemicals.

Steam bio-cleaning consumes very little water.

Let us tell you about our technology:

Dry steam is the disinfectant asset for your customers but also the perfect tool for your agents. Dry steam can be used in an environment with strong presence of electrical equipment, on almost all surfaces. Steam does not damage your joints, paint, fabrics... The surface remains dry as it heats up under the steam jet and the little residual water on the surface evaporates immediately.

Finally, the agent is not subject to the chemical risk of acids. alcohol-based products... Only water...







BY HEXAGONE

MANUFACTURE



Désinfectant

1 LITRE

Disinfectant

Take care of your staff and customers



DESIGNED CONTACTLESS PEDAL DISTRIBUTOR

M 1L

XL 5L



Home, Entrance





DISTRI-BLUE'S STRONG POINTS

Aluminum distributor of hydroalcoholic solution, foot control

Anti-theft and HANDS FREE. This hydro alcoholic solution dispenser is a 1m high stand alone system, and is controlled mechanically by a single press of the foot on a pedal. No hand contact is required. Thus it will block any transmission of influenza or Covid 19 viruses. Made in France, it is made of aluminum. Very resistant and self-stable, it is placed on the ground, but can also be fixed. This hydro alcoholic gel dispenser is suitable for all bottles with a pusher and with a maximum diameter of 110 mm and a maximum height of 300 mm.






Non-contractual photos.



Option: support for display (A4 size)





BY
HEXAGONE
MANUFACTURE





ELIMINATE 100% THE VIRUSES IN

HHEXAGONE

Ideal for the

fight against

bedbugs

* When the room is airtight and all surfaces possible to reach





IDEAL FOR 100% **DISINFECTING A PART**

SURFACE DISINFECTION NEBULIZER

HEXA-ROOM'S STRONG POINTS:

For the disinfection of SURFACES by air. Disinfectant based on degradable organic hydrogen peroxide.

A machine that creates a saturation of the ambient air (dry fog effect) loaded with disinfectant molecules.

Hexa Room is the ideal product to disinfect a room, a mobile home, a reception after the passage of customers. Can be used without anyone in the room.

Versatile, ecological and economical with a dosage of 5ml / m³, it can treat up to 200m³ at once.

Both light (5.3Kg) and powerful. Refill volume: 1 L.





Let us tell you about our technology:

The standards claimed attest that the IODVA disinfectant is effective against SARS-CoV2 (as well as SARS-CoV and MERS-CoV) from the coronavirus family. The dry fog that is generated by our device in the room even reaches the corners and crevices of the room, as well as the undersides of furniture. It thus eliminates unwanted germs such as resistant MRSA bacteria, E. Coli, corona viruses, influenza viruses and more. In addition, it can also be used to eliminate various fungi and yeasts, as well as organic odors. After a «mist time» of at least 25 minutes, the rooms can be reused as usual after one hour with good ventilation.







ELIMINATES 99 OF GERMES*

*Mechanical HEPA-filtration system (99.97% of particles up to 0.3 microns)

PURE AIR

TESTED IN THE

LABORATORY













Optional floor



65m²

AIRKLEEN'S STRONG POINTS

- Removes 99.97% of harmful particles from the air
- Adaptive to closed rooms, very simple installation.

Purified air in 4 steps:

- 1- A pre-filter captures and removes large particles and pollutants
- 2- Carbon filtration captures germs, chloramines and odors*
- 3- An anti-microbial treatment for fine particles * on the "HEPA" filter
- 4- Bipolar ionization electrically charges air particles to facilitate their filtration
- . Helps to take care of the agents subjected to the ambient air of the swimming pool on a daily basis, helps to fight against odors in the toilets.

For an area of 30 to 130m².

Ultra quiet 64dB max.

Made of ABS plastic. Power supply: 220-240V, 50 / 60Hz.

Very simple installation, no work required (no external evacuation).







Jon-contractual photos

3 An anti-microbial treatment for fine particles * on the "HEPA'

A Bipolar Plasma True ionization electri cally charges particles in the air for easy



BY HEXAGONE

MANUFACTURE



SANITARY INFO ALERT

changing room and shower





SOUND MESSAGE:

Corona virus alert, Using soap in the shower is mandatory, we remind you of the importance of a distance between each swimmer. Please respect the sanitary regulations 1,

SECU-RELAY'S STRONG POINTS

All sanitary recommendations repeat it over and over, it is imperative that pool users can take a shower before entering the pool...

Thanks to an automatic presence detection, the secu-relay recalls, through its IP66 loudspeaker, the health recommendations in force, namely cleaning of the hands and body as well as compulsory distancing.

Easy to install, it attaches to a wall at a height of around 2.50m and requires only a simple mains supply.

The sound volume is adjustable using the dial.

Ideal for showers or changing rooms without staff.

Personalized message if necessary.

IP 66 case. French made.

Case width 20 cm, height 30 cm. 220V / 24V DC.

Speaker 70 db. Infrared sensor.



BY
HEXAGONE
MANUFACTURE





SPRAY EVERYWHERE 360°

Mini 1,5L



For all closed premises





HEXA-SPRAY'S STRONG POINTS

Special sprayer for disinfection. 3 Models:

- Mini 1.5 litre. Hand sprayer, spray anywhere (360°) position. White translucent material container solid plastic, content 1.25 l (container capacity 1.5 l) Safety valve and lockable button. Hand pump up to 3 bar pressure. Adjustable and swiveling plastic nozzle.
- M 5 litres. Sprayer with 40 cm lance, Translucent container 5L content (container capacity 7 l). 3 Bar operating Pressure. T-pump lever with integrated gun holder.
- XL 15 litres. Backpack sprayer with battery and charger, pressure 0.5 3 bar. Charging time <80 min.
 Stainless steel lance 50 cm long. Plastic flat jet nozzle.
 Filling capacity 15 l.



Microfiber is a superior textile composed of polyester and polyamide.

The thickness of the microfiber is less than 1/100 of a human hair. It is used dry for dusting and polishing, wet for simple cleaning and with cleaning products to optimize the result.





Non-contractual photos.



BY
HEXAGONE
MANUFACTURE





MINI 1M DISTANCING **ALERT**



Everywhere indoors and outdoors





SOUND ALERT:

- Constant distance detection
- constant analyzes
- Immediate reaction
- Cloud synchronization
- Auto mute



SECU-TAG'S STRONG POINTS

The company adopting the solution provides each employee with the Secu-tag (light device only 53 gr, 9 x 4.8 cm and less than 1 cm thick), capable of determining a relative distance between them and another, warns the user by sound and vibration that there is a possible hazard. Authorized personnel have access to a convenient web-based dashboard that allows you to easily reconstruct all contact events, view interaction and assembly statistics, and optimize flows and processes to minimize the risk of contagion. In the event that, unfortunately, one of the workers shows symptoms or is positive of Covid 19, the system allows you to reconstruct the contacts they have had and the relative exposure times to quickly put colleagues at risk, completely safe.

Secu-tag is ready to use and without any infrastructure. It can operate in the cloud or on a local network and is available both in stand-alone mode and in conjunction with smartphones. A system with very simple operation and possibility of customization according to customer needs.





TO CREATE A FLOW OR BLOCK AN ACCESS

Everywhere indoors and outdoors



Location for A4 signage

1111

1111

Shatterproof



PLASTIC BARRIERS

BLOCK ACCESS'S STRONG POINTS

Block Access has the advantage of being light, plastic and with several colors available

- Allows to create a path or a barrier of an area
- Easy to move
- Shatterprrof
- Recyclable 100%
- Existe en rouge, jaune, vert, bleu ou blanc
- Dimensions 198 x 55,5 x 102 cm (weight foot)
- Weight 9,2 kg

5 colours available

TRAFFIC ASSISTANCE IN THE SWIMMING POOL:




More than 30 panels signaling available





BY
HEXAGONE
MANUFACTURE





HEXAGONE