



EXPERT IN COMMERCIAL SWIMMING POOLS SOLUTIONS

# 100% PRO

2017 / 2018 CATALOG



[www.myhexagone.com](http://www.myhexagone.com)



“HEXAGONE is one of the European **leaders in commercial pools cleaning...**”

Supplying London 2012 and Rio 2016 Olympic Swimming Pools, the European Championships in Berlin 2014 and The World Championships in Kazan 2015 and Budapest 2017, equipping cities like Paris, Madrid, London, Moscow, Vienna, Seoul, Melbourne and Miami doesn't happen by chance. 30 years of experience in the field is daily proof of that...



Turnover

**+34%**


Hexagone group

**in 2 years:**

Hexagone's growth is in double figures, our expansion is shared equally between export and French domestic market.

The group's capacity and its desire to innovate make Hexagone a star-up in the swimming pool world since 30 years...

- 26 individuals hired in less than 3 years!
- From 1.8 million to 8,7 million euros in 11 years!
- From 500 m<sup>2</sup> to 3500 m<sup>2</sup> of premises in 5 years!
- From 6 to 420 product items in 7 years!



**Group sales**

Data from 30 September 2016.

Sales

# 15 000

## pool cleaners units:

Hexagone has passed the 15 000 pool cleaners sold since 1987.

Word-of-mouth, development of our pool cleaners range and expansion to export are the keys to success.

Around 70% of public swimming pools in France now have an Hexagone product.

For information, there are 18 700 public swimming pools in Europe...



Production

# 5S



## cleanliness and tidying to boost productivity:

By adopting the same methods that are used by the largest global companies, we try to instil the method and yet **more organisation into our production line**. Training our technicians is also at the top of our agenda with our Hexa Technical program. Moreover, we perform over 600 tests during our robots production.

70%  
COMMERCIAL  
SWIMMING  
POOLS

SERVICE  
ON  
SITE

ANNUAL OR  
SUMMER SEASON  
RENT

SOCIAL &  
ENVIRONMENTAL  
RESPONSIBILITY



## Distribution

# Organization

Argenteuil,  
France



# 55

**countries including 7 subsidiaries:**

Hexagone operates on 5 continents!

Our company has become essential for swimming pool operators over the world.

From London to Melbourne, from Miami to St Petersburg, Hexagone cleans and equips huge numbers of pools across the globe.

Subsidiaries in Spain, Germany, Switzerland, Benelux, UK, Italy and Scandinavia.



# 68

**employees at your side**

Throughout this time spent with you, there is only one thing that matters to us, to share our expertise to stick as close as possible to your needs.



pepe



Cleaning range

**AUTOMATIC  
POOL CLEANER  
P.16**



pure chlore  
le futur de l'eau

Treatment-  
analysis range

**CHLORINE  
ELECTROLYSER  
P.22**



Aquafitness range

**AQUASTRENGTH  
SYSTEM  
P.28**



wahooo



**DRY 'N' GO® !**



Equipment range

**THE SWIMSUIT  
WRINGER PEDAL  
P.38**



Disabled access  
range

**HYDRAULIC  
POOL LIFT  
P.44**

**unijet**



**FRIEDEL**  
PLATFORM



Lifeguard-Security  
range

**RESCUER  
PLATFORM  
P.33**



# Equipment manufacturer for commercial swimming pools






ysis



## Sensors at the core of the robot



Wall, slope, side and virtual wall detectors:



Trajectory management control:



Pool cleaner safety management:



To each his cleaning mode according to his **available time**, night or morning, you choose ... Possibility to have multiple modes in a same robot!



**Ultra fast**

Partial covering



**Hexpresso Mode**

75% of aspirated impurities  
- 10 min for 25 m  
- 30 min for 50 m



**Fast**

Unique covering



**Systematic mode**

Band per band, parallel lines  
- 45 min for 25 m  
- 1h30 for 50 m

8

functions remote control waterproof and anti-shock, the robot goes all alone into water



**IMMEDIATE OR DELAYED DEPARTURE MENU**  
Progression visualization



**RADIO CONTROL MENU**  
Manipulation with Remote Control



**INFO-SETTINGS MENU**  
Control panel of the robot elements, list of 10 defects, data panel, settings menu



### Very long

Total covering



### Long

Triple or quadrupled covering

### Classic

Double covering

### Magellan cross mode

Passage via perpendicular lines

- 1h15 for 25 m
- 3h for 50 m

### V-shape mode

Moving by V-lines,  
Many roundtrips

- 2h30 for 25 m
- 5h for 50 m

### Floor and walls mode

Moving in lines  
Perpendicular with adjustable  
wall climbing

- 3h30 for 25 m
- 6h for 50 m


### Movement speed

adjustable on all  
our machines  
from 8m/min to 23m/min




### Shapes, floors, lining of basins


Whatever the shape:



Whatever the pool floor:



Whatever the lining:



## Your Interactiv Dashboard (IHM)



INNOVATION!

SPECIAL MENU

AUTO +



### AUTOMATIC MODE SELECT MENU

Choice of auto cleaning mode



### SPEED MENU

Choice of cleaning mode (speed, time, progression)

HexaTouch

In addition,  
the robot  
speaks!



“**HEXAGONE is never far away from you...**”

Hexagone's equipment is comparable to a forklift in the logistics chain, that is to say, an indispensable and always ready to be used device.

If the slightest defect has been found, it must be able to be repaired as soon as possible.

Our engineers of Research & Development set a new standard in the plug & play conception and reparation of the machine in less then one hour, on site.

**ON  
SITE  
SERVICE**



SCAN TO SEE THE VIDEO

**Hexagone's world... easy and fast daily maintenance!**

Many of our competitors may try to compete with the power and technology of our machines, but we always go deeper into thinking about the easy operation and maintenance of the devices on site.

For Hexagone, it is not necessary to have our machines repaired in the workshop, this is the force of the leader.

**Equipment  
always available  
at the edge  
of your pool**

**SELF  
REPAIR**

### Easy connection:

Plug & play system of waterproof connectors used for the submarines provides an interchange between our engines, pump and sensors within a few minutes. Ensure professional quality with high maintenance rapidity! Always on site.



**PLUG &  
PLAY  
SYSTEM**

**PURPOSE:  
0  
TOOLS**

### Only fingers:

The objective of our Research & Development department was to make that the minimum of tools is needed to realize a maintenance of our machines. The advantage is that anyone with very low training level is able to repair 95 % of our machines on site and in record time.





“The **best-selling** public swimming pool cleaner **in Europe...**”

**mp3**

### Chrono MP3 Range

The Chrono MP3 pool cleaner is available in 3 different chassis lengths, 4 cable lengths, 4 types of trolley, a choice of 6 degrees of filtration, 5 types of auto settings and 3 types of brushes.

#### Incredibly easy to use

To place the pool cleaner in the water, take the remote control and guide the cleaner into the pool in the position of your choice. There is no specific start point (unless so desired).

To start, press the immediate start or delayed start button and you're away.

To remove from water, a special handle allows you to hold the pool cleaner which only weighs 2.2 kg in water.

Wearing parts (belts, brushes...) can be replaced without tools. For an improved customer experience, the cleaner

speaks, confirms the user's preferences and offers simple maintenance advices.



#### Lateral brush

Ideal for Hexpresso mode, run around the perimeter of the pool to clean the bottom edge.



#### Maximum hygiene

With its 50m³/h turbo pump, it vacuums dirt resting on the tiling or inside the seals and grouting.

By travelling upwards along the pool side each time it detects a wall, it also removes algae accumulating at wall bases. Thanks to its umbrella-opening filter (HEXAGONE exclusivity) you

will never get your hands dirty when cleaning the filter of hair, body hairs, mucous residues, piercings, used bandages...



**HEXA+**



• Configure your cleaner in order to personalize it to your needs and budget.

#### Easy maintenance

Putting into service is included in the purchase of the pool cleaner. From then on, we will configure the vacuum for the pool and organize training for pool professionals on the use and maintenance of the machine. Self-diagnosis is included in every machine.



## Chrono MP3 Configurator

## MP3 chassis



50 cm

Pools of 20 to 25 m

MP3 M

Suction: 50 m<sup>3</sup>/h. Weight 22 kg.  
Cleaning speed: from 10 to 18m/min.

☐ xcmp3m-std
from **4 940€<sup>HT</sup>**

60 cm

25/33 m Pool

MP3 L

Suction: 50 m<sup>3</sup>/h. Weight 23 kg.  
Cleaning speed: from 10 to 18m/min.

☐ xcmp3l-std
from **6 640€<sup>HT</sup>**

75 cm

50/60 m Pool

MP3 XL

Suction: 50 m<sup>3</sup>/h. Weight 24 kg.  
Cleaning speed: from 10 to 18m/min.

☐ xcmp3xl-std
from **9 560€<sup>HT</sup>**

## Camera




## Camera option

Waterproof IP68 camera  
with 8 leds.

☐ MP4
**1 400€<sup>HT</sup>**

## Auto modes



## Hexpresso

10mins for 25m/  
30mins for 50m.

☐ To buy if compatible


## Systematic

45mins for 25m/  
1hr30mins for 50m.

☐ xzcmp3e02n03


## Magellan Cross

1hr15mins for 25m/  
3hrs for 50m.

☐ xzcmp3e02n01


## V-shape

2hr30mins for 25m/  
5hrs for 50m.

☐ xzcmp3e02n04


## Floor and sides option

3hrs30mins for 25m/  
6hrs for 50m.

☐ xzcmp3e02n02

## Cables



25 m

Free-floating reinforced PVC  
coating.

☐ xzcmp3c01n02


32 m

Free-floating reinforced PVC  
coating.

☐ xzcmp3c01n04


40 m

Free-floating reinforced PVC  
coating.

☐ xzcmp3c01n05


50 m

Free-floating reinforced PVC  
coating.

☐ xzcmp3c01n06

## Option

90° straight

90° rounded

## Wall base

☐ 90° angle

NC

☐ Rounded angle

NC

## Trolleys



## Classic

With dispenser and 2 forks.

☐ xzcmp3k01n01


## 25-32m Reel

With trolley shovel and with cable reel.

☐ xzcmp3k01n02


## 40-50m Reel

With trolley shovel and with cable reel.

☐ xzcmp3k01n03


## Winch trolley

Equipped with gallows with winch.

☐ xzcmp3k01n04

## Filters

## 20 microns

Very fine filtration.

☐ xzcmp3f01n03

## 105 microns

Classic filtration.

☐ xzcmp3f01n01

## 1000 microns

Filtration for reopen the pool.

☐ xzcmp3f01n04

## 75 microns

Fine filtration.

☐ xzcmp3f01n07

## 250 microns

Filtration for exteriors.

☐ xzcmp3f01n02

## 2000 microns

Filtration for reopen the pool.

☐ xzcmp3f01n08


## Leaves prefilter

1 cm.

☐ fb0002n000
2<sup>nd</sup> bare filter tray

Second filtration option.

☐ xzcmp3f01n05

## Brushes &amp; accessories



## PVC

For M

☐ xzcmp3d02n03  
☐ xzcmp3d02n06 (for sides)

For L

☐ xzcmp3d01n09  
☐ xzcmp3d01n12 (for sides)

For XL

☐ xzcmp3d02n15  
☐ xzcmp3d02n18 (for sides)


## Mixed

For M

☐ xzcmp3d01n01  
☐ xzcmp3d02n04 (for sides)

For L

☐ xzcmp3d01n07  
☐ xzcmp3d02n10 (for sides)

For XL

☐ xzcmp3d01n13  
☐ xzcmp3d02n16 (for sides)


## PVA

For M

☐ xzcmp3d01n02  
☐ xzcmp3d02n05 (for sides)

For L

☐ xzcmp3d02n08  
☐ xzcmp3d01n11 (for sides)

For XL

☐ xzcmp3d02n14  
☐ xzcmp3d02n17 (for sides)


## Remote power supply

☐ xzcmp3e03n03


## Outdoor Cover

☐ ka0203n000


## Saltwater Kit

☐ xzcmp3e01n02


## Re-high kit M/L/XL

☐ xzcmp3a01n04/5/6


## Great depth Kit


☐ xzcmp3h01n03


## Liner Kit M/L/XL

☐ xzcmp3e00n04/5/6

## 2in 1

Classic filtration  
+ Biofilm extraction



The Nano Viking aspirates and extracts the biofilm contained within 5 cm of the bottom of the pool and sends it to the main pool filtration which will have the ability to stop it.



2nd pump for  
water transfert into the  
main filtration



Extracts 99.9%  
of debris including  
hidden microscopic  
residues! ...



“Nano System  
extracts 99.9% of  
debris including hidden  
microscopic residues”



## 36 000 bacteria eggs in the pool bottom...

99% of the "nano debris" are on the bottom of the pool. Leading research, from American & European, by two completely different industries, indicates that keeping your pool clean may be more important than ever thought. Besides being unsightly, we now know that residues on the bottom of the pool, even microscopic residue that you CAN'T see (AKA Biofilm), contain bacteria, germs, chloramines, (& THM's) and other highly undesirable stuff that can be hazardous to your swimmers, the pool finishing itself, your chemical levels and your maintenance budget. The NANO System will extract from your pool this biofilm in order to eliminate it by your main filter.



### Nano system M

Suction: 50 m<sup>3</sup>/h. Weight 22 kg.  
Cleaning speed: 10 m/min.

☐ Without external filter  
xcmp3m-stdvkg **7 730€<sup>HT</sup>**

### Nano system XL

Suction: 50 m<sup>3</sup>/h. Weight 24 kg.  
Cleaning speed: 14 m/min.

☐ Without external filter  
xcmp3xl-stdvkg **12 550€<sup>HT</sup>**

## Remove the biofilm, why ?

The biofilm is a large quantity of bacteria that are living as a vast colony in the microscopic world (nano world). A biofilm is self-perpetuating and difficult to remove. Worst of all, it likes any surface, especially bottom of the pool. Did we mention that biofilms relatively resistant to chlorine ?

### How does biofilm form?

Biofilm forms on any surface, including the pool walls up to the water line, but prefers the bottom of the pool (gravity law). There are 5 process steps to the formation of biofilm: **Attachment, Colonisation, Protection, Growth**, and finally, what we call **Distribution**.

**Attachment** is just that; the bacterium attaches to the surface. It wants a place to call home and to grow. Bacterium wants to be in relationships, so it finds a nice surface to settle down and to join up with a few of their closest friends.

After attaching to the pool surface with their friends, **Colonisation** takes place as bacteria multiply and divide, growing in number.

In the **Protection** stage, the bacteria colony begins protecting itself against invasion. Invasion from environmental factors, "lethal" chemicals (such as chlorine), predators, anything that wants to destroy it. In technical terms, the bacteria begin to excrete a protective coating called an "exopolysaccharide" film. The film is sticky or slimy and hearty.

Now the biofilm is ready to experience explosive growth.

**Growth** of biofilm gets bigger and tougher. Super colonies of biofilm are actually absorbing certain chemicals that were meant to destroy them.

Now we pass full circle to **Distribution** where these scattered parts begin to attach to other surfaces or different parts of the same surface. And the cycle begins anew.

### These are some of the diseases that can result from the Biofilm :

Gastroenteritis, Dysentery, Amoebic dysentery, Cholera, Typhoid, Hepatitis A, Giardiasis, Cryptosporidiosis, Salmonellosis, Shigellosis, Dermatitis. (Centers for Disease Control and Prevention) All this fungus, bacteria, viruses and Protozoe are almost between 0,1 to 4 microns ! That's why a Nano system must be used in your pool. Is it not clearer ?



“Increase your filtration to catch **all visible debris!**”

## Extra System filtration

You have a pool that needs extreme cleaning due to various conditions. Getting pool ready after the winter, large quantities of algae, leaves from surrounding trees, sand from beach volley... the Extra system is your unique solution !

We have extend our filtration cleaning capacity and our Extra system is able to collect up to 30kg of sand per cleaning !

### How does it work?

Depending on your type of debris, we can add different types of filtration system to our pump system.

**You have the choice between 3 solutions :**

## 3in1

Filtration + extraction + recovery



### Extra capacity top 1

Available in 20, 75, 105, 250, 1000 or 2000 microns bag.

☐ fk0003chrn000

**300€HT**

### Extra capacity top 2

**Perfect for bio pools!**

The Quick Vac® Filter system vacuums up sand, algae...in its own cartridge filter.

☐ Filter cartridge 1\*  
fk0004ch1n000

**3 400€HT**

☐ Filter cartridge 2\*  
fk0004ch2n000

**3 710€HT**

☐ Filter cartridge 3\*  
fk0004ch3n000

**4 020€HT**

\*Delivered with 25m hose

☐ Option 50m hose

**+200€HT**

### Extra capacity top 3

With our specific 4 filters bag, you can choose the mesh of 20, 75, 105, 250, 1000 or 2000 microns bag. Delivered with 5m hose.

☐

**800€HT**

Other lengths of hose, please consult us

**HEXA+**



- 3 different options
- Ideal for bio pools and very large pools





- Stainless steel frame
- Equipped with a gyro for super fast cleaning



“The 5-star professional scrub robotic poolcleaner,  
**14kg of power**”



**peps 200**

## Peps 200

The pool bottom cleaner Peps is the result of the research and art of development from Hexagone, the leader in sector of commercial swimming pool cleaners. The pool bottom cleaner Peps is the new entry to semi public market such as hotels, camp sites, schools, condos, health clubs and high demand private customers.

**The 3 main reasons to choose the Peps :**

### 1/ Construcion

Class-exclusive high-strength, stainless steel frame. The design is reliable and easy to maintain, it will withstand daily use by multiple staff.

### 2/ Performance

The pool bottom cleaner Peps is extremely powerful with a professional pump of 37 m<sup>3</sup>/h and the largest cleaning capacity on the market (filter can hold up to 6 kg of sand). It has Hexagone revolutionary fast-rotating brushes and super power suction. This makes it the ideal partner for any swimming pool.

### 3/ Smart

Equipped with a gyroscopic controller and an infra red eye, its self learn automatic mode makes the pool bottom cleaner Peps extremely fast and active completing a cycle on a 15m x 10m pool in less than 25 minutes. Using the pool bottom cleaner Peps is therefore both easy and efficient.

Each pool bottom cleaner Peps ordered comes complete with transportation trolley and remote control.



Pools up to 25 m

**PEPS 200**

Suction: 37 m<sup>3</sup>/h. Cleaning speed: 16 m/min.  
Filtration capacity: 6 kg of sand. Weight: 14 kg.

☐ Peps 200 with 30m cable xypeps200

**3 990€<sup>HT</sup>**



Aspirates in less than 15 cm of depth thanks to its powerful pump of 37 m<sup>3</sup>/h.



## Comfort in use




Human-machine interface with its touch screen dashboard is simple to use and delivered with waterproof radio remote control.

## Control System

## Technology concentrate

**Metro**  
**NAV**  
inside

Navigation system  
Metro NAV

- 45 min to clean an 18 m swimming pool.
- Equipped with an infrared sensor for detection and a gyroscope for moving.
- Comes with an 8-function radio remote control, waterproof and shockproof.
- For all types of coating (liner, tiles, concrete, stainless steel ...).

Waterproof radio remote control



Lightweight  
**14 kg**

With stainless steel trolley



20°  
maxi



For flat or gently sloping pools

## Filters



- 75 microns Fine filtration
- 105 microns Classic filtration (delivered as standard)
- 250 microns Filtration for exteriors
- 1000 microns Filtration for return to operation

## Robust



Ultra-resistant and ultra-light robot frame in marine quality stainless steel.

## Powerfull &amp; fast



Rotary brush with soft bristles 3x faster than a moving speed of the robot.

**IDEAL**  
for seal joints  
and algae



**NINJA**  
pump

2 times more powerful than the robots of its category\*. (\*Compared to robots plastics current).

“The simplicity of a light and powerful cleaner...”



## Monte Carlo'

The Monte Carlo' brushes and cleans every kind of pool with any type of lining, for surface areas ranging from 70 to 150 m<sup>2</sup>. Its gyroscopic system optimises movement to cover the entire surface area of the pool.

The Monte Carlo' automatically adjusts to the shape of the pool. 2 filter cartridges.



- 23 meters cable.
- Equipped with a gyroscope.



SCAN TO SEE THE VIDEO



Pool up to 18 meters



### Monte Carlo' XL

Suction: 20 m<sup>3</sup>/h. Weight 12 kg. With trolley and remote control.

☐ With 30 m of cable z263helvisgp30

2 490€<sup>HT</sup>



### Monaco 200

Suction: 17m<sup>3</sup>/h. Weight 11 kg. With trolley. Cleans floor and walls. Pool cleaner with 17 meters cable.

☐ xchr2000

1 190€<sup>HT</sup>



### Monaco 100

Suction: 17m<sup>3</sup>/h. Weight 9 kg. No trolley. Cleans only pool floor. Pool cleaner with 17 meters cable.

☐ xchr1000

990€<sup>HT</sup>

Photos are not binding

“With a video camera,  
it becomes an  
Odyssey...”



## Visio Range VISIO

The Visio is the new generation of pool cleaners from Hexagone, with a view to become a new signature product in the field of commercial swimming pool cleaning.

Navigation via high-precision gyroscope.

100 m<sup>3</sup>/h suction power.

On-board camera.



Laminar flat cartridge filter.  
5 micron filtration  
or 1000 microns  
stainless steel filter.




Ultra short cycle,  
Hexpresso mode  
10' for 25m/ 18'  
for 50m +  
4 more choice of  
programs.



Video screen

Joystick



### Video camera equipped with 7" screen

For total control in pools and under movable floors.  
Joystick to easily manoeuvre pool cleaner.  
7" colour transmission screen.

Bluetooth to communicate with and configure cleaner via  
touchscreen tablet or PC.



Bluetooth®

HEXA+



**Double pump:**  
• one pump dedicated  
to central vacuuming  
• another dedicated to side  
vacuuming.

Visio casing



67 cm

50/60 m Pool

Visio XL

Suction: 100 m<sup>3</sup>/h. Weight 31 kg. Cleaning speed: from 8 to 25 m/min.  
IP68 waterproof, camera has 8 leds for night vision.



from **16 750€HT**



With camera



67 cm

50/60 m Pool

Expresso XL

Suction: 100 m<sup>3</sup>/h. Weight 31 kg. Cleaning speed: from 8 to 25 m/min.  
No camera.



xxpox-std

from **12 290€HT**



“Motorized brush  
for air/water line...”

## line Complete battery brush Lineo

Rotating pad brush powered by a waterproof motor cleans the waterline (up to 50 cm deep) and areas which are difficult to get to. Comes with 2 kg battery. (1 hr30mins battery life). Perfect for air/water line, WCs, stairs, windows, showers and mobil home exteriors. Power 40 W. Weight 2,3 kg. Telescopic handle 150-250 cm.

<input type="checkbox"/> Complete Lineo M	xlineo1200n000	860€ <sup>HT</sup>
<input type="checkbox"/> Hexagom, magic sponge, gom Lineo	z114fpgxlrisk	20€ <sup>HT</sup>



SPECIAL  
NATURAL  
POND

### LINEO XL big depth

Completely new on the market. The first electric rotating scrubber with a suction connection is operated using the 2,4 to 4,8 m long telescopic rod. The complete power supply with its Li-ion rechargeable battery, cable and switch unit. With brushes and accessories.

☐ Lineo XL

1 090€<sup>HT</sup>



### Battery charger for Lineo M

220V/12V DC charger.

☐ z702fms1580-2

75€<sup>HT</sup>



### Additional battery for Lineo M

Maintenance-free battery.

☐ z702f12v7a

31€<sup>HT</sup>

The motorized rotating  
cylindrical brush easily  
removes of encrusted dirt



### LINEO Roto Brush XXL

Scrubbing and vacuuming at the same time! 2,4 - 4,8 m telescopic rod, suction connector Ø 38/50 mm. Li-ion rechargeable battery 10 Ah. 24 V. Approx. 3 h running time when fully charged. Approx. 4 h loading time. Working width 44 cm. Weight 6 kg.

☐ Lineo XXL

1 190€<sup>HT</sup>

## Specific pool cleaning



### HEXAGOM, magic sponge

The New HEXAGOM is an extra large, multi-surface, magic eraser which efficiently cleans stubborn stains and marks on the sides, bottom and waterline of your pool.

<input type="checkbox"/> Brush head XL	z114fpgxl20	27€ <sup>HT</sup>
<input type="checkbox"/> Gom XL	z114fpgxlr60	12€ <sup>HT</sup>
<input type="checkbox"/> Gom L	z188f250.100.208	Contact us



CALCIUM  
HYPO CHLORYT  
STICK



### HEXAGUN, chlorine gun

Chlorine HEXAGUN is an easy and effective system for cleaning and disinfection. It can be used everywhere and on all surfaces that can withstand water.

<input type="checkbox"/> HEXAGUN 250 PPM	z115fsws-sp-250	460€ <sup>HT</sup>
<input type="checkbox"/> HEXAGUN 70 PPM	z115fsws-sp-70	430€ <sup>HT</sup>
<input type="checkbox"/> 9 tablettes Pack	z115fswst-01-09	99€ <sup>HT</sup>



### 2 products cleaning station

Ideal for daily cleaning of floors and surfaces. Easy to install, attach directly to a tap, and it runs without electricity. Allows for effective mixing thanks to its 14 colour-coded calibrated nozzles.

<input type="checkbox"/> Wall station	z237fcep2150apa00000	365€ <sup>HT</sup>
<input type="checkbox"/> Trolley for proposed model	z237f1b99.chm.sb10	420€ <sup>HT</sup>



# Quick Vac'



SCAN TO SEE THE VIDEO

360°  
WHEELS

HEXA+



- Painted aluminum trolley to move anywhere.
- Ultra resistant body.

“Manual pool vacuum, on battery and with its own filtration...”

## Quick Vac' fountain, classic or XL

The days of connecting a floating pipe to your filter or looking for a vacuum socket are gone.

Quick vac' is light, portable and battery-operated.

It easily handles all kinds of pools.

Equipped with four 360° rotating wheels and an independent filter, it gets into the corners, vacuums up large leaves and can hold large quantities of sand in its bag without losing suction. 40m<sup>3</sup>/h of suction.

<input type="checkbox"/> Classic	L.40 cm	40 cm minimum water level	xz490fv002-d-000b	2 140€HT
<input type="checkbox"/> Fountain	L.40 cm	15 cm minimum water level	xz490fv003-d-000b	2 140€HT
<input type="checkbox"/> XL	L.110 cm	40 cm minimum water level	xz490fv003000-d-000b	2 490€HT
<input type="checkbox"/> Power supply option				+500€HT



## Manual pool vacuums and parts

**Quick Vac' filter**

Perfect for bio pools! The Quick Vac' Filter system vacuums up sand, algae... in its own cartridge filter, then sends clean water back into the pool. You just need to attach a pipe to a vacuum head. Complete kit with fairlock.

Level 1	Level 2	Level 3
<input type="checkbox"/> z081hbf55bkpsc <b>3390€HT</b>	<input type="checkbox"/> z081hbf105bkpsc <b>3690€HT</b>	<input type="checkbox"/> z081hbf155bkpsc <b>3990€HT</b>

**Quick Vac' Spa**

Say goodbye to fine dirt in spa pools. Quick Vac' Spa is the easy and effective maintenance solution for you. Quick Vac' Spa is a vacuum cleaner with two included 5 and 100 micron filter pouches. Equipped with a check valve. Battery-operated or on power supply.

<input type="checkbox"/> Battery z160hplwr <b>159€HT</b>	<input type="checkbox"/> With Mains lead AC/DC z160hplwrsc <b>326€HT</b>
--	--

## Accessories

Net	Wall brush	360° brush	Fairlock vacuum head	Telescopic clip pole
Stainless steel net with ultra resistant mesh.	Reinforced curve brush of 45 cm length.	Clip attachments. 30 cm. 360° hard-bristled.	With brushes and wheels.	Alu clip and grip.
<input type="checkbox"/> Classic net z218f44647 <b>13€HT</b>	<input type="checkbox"/> A clip z218f44645cl <b>19€HT</b>	<input type="checkbox"/> Brush 30 cm z181fac88757 <b>25€HT</b>	<input type="checkbox"/> Width 48 cm z124ffairlock <b>270€HT</b>	<input type="checkbox"/> 1,8-3,60 m z246f816218001 <b>40€HT</b>
<input type="checkbox"/> Reinforced net z797ftrtd <b>69€HT</b>	<input type="checkbox"/> Butterfly z218f44645pp <b>19€HT</b>	<input type="checkbox"/> Brush 45 cm z181fac88072 <b>29€HT</b>	<input type="checkbox"/> Width 96 cm z124ffairlock96cm <b>470€HT</b>	<input type="checkbox"/> 2,4-4,8 m z218f44027 <b>60€HT</b>
	<input type="checkbox"/> Reinforced z246f814005012 <b>24€HT</b>	<input type="checkbox"/> Brush 60 cm z181fac88927 <b>33€HT</b>		<input type="checkbox"/> 7,5 m z218f44004 <b>220€HT</b>

“Become your own producer  
of Chlorine made in-house...”

Partnership  
PURE  
CHLORE



SALT

3 kg of salt  
=  
1 kg of chlorine  
100%

HEXA+



- Full autonomy
- No more handling or problems with storage

## Pure Chlore OFF-LINE


OFF-LINE chlorine production is now possible.

The Pure Chlore system offers an alternative to using electrolyser online. You can now produce chlorine in the technical room. There are 3 reasons behind the development of Pure Chlore:

1. The change in the quality of chlorine over time.
2. The risks linked to its handling, storage and transport.
3. The running costs linked to the use of commercial chlorine.

<input type="checkbox"/> 2 electrodes	for pools up to 300m <sup>3</sup>	z112hpurcl-1gn03	<a href="#">Contact us</a>
<input type="checkbox"/> 4 electrodes	for pools up to 500m <sup>3</sup>	z112hpurcl-1gn06	<a href="#">Contact us</a>
<input type="checkbox"/> 8 electrodes	for pools up to 1000m <sup>3</sup>	z112hpurcl-1gn08	<a href="#">Contact us</a>
<input type="checkbox"/> 12 electrodes	for pools up to 2000m <sup>3</sup>	z112hpurcl-1gn12	<a href="#">Contact us</a>

### OFF-LINE SYSTEM



The security for the storage of chemicals in swimming pools refers to multiple aspects, technical prevention, adherence to safety regulations, staff training. During its work, the technical staff of a pool is exposed to chemical and physical dangers. These dangers can be limited with the Pure chlore system. No need to take stock of chlorine gas canisters or chlorine granules, powder or liquid. Beyond the prevention of risks, it is also the assurance of autonomy and certainty of a beautiful, healthy water, disinfected and disinfectant.

### Dosing tank

Polyethylene dosing tank allows you to safely store 50 to 250 liters of liquid products, the solution will be injected by a dosing pump.



- ☐ 50 liter tank
- ☐ 100 liter tank
- ☐ 250 liter tank

[Contact us](#)

[Contact us](#)

[Contact us](#)

### 0.1 to 200l/h dosing pump

Designed for the injection of liquid products such as pH balancers. Can be programmed to regulate chlorine and pH.



- ☐ 5 liter pump  
z237fakl803nhh0000
- ☐ 10 liter pump  
z237fakl800nhh0000
- ☐ 20 liter pump  
z239fakl803mah0000

**359€HT**

**419€HT**

**665€HT**

HEXACONTROL

## Amperometric chlorine/pH regulator

Hexa Chlorine/pH control is aimed at demanding users.

This regulator takes an amperometric chlorine measurement with 2 injection thresholds, and another 2 injection thresholds for pH. 6 cm high display in 2 different colours. Ideal for use in dark machine rooms.

☐ With probe

z243hr0012n001

3 930€HT



More than  
3000 in  
use



Testing kit



Copper/platinum probe

Copper/platinum probe for chlorine.

☐ z243f5636ccp

454€HT



Premium pH probe

pH gel probe.

☐ z348f00404531-20.1

277€HT

Other photometers, contact us

Photometers - Thermometers



Pool Lab 1.0

Waterproof, allows to analyse 9 tests.

☐ z141fpol01

159€HT



PC 03

Chlorine/pH/ stabiliser analysis.

☐ z276fshp003d

390€HT



PC 09

Chlor/pH/ CYA/TA/AC/ TH/OZ/CU/BR/FE analysis.

☐ z276fsp709e

890€HT



Municipal Toolkit

Chlor/pH/ stabiliser analysis. 6 functions.

☐ z276fsp129c

250€HT

Lovibond and Palintest  
approved centre for  
calibration certification

Tablets

DPD 1

250 box.

Black for photometer

z276fap011

19€HT

Green manual

z276fat010

17€HT

DPD 3

250 box.

Black for photometer

z276fap031/1

19€HT

Green manual

z276fat030

17€HT

DPD 4

250 box.

Black for photometer

z276fap041

21€HT

Green manual

z276fat040

19€HT

DPD stabiliser

Box 100

z276fap087

56€HT

Box 250

z276fap087/250

91€HT

DPD Phenol red

250 box.

Black for photometer

z276fap130

21€HT

Green manual

z276fat130

19€HT



Round test tube

10 ml. In glass. Set of 5.

☐ Large

z276fpt595

72€HT

☐ Wide

z276fpt555

72€HT



Square test tube

10 ml. In glass. Set of 5.

☐ z276fpt521/5

65€HT



Standardised sanitation diary

A journal for the public or residential swimming pools.

☐ z294f8400004

46€HT



Black &amp; Decker thermometer

Electronic infrared thermometer.

☐ z094ftld100-xj

135€HT



Buoyant thermometer

Floating thermometer.

☐ z218f46530

30€HT



Electronic thermometer

Electronic thermometer with probe.

☐ z368fti98509n

88€HT

Telescopic Water Sampler

Includes a telescopic handle of 1,5 / 2,5 m long and a ladle with spout of 500ml.

☐ Telescopic arm

z251fbur-53540250

56€HT

☐ Ladle with spout

z251fbur-53545050

48€HT

SPECK X pumpen



Normblock Multi Pump

For water circulation and filtration in public swimming pools and aqua parks. Horizontal, completely plastic block pump.

☐

Contact us



BADU Block Multi Pump

Non-self-priming, single-stage, volute casing pump in vertical monoblock design. Due to the low motor speed, pump operation is quiet with very little wear and tear.

☐

Contact us

SPECK X pumpen



BADU Resort Pump

Cost saving pump for hotels and campsites swimming pools, wellness oases or special basins. Monoblock-type pump with integrated strainer tank. The below-type mechanical seal is mounted on a plastic shaft protector sleeve. Motor/pump has no contact with water providing complete electrical separation.

☐

Contact us

Choose your pump based on your utilization:

Basin type	Normblock Multi	BADU Block Multi	BADU Resort
Olympic	xxx	xxx	x
Commercial/public 50m	xxx	xxx	xx
Commercial/public 25m	xxx	xxx	xxx
Aqua parks	xxx	xxx	x
Hotels	xx	xx	xxx
Campsites	xx	xx	xxx
Spa & baths	xx	xx	xxx

Technically high-performance plastic. Permanent corrosion protection and protection against aggressive media for all relevant wetted parts due to completely plastic version.

For BADU Block & Normblock models in cast iron or bronze, contact us. The BADU SELECT program provides you the dimension calculation and the selection of the optimal pump according to every application and external constraints. Contact us for more information.

“Aqua fitness style  
is coming to your pool...”

# Design

Aquafitness




New

White colour

Super  
comfort !



Handlebar height and  
depth adjustment



Seat height  
adjustment



SCAN TO SEE THE VIDEO

8 wonderful  
colours!

## Optima 100

### Hexa Bike Superstyle

Top design, made from polypropylene, the moving parts are made of stainless steel (with a 7 years anti-corrosion warranty). It is ideal for getting back into shape and retraining. It will adapt to your pool depth between 100 and 140 cm, it can be used with or without aquagym shoes. It is easy to transport (thanks to the 2 front rollers), to place and to remove from your pool.

Its polypropylene frame means there is a minimal risk of cuts from sharp edges, as can occur with stainless steel cycles...

HEXA+



- Safety, stability (9 suction cups)
- Anti-cut-proof polypropylene
- Stylish

## Style aqua fitness equipment



SCAN TO SEE THE VIDEO



7 colours!



### Style Hexa Run

Hexa run is ideal for aquatrecing or aquajogging classes, it gives the leg muscles a good work out, firms the thighs and buttocks, strengthens the back and increases endurance.

☐ z645ft0001-06n000 Royal blue

1 590€<sup>HT</sup>



SCAN TO SEE THE VIDEO



7 colours!



### Style Hexa Jump

Hexa jump is a device which offers fun, toning and risk-free training. It is made of polypropylene and allows you to jump in and out of the water. Ideal for low water depth.

☐ z645faqj001n000 Yellow

630€<sup>HT</sup>


## Optima

Aqua fitness  
TURBO-CHARGED  
WELLBEING

Aqua fitness

Pool depths

7  
wonderful  
colours  
to choose from



120 cm

#### Hexa Bike Optima 100

Bike without brake. Polypropylene frame. Stainless steel accessories. Weight 14 kg. Dim.: 115 x 92 x 66 cm.

☐ White xbs108n000

☐ Red xbs103n000

☐ Light blue xbs105n000

☐ Royal blue xbs106n000

☐ Green xbs104n000

☐ Yellow xbs101n000

☐ Orange xbs102n000

☐ Pink xbs107n000

1 190€<sup>HT</sup>

New



120 cm

#### Hexa Bike Optima 200

Bike with brake. Polypropylene frame. Stainless steel accessories. Weight 16 kg. Dim.: 120 x 160 x 66 cm.

☐ Red xbf003n006

☐ Light blue xbf005n006

☐ Royal blue xbf006n006

☐ Green xbf004n006

☐ Yellow xbf001n006

☐ Orange xbf002n006

☐ Pink xbf007n006

1 590€<sup>HT</sup>



160 cm

#### Hexa Multi-Exercise

Platform Ø 98 cm, bar in anti-corrosion stainless steel H.170 cm. 10 Suction cups. Weight 20 kg.

☐ Red z645fpdnc003n000

☐ Light blue z645fpdnc005n000

☐ Royal blue z645fpdnc006n000

☐ Green z645fpdnc004n000

☐ Yellow z645fpdnc001n000

☐ Orange z645fpdnc002n000

☐ Pink z645fpdnc007n000

730€<sup>HT</sup>



80 cm

#### Hexa Jump

Polypropylene platform. Ø 106 cm. H.22 cm. Weight 9 kg.

☐ Red z645faqj003n000

☐ Light blue z645faqj005n000

☐ Royal blue z645faqj006n000

☐ Green z645faqj004n000

☐ Yellow z645faqj001n000

☐ Orange z645faqj002n000

☐ Pink z645faqj007n000

630€<sup>HT</sup>



120 cm

#### Hexa Run

Polypropylene frame. Stainless steel accessories. Weight 25 kg. Dim.: 135 x 82 x 153 cm (folded).

☐ Red z645ft0001-03n000

☐ Light blue z645ft0001-05n000

☐ Royal blue z645ft0001-06n000

☐ Green z645ft0001-04n000

☐ Yellow z645ft0001-01n000

☐ Orange z645ft0001-02n000

☐ Pink z645ft0001-07n000

1 590€<sup>HT</sup>

Detachable parts



#### Comfortable saddle

Padded foam saddle, adjustable height.

☐ z645h0003

45€<sup>HT</sup>



#### Suction cups

Transparent semi-rigid suction cup with integrated stainless steel screws.

☐ z645h0004

13€<sup>HT</sup>



#### Pedal

Ergonomic shape. Ideal for all shoe sizes.

☐ z645h0030n000

135€<sup>HT</sup>



#### Strap

Reinforced PVC pedal strap.

☐ z645h0016

22€<sup>HT</sup>



#### Aqua Bike Shoes

Size from 36 to 46. (Size: Consult us)

☐ z183htprt

40€<sup>HT</sup>

Training

- ☐ Aquabike Training
- ☐ Aqua parcours Training
- ☐ Aqua fitness Technical Training

wsformaqua1000

wsformaqua2000

wsformaqua3000



DVD provided with 40 minutes of exercises!



“Intensif and sport  
aquafitness range...”

# SPORT PREMIUM



## Hexa Bike

The new line Hexa Bike Sport Premium attracts by its sleek design, ease of use and the innovative technology that provides the quality of variable resistance without adjustment: FPR (Full Progressive Resistance). Thanks to its pedal system in resin and EVA, the pedal is used barefoot, the resistance increases gradually in accordance with the pedaling speed. Everybody can achieve a quality training adapted to their capacity.

Manufactured with high quality stainless steel AISI316L featuring anti-rust protection in accordance with international standards. Ergonomic design of the frame (multiple settings to match the user's height). Manual adjustment of the overall height to adapt to different depths of swimming pools: from 1.10m to 1.50m. High adhesion stability feet made of synthetic rubber for the protection of all types of pool floors.



Multi exercise bar for an additional training



Bottle holder kit: handlebar holder & 500cl bottle

HEXA+



- Anatomical aquatic saddle
- Safety, stability
- Anti-rust protection



Ergonomic pedal can be used barefoot

## Intensif and sport aqua fitness equipment



### Hexa Run

Designed for intensive use in swimming pools. Extremely stable, robust, it requires very little maintenance. It can be folded for easy storage out of water. Dimensions: 126,9 x 64,6 x 139,3 cm. Weight: 32,8 kg. Calorie consumption: up to 600 cal/h.

z247f0492-005

2 000€HT

### Hexa Jump

Essential and functional design. Light, stackable and perfectly suitable for circuit lessons or single activity. 5 transparent suction cups provide a high stability and don't leave any marks on the floor, suitable to all types of the ground. Dimensions: 91 x 91 x 21 cm. Weight: 5 kg.

z645haqj001n000

700€HT

Commercial swimming pools

## SPORT PREMIUM



120  
MAXI

Delivery packing: 62x14x89 cm - 17,10kg

### Hexa Bike One 100

Exercise with Hexa Bike One 100 affects directly to the posture working, the lumbar support, the balance and corrects bad posture produced by daily activities. This single machine lets to combine cardio training and strengthening leg muscles.

z247f0492-006

1 300€HT



120  
MAXI

Delivery packing: 82x17x90 cm - 20,40kg

### Hexa Bike One 200

The basic model for professional use that differs with its sleek design and ease of use. The pedal's design is based on the F.P.R. (Full Progressive Resistance). Manual adjustment of the overall height to adapt to different depths of swimming pools: from 1.10m to 1.50m.

z247f0492-001

1 400€HT

Adjustable  
seat height  
and depth



160  
MAXI

Delivery packing: 82x17x90 cm - 22kg

### Hexa Bike One 300

Conceived for professional and medical rehabilitation use. It is suitable for weight loss, physiotherapy and people with arthritis, rheumatic diseases, varicose veins, cellulite, and in general, to improve fitness conditioning. The saddle is adjusted to the needs and user measures for lumbar rehabilitation.

z247f0492-013

1 600€HT

Hotels & campsites

## SPORT RESORT



160  
MAXI

Delivery packing: 82x17x90 cm - 21,40kg

### Hexa Bike Resort 100

Specially conceived for resort hotels. It is a solid bike, easy to use, light-weight and silent transportation, prepared specifically for seawater. It incorporates an advertising plate or front banner that allows to place and promote the name of the hotel while being visible in all the photos or videos that customers make.

z247f0492-010

1 600€HT



160  
MAXI

Delivery packing: 82x17x90 cm - 27,50kg

### Hexa Bike Resort 200

Bicycle for exclusive use on the beach, includes special wheels for easy transport and support platforms for the sand. Suitable for flat beaches or with gently sloping and little swell. It has the basic features for professional use.

z247f0492-007

1 800€HT

Option  
beach.  
Platform kit  
with wheels for  
the beach



SCAN TO SEE THE VIDEO



“AquaStrength, **85% muscles in action!...**”

AquaStrength  
Upper Body Workout  
Bundle



## “3 advantages of AquaStrength Functional Aqua Fitness System:

- 1 **For all types of users.** The more effort a person applies the more resistance the water provides. The intensity of the workout is determined by the user. For all ages and all physical form levels.
- 2 **For all types of training.** AquaStrength material is specifically designed to leverage the 3D characteristics of water. Due to the continuous movement it can be used for both aqua sport on all levels and rehabilitation for various groups. AquaStrength offers a total body workout – 85% muscles in action.
- 3 **For all types of pools.** Cleverly designed equipment that requires limited storage and investment. The hard plastic material provides durability (contrary to the common foam materials)

”



Nordic water walk

HEXA+




- Aqua fitness system number 1 in Pacific
- Online Training courses
- Total body workout

**+  
SPEED**

**+  
RESISTANCE**



Aquastrength  
Lower Body Workout  
Fins



## Aqua fitness solution



### Upper Body Workout Bells

The Aquastrength Bells are designed to working on upper body strength, muscle tone and stability.

- |                               |                 |          |                         |
|-------------------------------|-----------------|----------|-------------------------|
| <input type="checkbox"/> Pink | z228hb00001n300 | The pair | <b>69€<sup>HT</sup></b> |
| <input type="checkbox"/> Blue | z228hb00001n500 | The pair | <b>69€<sup>HT</sup></b> |

### Total Body Bundle

Will give you the ultimate workout and help improve your overall health & fitness.

- |      |                 |
|------|-----------------|
| Pink | z228hb00001n300 |
| Blue | z228hb00001n500 |

☐ Kit **119€<sup>HT</sup>**



### Lower Body Workout Fins

The Aquastrength Fins are designed for lower body exercise and attach around the calf for a total body workout.

- |                               |                 |          |                         |
|-------------------------------|-----------------|----------|-------------------------|
| <input type="checkbox"/> Pink | z228hb00002n300 | The pair | <b>69€<sup>HT</sup></b> |
| <input type="checkbox"/> Blue | z228hb00002n500 | The pair | <b>69€<sup>HT</sup></b> |

“An aqua fitness and aqua gym class is all about music, let's make sure that it's as good as possible...”



- Designed for the pool area
- Speaker baffle pointed towards the pool
- Works via bluetooth

## Hexa Sono

Hexa Sono is the third generation of sono specifically designed for the pool area. Professionally-manufactured, its amplifier is designed for use at pool side and its resonance thanks to its wooden subwoofer and plastic baffle focused down towards the pool make it the ultimate sound system for aquagym classes. On stainless steel rollers, weight 43.5 kg. 8h battery life, fully rechargeable in 5h. Underwater loudspeaker optional for synchronised swimming. Power 2 X 150 W.

Dim.: W.46 x D.38 x H.77 cm.

<input type="checkbox"/> Classic battery	z123hcubo30-red	2 030€ <sup>HT</sup>
<input type="checkbox"/> Lithium battery	z123hcubo30-lt-red	2 234€ <sup>HT</sup>



Rear connections panel for IP 64 CD, MP3 player, microphone etc ...



Rear mechanical buttons for settings



### Sono Material



#### Sono Optima

MP3 / WMA playback via SD / MMC card and an integrated USB port. Bluetooth connection. 350 / 700W; integrated power amplifier: 80W.

☐ z211fport8vnh-bt

290€<sup>HT</sup>



#### Wireless micro kit

For aquagym monitor.  
**Range 100 m.**  
**Huge autonomy.**  
(Delivered without hand microphone).

☐ z123fkewm202h

380€<sup>HT</sup>



#### Subaquatic loudspeaker

For synchronised swimming.  
Power 60 W.  
Cable length 5 m.  
Weight 6 kg.

☐ z123faqrm

670€<sup>HT</sup>

**Water Slide Bigliss**

With or without support,  
perfect for slide games.

Water slide support.

☐ z354f6012

**784€<sup>HT</sup>**
☐ z354f7033

**234€<sup>HT</sup>**
**Water Slide "Rainbow"**

Very safe due to its safety steps  
and solid stainless steel hand rails.  
Optionally a pedestal can be designed  
to fit any pool profile.

Dimensions : 250 x 65 x 130 cm.  
Materials: Fiberglass and stainless  
steel 316Ti  
Weight: about 140 kg.

☐ z252hslfdgmb

**10 018€<sup>HT</sup>**
**Water Slide "Elephant"**

Dimensions : 220 x 100 x 125 cm.  
Materials: stainless steel 316Ti.  
Weight: about 160 kg.

☐ z252hslsdsmdb

**7 575€<sup>HT</sup>**
**Water Slide "Dumbi"**


Dimensions : 170 x 80 x 110 cm.  
Materials: Fiberglass and stainless  
steel 316Ti. Weight: about 70 kg.

☐ z252hslfdgmb

**7 448€<sup>HT</sup>**
**Water Slide "Compact"**

Perfect for limited space along  
the pool (only 130 cm width are  
requested for that slide).  
Dimensions : 80 x 170 x 230 cm.  
Fiberglass and stainless steel 316Ti.

☐ z252hslfdgcmp

**8 477€<sup>HT</sup>**
**Baby / Child Games**
**Aquatic cage**

In marine quality painted  
aluminium.  
Various models available.

☐ 1,5m x 1,5m

z569f5530

**520€<sup>HT</sup>**
☐ 2m x 2m

z569f606

**530€<sup>HT</sup>**
**Darts for pool bottom**

6 balls included.  
Dimensions : 1,5 x 1,5 m.

☐
[Contact us](#)
**Game for pool bottom**


Meets the European toy standard  
EN71-3.  
Dimensions : 2 x 1 m.

☐
[Contact us](#)

## “ Learning under the water ”

Rolli-Blue, the new tool **to learn to swim under water...**

- Innovation for learning
- The fun for kids
- A new efficient and lightweight tool



Height  
adjustable

☐ z094f70205

**704€<sup>HT</sup>**
**The Rolli-Blue reel**

The Rolli-Blue reel and its screen with a  
hole will help to teach children and adults  
underwater swimming.

The system is simple:

The reel is positioned on pool edge, the other  
end has a float (PVA foam), it takes up one  
lane width.

Just unroll the canvas to determine the depth  
of the opening for the swimmer to go through.  
The screen has a ballast to ensure stability.  
Kids will love it. Very simple to set up.

**Success for this Rolli-Blue!**



“Chosen by American lifeguards  
for its safety, stability,  
and comfort...”



Dim.:  
80 x 75 x 140 cm

Dim.:  
105 x 80 x 155 cm

Dim.:  
140 x 90 x 180 cm

**HEXA  
CHAIR**



HDPE  
HDPE RECYCLING PLASTIC



Double-step



Drink holder



Optional wheels for all chairs

## Lifeguard chairs

Our Hexa Chairs are made of saltwater and chlorine-resistant polypropylene.

Their design and their stability have made them a real hit across the Atlantic.

There are 3 different available heights. A hook can also be added to hold a lifebuoy. Equipped with a cup holder and a sun umbrella holder. Finally, our Hexa Chairs float in case of vandalism...

<input type="checkbox"/> Single step Hexa chair	Weight 35 kg	z093flg505w	<b>990€<sup>HT</sup></b>
<input type="checkbox"/> 2-steps Hexa chair	Weight 50 kg	z093flg510w	<b>1 190€<sup>HT</sup></b>
<input type="checkbox"/> 3-steps Hexa chair	Weight 70 kg	z093flg515w	<b>1 290€<sup>HT</sup></b>
<input type="checkbox"/> Wheels option			<b>398€<sup>HT</sup></b>



Aluminium Chairs

6 - steps  
H.2.36 m

5 - steps  
H.2.18 m

4 - steps  
H.2 m

4, 5, 6-step aluminium Hexa chair

Very light, solid and stable.

4-steps  
☐ z569f505-4 **398€<sup>HT</sup>**

5-steps  
☐ z569f505-5 **420€<sup>HT</sup>**

6-steps  
☐ z569f505 **439€<sup>HT</sup>**

Parasol

**Lifeguard Parasol**

Special 100% acrylic tissue.  
Ø 180 cm, height 140 cm.  
Aluminum handle Ø 40 mm.

☐ z241h90/10d180-11-n000 **202€<sup>HT</sup>**

Motorola

**Motorola T60 Talky-Walky**

Up to 8 kms of range (depending on the landscape), licenced device with LCD screen and 8 channels.

Set of 2  
☐ z701fmat60 **97€<sup>HT</sup>**



**FRIEDEL**  
PLATFORM



## Platform Friedel

Our lifeguard hexagonal platform is perfect for a 180 degrees view.

With a high of 100cm and seat at 140cm, you are in perfect condition and will miss nothing. In stainless steel for a better resistance. Be the master of your pool!

☐ i00001n000

**1 890€HT**


**Swivel chair option**  
360° view

☐


**Contact us**



  
**180**  
MAXI



Dimensions  
with 2 supports



Sunlounger



8 colours to choose

### Adjustable canvas sunlounger

3 positions. Anti slip feet. Stackable. Dimensions 194 x 76 x 57 cm. Extended height approx. 37 cm. 8 colours to choose (to be specified).

☐ Blue z166fevarg-01/00

**196€HT**



5 colours to choose

### Adjustable slatted sunlounger

3 positions. Anti slip feet. Stackable. Dimensions 194 x 77 x 57 cm. 5 choices of colours (yellow / white / red / blue / green, specify).

☐ White z166fevartg-white

**117€HT**



### Fixed slatted sunlounger

Fixed. Anti slip feet. Stackable. Dimensions 194 x 76 x 49 cm. 5 colours options (Yellow / white / red / blue / green), specify).

☐ White z166fevart-white

**70€HT**



8 colours to choose

### Fixed canvas sunlounger

Fixed. Anti slip feet. Stackable. Dimensions 194 x 76 x 57 cm. 8 colours to choose (to be specified).

☐ Coral z166fevar-39/00

**111€HT**

8 colors to choose for adjustable and fixed canvas sunlounger





**“The waterproof panic button, special for pools and wellness areas...”**



## A panic button:

**1** To warn at the **poolside** during a rescue procedure...



**2** To warn in a **sauna or spa** unsupervised during a heart disease...



**3** To warn at the **cash-desk** during an attack...



**4** To warn in **changing room** to ask for help...



**5** To warn in **on-site technical** in case of fall or intoxicification...



## Simple wireless system!



**1 panic button on battery**



**1 alarm box with customizable verbal warning or information**  
(The box shows the panic button number that has been triggered).

**And all with a radio range of 180 meters!**

Button



## Button for user

Ideal for  
unsupervised  
areas

**Standard wall panic button**

Simple, waterproof, attached everywhere.  
Battery 3.2 V. IP 65. 1 message.

☐ egs002n001
325€<sup>HT</sup>**High temperature panic button, special for sauna - spa - hammam**

Simple, waterproof, attached everywhere. Withstands up to 110°.  
Mechanical. IP 65. 1 message.

☐ egs004n000 + egs005n001
459€<sup>HT</sup>

Remote control

Fixed,  
for the  
lifeguards,  
cashiers

**Special announcement panic button**

Simple, waterproof, can be fixed under a desk or a surveillance chair,  
to a wall... Battery 3.2 V. IP 65. 3 predefined ad messages.

☐ egs003n001
355€<sup>HT</sup>

Mobile,  
for agents  
of cleaning,  
technicians

**Anti-shock remote control**

Simple, waterproof, follows you everywhere. Choice of the area on the  
radio control. Battery 3,2 V. IP 68. Anti-shock.

☐ egs001n000
355€<sup>HT</sup>

## Reception box

Box



Displays the  
box or button  
that has been  
triggered



...and to ensure the message  
gets through everywhere,  
there's the repeater box..

**SPARTEL LED box and speaker**

Put it where you want to be notified. Only requires a 220V outlet.  
The box shows the panic button number (0 to 9).  
Dim.: H.30 x W.20 x D.10 cm. IP 65. Power 20 W. With stop button.

☐ With stop button

eks001n000

776€<sup>HT</sup>**SPARTEL signal repeater**

IP66. 220V. Classic 100 m. Enables retransmit a signal in inaccessible  
areas.

☐ Simple

eks005n000

395€<sup>HT</sup>
☐ Wall crossing



eks006n000

500€<sup>HT</sup>

You can add as many additional boxes as necessary

HEXAGONE - info@myhexagone.com • +33 (01) 34 34 11 55

# “Swimming pool lane ropes adapted to every need...”


Disk Ø 100 mm  
Training

Disk Ø 125 mm  
Standard

Disk Ø 150 mm  
Competition


Stainless steel lane storage rolling reel

	25m	50m
• Width 180 cm		
ø 100	6	3
ø 125	4	2
ø 150	2	1-2

☐ z204f006-0668 **1 316€<sup>HT</sup>**

	25m	50m
• Width 120 cm		
ø 100	3	2
ø 125	2	1

☐ z204f006-0669 **1 223€<sup>HT</sup>**

Stainless steel  
quality 316L

Swivel castors  
360 ° with brake

## The choice of your swimming pool lane ropes:

	SWIMMING POOL LANES MARKERS		ANTI-WAVE COMPETITIONS FLOATING LINES FROM PVC	
	Styropor	PVC	ø 100	ø 150
	*Delivered unassembled	*Delivered unassembled		
FLOATS	25 m <b>325€<sup>HT</sup></b>	25 m <b>220€<sup>HT</sup></b>	25 m <b>350€<sup>HT</sup></b>	25 m <b>595€<sup>HT</sup></b>
	50 m <b>650€<sup>HT</sup></b>	50 m <b>420€<sup>HT</sup></b>	50 m <b>620€<sup>HT</sup></b>	50 m <b>1 150€<sup>HT</sup></b>
ROPE	CORD	CORD	STAINLESS STEEL	STAINLESS STEEL
Tensioner	SIMPLE 	SIMPLE 	JACK 	JACK 

Timer - caddy



Portable timer

Size 40 cm. Operates with batteries not included. Available in 3 colors: blue, red, yellow (please specify).

☐ z569f4258

**336€<sup>HT</sup>**


Wall timer

4 hands. ø 55 cm. Power consumption 10 W. Designed to be used at temperatures from 10 to 35°.

☐ z204f007-0687

**570€<sup>HT</sup>**


Swim lane caddy

Ideal for pools edge and swimming lane floats. Provides for safe and quick removal of lanes.

☐ z197f10111021

**254€<sup>HT</sup>**



Storage bag

Swimming lane ropes storage bag.

☐
**203€<sup>HT</sup>**

# Optima Plastic

5 available colours over all the storage range



Other models, please contact us

## Shelving units



**Shelving unit with 4 shelves**

Dimensions (WxDxH): 150x50x184 cm.

☐ z165fms1500/500

**505€<sup>HT</sup>**




**Shelving unit with 3 shelves**

Dimensions (WxDxH): 150x31x135 cm.

☐ z165fs(cr)

**280€<sup>HT</sup>**



**Shelving unit for mats storage**

Dimensions (WxDxH): 140x60x225 cm.

☐ z165fms(pr)

**315€<sup>HT</sup>**



**Shelving unit for noodles, floats, belts**

Dimensions (WxDxH): 135x57x150 cm.

☐ z165fndl1350

**346€<sup>HT</sup>**

## Boxes



**Box for noodles**

Dimensions (WxDxH): 72x65x105 cm.

☐ z165fndl(mini)

**208€<sup>HT</sup>**



**Box for small objects**

Dimensions (WxDxH): 104x69x84 cm.

☐

**289€<sup>HT</sup>**



**Aqua gym storage unit**

Dimensions (WxDxH): 144x69x111 cm.

☐

**541€<sup>HT</sup>**



**Cabinet for aqua gym equipment**

Dimensions (WxDxH): 126x76x156 cm.

☐

**708€<sup>HT</sup>**

## Benches



**Simple bench**

Dimensions (PxH): 35x49 cm.

☐ L.90 cm z165fb900/350

**99€<sup>HT</sup>**

☐ L.150 cm z165fb1500/350

**149€<sup>HT</sup>**



**Long simple bench**

Dimensions (PxH): 45x49 cm.

☐ L.200 cm z165fb2000/450

**189€<sup>HT</sup>**

☐ L.300 cm z165fb3000/450

**323€<sup>HT</sup>**



**Double side bench**

Dimensions (PxH): 75x49 cm.

☐ L.150 cm z165fb1500/750

**277€<sup>HT</sup>**

☐ L.200 cm z165fb2000/750

**338€<sup>HT</sup>**



**Simple bench with hanger**

Dimensions (PxH): 50x177 cm.

☐ L.115 cm z165fbh1150/500

**240€<sup>HT</sup>**

☐ L.150 cm z165fbh1550/500

**315€<sup>HT</sup>**

# ALUMINIUM PREMIUM

## Box & shelf



**Robust box**

Dimensions (LxPxH): 100x80x70 cm.

☐

**361€<sup>HT</sup>**



**Multi-objects storage box**

Dimensions (LxPxH): 100x60,5x79 cm.

☐

**453€<sup>HT</sup>**



**Shelving unit**

Dimensions (LxPxH): 58x147x107 cm.

☐

**1 879€<sup>HT</sup>**



**Plastic barriers**

Light and easy to transport. Weight 6,5 kg.

☐ White

☐ Yellow

☐ Red

☐ Green

☐ Blue z569f2398-bl

Colours to be specified

**113€<sup>HT</sup>**

Only  
for Swimwear

“The changing room is one of those places where we can offer **users additional services...**”



- A new service in your pool
- Eliminates 95% of humidity in 10 seconds

H.80cm



## DRY 'N' GO® ! The swimsuit wringer pedal

The swimsuit wringer “DRY 'N' GO” offers comfort after swimming.

Say goodbye to puddles of water in changing rooms and damp swimsuits in bags. In less than 10 seconds “DRY 'N' GO” can eliminate 95% of water in swimsuits, and its innovative design will fit perfectly in any swimming pool or fitness centre changing rooms.

- ☐ Manual with brake  
☐ Motorised

z184hssd-silver

1 290€<sup>HT</sup>

2 190€<sup>HT</sup>

How does it work?  
In 4 steps !



1 Put the swimsuit still wet in the wringer



2 Close cover to disable safety before spinning



3 Press the pedal 5 times to wring out



4 Water discharge by an external pipe. A recovery tank option.

# Changing room - shower equipment







**MANDATORY SHOWERING WITH SOAP**



**Audible warning of mandatory shower**

Width 20 cm. Height 30 cm.  
220V/24V DC supply. Infrared sensor.

☐ eks004n000 **890€<sup>HT</sup>**

**Hexa baby chair for shower**

Height 76 cm. Width 60 cm.  
Depth 50 cm. Weight 3,9 kg.

☐ Black grey z195fm212bg **164€<sup>HT</sup>**

☐ Black red z195fm212br **164€<sup>HT</sup>**

## "Premium" hairdryer



**Wall hairdryer**

Ultra-quiet hairdryer for intensive use for communities.  
Power: 1800 W.  
Air flow: 38l / sec.  
- CE compliant - IP 23  
- Automatic release by cell or manual pushbutton  
- Resistant white ABS cover  
- Powerful, economical, durable, reliable, low power consumption. Weight 3,5 kg.

☐ Manual z661ftht1800 **310€<sup>HT</sup>**

☐ Automatic z661ftht1800e **390€<sup>HT</sup>**



**Adjustable hairdryer**

Ultra-quiet hairdryer for intensive use for communities.  
Power: 1800 W.  
Air flow: 38l / sec.  
- CE compliant - IP 23  
- Automatic release by cell or manual pushbutton  
- Resistant white ABS cover  
- Powerful, economical, durable, reliable, low power consumption. Weight 4,5 kg.

☐ Manual z661htht1800tht1800 **834€<sup>HT</sup>**

☐ Automatic z661htht1800etht1800 **890€<sup>HT</sup>**



**Fixed colour hairdryer**

Power 2000 W.  
Air speed 258 m³/h. Automatic.

☐ Specify colours Fixed **460€<sup>HT</sup>**



**Adjustable colour hairdryer**

Power 2000 W. Air speed 258 m³/h. Height 121 cm. Automatic.

☐ Specify colours With mirror **1 090€<sup>HT</sup>**

On gallows Fixed

Pastel yellow z569f1601ral1034 z569f1600ral1034

White-green z569f1601ral6019 z569f1600ral6019

Fire red z569f1601ral3000 z569f1600ral3000

Light grey z569f1601ral7095 z569f1600ral7095

Turquoise blue z569f1601ral5018 z569f1600ral5018

Sky blue z569f1601ral5015 z569f1600ral5015

## Shower



**Styling Gel or Shampoo capsule vending machine**

Can hold up to 250 capsules.

☐ Styling Gel z169hvdgelstkn000fr **255€<sup>HT</sup>**

☐ Shampoo z169hvdshpstkn000fr **255€<sup>HT</sup>**



**Capsules**

☐ Styling Gel z169hcapshrgl **0,50€<sup>HT</sup>**

☐ Shampoo z169hcapsshmp **0,50€<sup>HT</sup>**

## "Optima" hairdryer



**Wall mounted hairdryer**

Robust ABS cover. Triggering by taking reposing/rests of the handle. Flexible hose expandable to 150 cm. Power: 750 W. Sound level 62 dB.  
Power supply: 220/230 V.  
Safety stop: 30 minutes.  
Safety temperature limiter.  
Thermal fuse. Weight: 2,4 kg  
Dimensions : W x D x H: 258 x 172 x 256 mm.

☐ White ABS z661fth80a **202€<sup>HT</sup>**



**Wall hairdryer**

Hot air hairdryer with wall bracket. Two airflow speeds / three temperature options. Safety ON / OFF switch.  
Power: 1400 W. Air speed: 55 km / h.  
Power supply: 220/240 V. Weight: 1.2 kg.  
Dimension : W x D x H: 240 x 150 x 280 mm.

☐ White ABS z130fgw02.03.01.00 **90€<sup>HT</sup>**

☐ Black ABS z130fgw02.03.01.03 **90€<sup>HT</sup>**

“Best way to save energy, water and chemicals  
reducing operating costs...”



### BUBBLE ECO COVER



from 250 to 550<sup>m</sup>

**Bubble layer for summer cover:**

- Acts like a blanket to keep heat, to prevent pool chemicals from evaporating;
- Resistant to UV aggression and new methods of water treatment;
- Supply bubbles for easy folding and coiling;
- The possibility to adapt our formulation to the climate of any country;
- Laser cutting for specific shapes.

z238fspecial  
From

M<sup>2</sup>  
20,30€<sup>HT</sup>

### WINTER DEBRIS COVER



from 250 to 550<sup>m</sup>

- Woven Polyethylene of unmatched robust;
- Opacity of 89% to combat photosynthesis while letting the water flow;
- Fixation is suitable for wooden or concrete pool sides;
- PVC reinforcement straps sewn on the 3 needles for a robustness in a long time.

From

M<sup>2</sup>  
24,15€<sup>HT</sup>

### FOAM OPTIMA COVER



5mm

**Recommended for the swimming pools up to 100 m<sup>2</sup>:**

- 5 mm cover from floating closed isolated cell foam;
- Blue colour;
- assembly with 4 cm reinforcement at each edge on the top of the cover;
- Reinforced polyethylene canvas of 7 cm on the perimeter and to each edge on the underside of the cover;
- Brass eyelets.

z074fisodeleco5  
From  
\* 7 mm thickness exists

M<sup>2</sup>  
26,45€<sup>HT</sup>

### FOAM PREMIUM COVER



7mm

**Recommended for the swimming pools above 100 m<sup>2</sup>:**

- 7 mm cover from floating closed isolated cell foam. Blue;
- Assembly with 4 cm reinforcement at each edge on the top of the cover;
- Reinforced polyethylene canvas of 7 cm on the perimeter and to each edge on the underside of the cover. Strap each meter;
- Reel side: oval eyelets – 2 m strap with Velcro and reinforcement – drawbar;
- Opposite side: foam start float with pull cord.

z074fisodelux7  
From  
\* 5 mm thickness exists

M<sup>2</sup>  
46,80€<sup>HT</sup>

## Choosing your reel :

### Deca 10 SIMPLE MOBILE REEL SYSTEM



Maximum size length	Manual	Motorized 120Nm*
5 x 25 m	z074fv-enca01300 2 364€ <sup>HT</sup>	z074fv-enca01400 4 906€ <sup>HT</sup>
6,25 x 25 m	z074fv-enca01301 2 413€ <sup>HT</sup>	z074fv-enca01402 4 973€ <sup>HT</sup>
8 x 25 m (manual)	z074fv-enca01302 2 483€ <sup>HT</sup>	z074fv-enca01404 5 096€ <sup>HT</sup>
8,50 x 25 m		

\*In 250 Nm, consult us

#### REEL SYSTEM DECA 10

##### Simple manual or motorized reel

- For swimming pools up to 8 x 50 m
- Mast in anodized Aluminium of diameter of 130mm
- Control of the cover thanks to the strap brake.

### Deca 20 DOUBLE MOBILE REEL SYSTEM



Maximum size length	Manual	Motorized 24V
5 x 25 m	z074f20025500 3 852€ <sup>HT</sup>	z074f20125500 8 698€ <sup>HT</sup>
6,25 x 25 m	z074f20026600 3 951€ <sup>HT</sup>	z074f20126600 8 799€ <sup>HT</sup>
8 x 25 m (manual)	z074f20028500 4 093€ <sup>HT</sup>	z074f20128500 8 635€ <sup>HT</sup>
8,50 x 25 m		

#### REEL SYSTEM DECA 20

##### Double manual or motorized reel

- For swimming pools up to 16 x 25 m
- Equipped with 2 axes allowing the coiling of 2 covers of 8 x 25 m
- 2 masts in anodized Aluminium of diameter of 130mm
- Control of the cover thanks to the strap brake.

### Deca 30 PREMIUM MOBILE REEL SYSTEM




Length	Mast type	Reference/price
Less than 9,10 m	ø 127 mm in aluminium	Contact us
From 9,10 to 10,4 m	ø 152 mm Stainless steel	Contact us
From 9,10 to 10,4 m	ø 304 mm Stainless steel	Contact us

#### REEL SYSTEM DECA 30

##### Premium manual reel

- Perfect for big swimming pools with lots of activities
- Stainless steel frame with wood top
- Stainless steel castors
- Mobile or fixed on the board of the basin
- Available in all sizes up to 10,4m long.


“Our gutter grating,  
solid and anti slip...”



HEIGHT OF GUTTER  
GRATING CONSULT US  
(Depending on model)


Choosing your gutter grating:

### PERPENDICULAR GUTTER GRATING




Height (x)	Rigid (y)	Bendable (y)
22 mm	175 to 295 mm	150 to 295 mm
25 mm	175 to 400 mm	150 to 330 mm
30 mm	175 to 500 mm	150 to 330 mm
35 mm	175 to 900 mm	150 to 330 mm
Length (z)	In standard sections of 2.5 m	In standard sections of 1 m

### PARALLEL GUTTER GRATING



Height (x)	Width (y)	Length (z)
25 mm in I	150 to 400 mm	elements of 1 m
25mm PVC	standard 245 mm	elements 250 mm
25 mm PP	standard 245 mm	elements 500 mm
25 mm	182, 254, 330 mm	elements 333 mm
35 mm in T	150 to 400 mm	elements of 1 m

### CURVABLE GUTTER GRATING



Height (x)	Width (y)	Length (z)
20 mm	295 mm	segments of 1 m
25 mm	180, 200, 205, 250, 300 mm	segments of 1 m

Cleaning gutter



#### Special brush for gutters Lineo

Cylindrical brush 20 cm wide to clean gutter grating.

z702FMS1048

195€<sup>HT</sup>

Grating for changing room



#### PVC grating

PVC grating.  
Dim.: 33,3 x 33,3 cm.  
Chemical-resistant.

z113ffl.5000ral

92€<sup>HT</sup>

Product to assist  
in the accessibility  
of sports equipment  
promoting sport  
for persons  
with disabilities.

The United Nations Convention on the  
rights of Persons with Disabilities (2006).



**unikart**

### Unikart Design

Leader in pool solutions, Hexagone has developed an autonomy-boosting hoist for persons with reduced mobility (PRM), with no power required, no battery to be maintained and with no fixed point. UNIKART can provide you with day-to-day assistance in facilitating access to your pools:

- Always ready for use
- Easy access to any part of the pool
- Assists individuals from changing room to pool

• Easy and limited maintenance  
Hoisting load 136 kg.  
Stainless steel trolley. ABS seat.

☐ Manual

Xuni310n000

5 790€HT

**HEXA+**



- Fully mechanical
- No power or battery required
- Not fixed. 100% mobile



SCAN TO SEE THE VIDEO



Double winch



Delivered with braking  
carpet for basin edge



## Mobile disabled lift

For public pool



unikart

**Unikart Classic**

Pool hoist for PRMs requiring no work, using no water or battery required, easy to use. Patented manual double-winch system. High capacity strap. Ideal for various pools. Stainless steel tubular structure with epoxy paintwork.

☐ Manual

xunin007

4 790€<sup>HT</sup>**Motorised version**

With his specific IP 67 mechanical actuator powered by a 24V battery or power supply, the Unikart XD is easy to use, press the button and the swimmer is lowered into the pool.



Battery

☐ xunimprn000
5 750€<sup>HT</sup>

Power supply

☐ xunimprn000s
5 950€<sup>HT</sup>

For public pool

**Unikart 100**

Designed for the access of disabled person in the pool (swimming pool center, camping, hotel, private pool). Ideal for infinity pools. The chair floats during the transfer.

☐ z190ffclm.01
1 660€<sup>HT</sup>**Unikart 100% autonomous**

The PAL portable pool hoist operation, on rollers, requires no anchor. Thanks to its engine and its remote control, the descent and the rise take place effortlessly and without outside help. Hoisting load 136 kg. Tall option for spa.

☐ z797f202-0000eu
11 800€<sup>HT</sup>

Chairs and Spatel PMR

**Uniblu Chair**

Dim.: W.61 x D.106 x H.97 cm. 100% stainless aluminum. Weight 17,5 kg.

☐ z137faa-90f06
990€<sup>HT</sup>**Stainless steel stairs**

Stainless steel stairs with 5 steps. High of 1m50, can be adjust to your need. Exit system in option.

☐
4 990€<sup>HT</sup>**Panic button WC PRM**

Waterproof. Powered by battery (supplied). SPARTEL complement system.

☐ egs002n001
325€<sup>HT</sup>

Protective cover

**Cover for Unikart Classic**

Dim.: 67 x 70 x 118 cm.

☐ ka0292n000
123€<sup>HT</sup>

Product to assist  
in the accessibility  
of sports equipment  
promoting sport  
for persons  
with disabilities.

The United Nations Convention on the  
rights of Persons with Disabilities (2006).

HEXA+



- Need only 3 bars from city water
- No power or battery required



120  
MAXI



Control  
handle

180°

Optional  
footrest



Safety  
wheel in the ground

“We are looking for  
**an autonomous  
product, easy  
and secure...**”

**unijet**



SCAN TO SEE THE VIDEO

## Hydraulic lift

Hydraulic disabled lift for infinity edge pools.

Works with the city water pressure that activates a hydraulic cylinder connected via hose (minimum pressure: 3 bars).

- **Easy to use:** control valve to raise and lower, possibility to use by PRM all alone or with an accompanying.

- **Easy to handle:** Transport wheels to carry easily Unijet from storage to basin. Install into water and tighten safety wheel into the ground.

- **Easy to install:** The seat Unijet needs only very little installation, make a small 8mm screwing with a depth of 15cm, about 40cm from the pool edge, after the chutes. So the product is fully secure and will not tip over.

Security :



- Positioned in the cradle, tipping not possible
- The optional footrest reassures the user
- A safety pin locks the seat in the high position.



Hydraulic

Xujetn001

3 990€<sup>HT</sup>





360°



unifix



### Unifix, manual elevator or motorized hydraulic cylinder hoist

Hydraulic lift for pool and spa. Economic model. Crane allowing the transfer of a PRM into the pool or inground spa.

Consists of a swiveling articulated at 360° column which can support a hammock, or a rigid seat.

Hoisting load max 150 kg.

- ☐ Alone manual gallows
- ☐ Support plate z190fph01-3
- ☐ Alone manual gallows
- ☐ Coring z190fph01-2

2 800€<sup>HT</sup>

- ☐ Alone motorised gallows
- ☐ Support plate z190fpv01-3
- ☐ Alone motorised gallows
- ☐ Coring z190fpv01-2

4 590€<sup>HT</sup>

- ☐ Hammock z190fha02-1

790€<sup>HT</sup>

- ☐ Rigid seat z190fsp.03

1 265€<sup>HT</sup>

HEXA+



• Easy and robust  
• There is the model that you are looking for



#### Hydraulic lift with platform

For therapeutic swimming pools and as an alternative to the ladder. To make it easier for disabled people or people with reduced mobility to get in and out of the swimming pool. A AISI-316 stainless steel structure. The hydraulic mechanism needs water supply with a minimum pressure of 3 bars.


10 292€<sup>HT</sup>

#### SR Smith Axs lift

The aXs lift is the perfect lift for simple pool designs, it makes swimming pool access easy. The aXs lift meets the Americans with Disabilities Act Access Guidelines (ADAAG 2010) and has a 136 kg lifting capacity. The aXs lift installs into your pool deck via locking anchor. 360° rotation.

8 007€<sup>HT</sup>136  
MAXI

SR Smith



# HEXAGONE

## IN THE DIGITAL TIME!

Find us on the web: [www.myhexagone.com](http://www.myhexagone.com)



On our channel  
Youtube :  
[hexagone manufacture](https://www.youtube.com/hexagone-manufacture)



On  
Facebook :  
[myhexagone](https://www.facebook.com/myhexagone)



On  
Twitter :  
[@HexagoneManufac](https://twitter.com/HexagoneManufac)



With our  
application :  
for App Store  
and Android  
(opening on may 15, 2017)



With our  
flash code :  
Viewing  
products videos



## GENERAL CONDITIONS OF SALE HEXAGONE MANUFACTURE S.A.S.

### 1.1. APPLICATION AND ENFORCEABILITY OF THESE GENERAL CONDITIONS

These general conditions of sale (hereafter, "GCS") apply systematically to every buyer (hereafter "the Customer") with the current Hexagone Manufacture S.A.S. tariff, allowing him/her to place an order. As a result, the fact of placing an order implies full acceptance without reservation by the Customer of the GCS. No specific condition may, except in cases of formal and written acceptance from Hexagone Manufacture S.A.S., prevail over the GCS. In the absence of express acceptance, no contrary condition may be raised in objection with Hexagone Manufacture S.A.S. by the Customer, regardless of the time when it may have been brought to its knowledge.

The fact that Hexagone Manufacture S.A.S. does not avail itself at any given moment of any one of these GCS may not be interpreted as a waiver of the right to avail itself of this at a later date. These GCS prevail over any Customer general conditions. These GCS apply to all countries.

### 1.2. ORDER:

Order means any order relating to products which appear in our tariffs, and accepted by Hexagone Manufacture S.A.S.. Offers made by our agents or by telephone shall only constitute a commitment on our side after written confirmation from us. The Customer shall be deemed in agreement with the content of our confirmation if, within eight (8) days, he/she has not shared his/her observations with us in a written registered mail with acknowledgement of receipt. In the absence of any written observation, the order shall be deemed irrevocable. The order is non-transferrable and may not be transferred without the agreement of Hexagone Manufacture S.A.S..

### 1.3. ORDER FULFILMENTS:

We reserve the right to make any modifications or improvements we deem necessary to our products at any moment, without this serving as grounds for a Customer to cancel an order, or requiring us to make any modifications or improvements to previously-delivered products.

### 1.4. CANCELLATION OF ORDERS:

No order can be cancelled by our Customers without our prior and express agreement.

In any case where Hexagone Manufacture S.A.S. should accept the cancellation of an order, any deposit paid by the Customer shall be retained by us in compensation.

### 1.5. DELIVERY:

Deliveries are carried out by freight forwarders either directly to the Customer or via a carrier.

### 1.5.1. DELIVERY TIMES:

Delivery times as well as transportation times are determined on a case-by-case basis and are entirely indicative and without guarantee. Unless there is a contrary agreement, they shall never constitute a commitment on our side. Any delay to delivery shall not constitute grounds to terminate the order, or grounds for refunds, damages or interests, deductions, compensation, cancellation of the current order or the refusal of goods, as well as any kind of indemnity. If in cases of force majeure, and especially: fire, flood, discontinuation of product, machinery breakdown, war, riots, requisition, required reduction of imports, accident or manufacturing delay at our suppliers, delay to transportation of goods, as well as in cases of the occurrence of any event beyond our control which prevents the execution of the contract under normal conditions, whereby manufacture and/or delivery have been prevented or delayed, then our contractual obligations shall be suspended for as long as the case of force majeure exists, without any responsibility borne by Hexagone Manufacture S.A.S., even if a firm timescale has been confirmed. If the case

of force majeure should continue for longer than forty-five (45) days, the more diligent party may, if it wishes, cancel the order affected by the case of force majeure without either of the parties laying claim to the payment of damages and interests.

### 1.5.2. TRANSFER OF RISKS

The transfer to the Customer of the risks of loss, theft or damage of goods sold, as well as the damages these may cause, shall be effective from the moment the courier takes possession of the order. The Customer shall, as a result, take out insurance covering these risks pertaining to the reception of goods for delivery by the courier.

### 1.5.3. TRANSPORT

Unless otherwise stipulated, delivery shall be made by our accredited couriers with shipping costs billed to the Customer in addition to the price paid for the goods. Hexagone Manufacture S.A.S. cannot be held responsible for damage which occurs during transportation or unloading. Goods shall always travel at the Customer's risk, even in case of returns or despatches sent carriage paid or C.O.D. The Customer shall be responsible for checking that the goods are in good condition at the moment of delivery. They shall also check the quality, quantity and reference of goods, as well as that they match the original order. The Customer shall relay, where necessary, any concerns to the courier concerning missing and/or damaged goods, the type of damage and the extent thereof. These concerns must be communicated to the courier by the Customer by extra-judicial act or registered letter with acknowledgement of receipt within three (3) days, not including bank holidays, of the reception of said goods (article L133-3 of the French Code of commerce); one copy shall also be addressed to Hexagone Manufacture S.A.S..

All recourse shall be sought from the carrier. Where, in accordance with reasonable commercial standards, Hexagone Manufacture S.A.S. carries out additional transportation operations, such as loading, wrapping, securing, taking out an insurance policy, customs formalities etc. it shall only act as a representative of the consignee who retains their responsibility for the cost, risks and perils of such operations.

### 1.6. COMPLAINTS AND RETURN OF GOODS

Without prejudice to claims made against the carrier by the Customer, such as those included in article 1.5.3., in the case of visible defects or missing products, any complaint, whatever its nature, relating to delivered products, shall only be accepted by Hexagone Manufacture S.A.S. if it is made in writing, by registered letter with acknowledgement of receipt, within fifteen (15) days following the delivery date.

No goods may be returned without our express agreement and goods may only be returned if fit for resale. The Customer shall allow Hexagone Manufacture S.A.S. to verify any defects to allow for these to be remedied. He/she shall abstain from intervening themselves or from seeking intervention from a third party. The cost and risk of returns shall be borne by the Customer at all times. Any goods returned without our agreement shall be made available to the Customer and shall not lead to the establishment of an asset. Justified returns shall be subject to a replacement of the product as deemed most appropriate by Hexagone Manufacture S.A.S. in light of the Customer's needs or, where it is impossible for us to do so, a credit shall be made to the Customer after we have verified the quality of the returned machine, which shall exclude any compensation or damages and interests, deduction of the price of usable accessories, missing equipment and the cost of returning it to good working order. In cases where Hexagone Manufacture S.A.S. accepts the return of goods in conformity with the initial Customer requirements, the purchase price of said goods shall be paid to the Customer to a maximum of 75% of the billed value.

### 1.7. PRICE AND PAYMENT

1.7.1. Prices, information and technical characteristics which can be found in our catalogues, tariffs, prospectus, technical specifications or other documents are indicative and cannot be deemed firm offers. These documents have no binding nature and can be modified at any moment and without prior notice. Our prices are expressed in Euros. Any taxes, duties or other contributions to be paid in accordance with French legislation and regulations, or those of an importing or transit country shall be borne by the Customer.

1.7.2. Our materials are always billed at the current tariff at the moment when the order is confirmed by Hexagone Manufacture S.A.S., and are less tax from the moment they depart our headquarters in Argenteuil, carriage and packaging not included.

1.7.3. A fixed sum of 21 € less tax on charges for all invoices of under 80 € less tax.

1.7.4. Our invoices are payable upon reception unless a different payment schedule is indicated on the invoice. Only the cashing of a paper instrument or cheque or the reception of a bank transfer shall be considered as valid payment under these GCS. In cases of payment by bills of exchange, the Customer is required to return the accepted paper instruments presented to them within a maximum of seven (7) days. Any amount including tax not paid within the allotted time shall give rise to a payment by the Customer of delay penalties fixed at 3% per month's delay, as well as a fixed rate of compensation to cover losses to our Company of a total of FORTY (40) EUROS. If the recovery costs are greater than the amount of said compensation, our Company shall then seek, with supporting documents, additional compensation (articles L441-6 et D.441-5 of the code of commerce).

1.7.5. Recourse to our warranty obligation or any other demand of any kind that the Customer may make shall not allow him/her to in any case or under any pretext return or delay payments owed to us, it is also expressly required that any delay or failure to pay should lead to the ceasing of recourse to our warranty and agreements.

1.7.6. Our sales are made fully and without exception at our Argenteuil headquarters, unless otherwise specified. Acceptance of our bills of exchange or payment by any other means shall not constitute either a renewal of or a derogation from this clause.

1.7.7. Failure to accept our drafts or payment default at the expiry of a bill of exchange or an invoice, and whatever the mode of payment or in cases of cessation of activity or cessation of funds, shall lead to the forfeiture of the term, requiring that all debts to us, including those not yet expired, be paid immediately. It shall also lead to the suspension or resolution of tenders, contracts and orders in progress, without possibility for the Customer to argue an unjustified refusal of sale, or claim any kind of compensation.

### 1.8. TRANSFER OF PROPERTY – OWNERSHIP RESERVE CLAUSE

Hexagone Manufacture S.A.S. reserves ownership of goods sold until effective payment of the full price for the main goods and accessories, even in cases of granting of payment terms. The Customer may in no case resell, pledge or grant a guarantee on the good delivered and not fully paid for. Payment default on any deadlines may lead to goods being reclaimed. Where reclaims are made, deposits already paid shall be retained by Hexagone Manufacture S.A.S. in compensation.

### II WARRANTIES AND RESPONSIBILITIES:

II.1. Goods must be verified by the Customer upon delivery, and any complaint, reservation or dispute relating to missing goods or apparent defects should be made within the provisions of article 1.6. In case of apparent defects, defective parts shall be replaced by Hexagone Manufacture S.A.S. or the goods replaced, subject to verification of the alleged defects. The Customer shall supply any documentation or elements which demonstrate the extent of observed defects. No complaints can be made by the Customer more than fifteen (15) days after the delivery of the goods. Indications of performance, speed, consumption power, weight etc. are only given on an indicative basis and without any commitments or guarantees on our side, any inaccuracies may in no case give rise to the termination of an order or a request for compensation.

II.2. Our products are aimed at professionals, and as such should only be handled by individuals who have received free training on the product offered to the Customer by Hexagone Manufacture S.A.S. or its accredited distributor. Our pool cleaners are guaranteed against any material and construction defects for a period of twenty-four (24) months from the delivery date and for up to 1200 hours of use. Our devices other than pool cleaners are guaranteed for 12 months from the delivery date. Our warranty only applies to products which have become the property of the Customer.

II.3. We shall no longer be bound by our warranty obligation in cases where the warranty terms on some aspects of our products are breached without our express agreement.

II.4. Our warranty is limited to the replacement or repair of parts which we deem defective, excluding any other damages.

II.5. Hexagone Manufacture S.A.S. accepts no responsibility in cases of operating losses, loss of time or of any other indirect loss caused by its goods. The Customer must seek a substitute to defective equipment. Furthermore, the client shall comment on the usage scope of the equipment in case of defects observed on the material by themselves or in the place of use or on their mode of use.

II.6. All standard new or exchanged spare parts are guaranteed for 6 months for a maximum 500 hours of use.

II.7. Warranty on consumable parts. Filters, brushes, crawlers, belts, cables, trolley tyres are considered consumable parts, whose warranty is limited to 6 months and a maximum of 300 hours of use.

II.8. Exclusions to warranty in the following cases:

damage and wearing resulting from a special, abnormal or otherwise application or assembly, carried out by the Customer or a third party without prior and written agreement from Hexagone Manufacture S.A.S.; use of our goods in conditions of use or performance which do not conform with the technical specifications of Hexagone Manufacture S.A.S., and more generally inappropriate or clumsy usage; damage or accident caused by the intervention of an employee of the Customer not trained to use the product or a company not accredited by Hexagone Manufacture S.A.S.; defects and/or damage to goods following maintenance not carried out in line with Hexagone Manufacture S.A.S. recommendations or failure to maintain, or irregular storage and/or conservation conditions by the Customer; whereby the Customer fails to notify Hexagone Manufacture S.A.S. in writing (specifically by fax or email) from the moment they observe the defect to the product under warranty and whereby they maintain in service a part or section of the defective product which may lead to further and more significant damage to the product or to the place of use. Malfunctioning as a result of normal wearing (e.g.: snapped belts, dead remote control batteries, bare brush-heads, etc...) or linked to problems with linings of and/or to specific shapes of pools which do not conform with the specification table required by Hexagone Manufacture S.A.S.; breakdown as a result of incorrect electrical installation, current fluctuations, poor connections or even the failure to observe by the Customer the electrical standards in force in the country of use; damage caused by external accidents: fall, transportation, fire, flood, melting, blackout, short-circuit, as well as accidents such as shocks, power-cuts, the introduction of foreign objects and/or liquids (acid, cleaning product, chlorine, water, tropical rainfall, etc...) where a third party or the Customer themselves has opened the electric control box and/or the engine or pump or gyroscope without our written agreement. The anti-corrosion warranty does not apply to sulphuric water or that without daily cleaning with stainless steel clear water.

As a result, Hexagone Manufacture S.A.S. shall not be held responsible for material damage or accidents suffered by individuals as a result of one of the cases listed above.

Shipping and returns costs incurred by the application of the warranty shall be borne by the Customer. We accept no responsibility for damage caused to property due to our products following an equipment failure or a construction defect to equipment sold.

### PLEASE NOTE

The length of warranty for the defective equipment or part under guarantee shall be extended by a duration equal to the time spent in our servicing department where this is longer than a week. Outside of warranty repairs are subject to an estimated charge of 150 Euros less tax. This amount is only due if the Customer turns down repairs. Any parts delivered by Hexagone Manufacture S.A.S. shall be invoiced at the moment of delivery. In cases of warranty claims, said defective piece shall be returned to Hexagone Manufacture S.A.S. within a month maximum for assessment and work. Beyond this time, we can no longer accept it. Hexagone Manufacture S.A.S. shall in no case be held solely responsible for the cleanliness of pools. It is therefore recommended that the Customer always have access to a substitute for a defective machine. If a technician from Hexagone Manufacture S.A.S. should establish that the breakdown is not covered by warranty, the technician may invoice for the uncovered problem in line with the current tariff. Following testing of equipment under guarantee whose defect has not been found during servicing, the Customer shall be billed for the time spent looking for the defect.

Mode of intervention: you can contact the technical service by calling 0134341155 or any other Hexagone Manufacture S.A.S. agency. For work done under warranty, equipment or parts may only be sent to the following address: Hexagone Manufacture S.A.S., 34 rue du Perouzet, 95100 Argenteuil, France, quality service. To request work under warranty, the Customer must fill in a sheet authorising the work, including the device's serial number, the in-service date, the number of the replacement part, as well as observations regarding the defect observed.

### III. INDUSTRIAL PROPERTY:

Any technical documents sent to our clients remain the exclusive property of Hexagone Manufacture S.A.S., the sole holder of intellectual property rights over these documents, and must be returned to us upon request. In accordance with laws currently in force, it is forbidden for customers to fully or partly reproduce our technical and commercial documents and to make any use of them which is liable to violate the industrial or intellectual property rights of our company. The Customer shall undertake not to divulge these to any third party.

### IV. INTERNET

We reserve the right to ask for removal of our products from sale on a website which does not respect our commercial policy in terms of price and trading conditions.

### V. TERMINATION CLAUSE

In cases where any one of the Customer obligations is not respected by the latter, sale may be terminated fully within rights, and goods returned to Hexagone Manufacture S.A.S. as it sees fit, without prejudice to any damages or interests which Hexagone Manufacture S.A.S. may assert to the Customer, within 48 hours after a formal notice which goes unanswered. In this case, Hexagone Manufacture S.A.S. is within its rights to seek a fixed rate of compensation of 15% of the total sale price from the Customer, as well as default interests and any legal fees incurred.

### VI. PROFESSIONAL WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (EEE)

In accordance with the provisions in articles R543-195 and R543-196 of the Environment Code modified by Decree n°2014-928 of the 19 August 2014, our Company has hereby joined the accredited eco-body LOXY at Parc d'Activité du Vert Galant 17 rue Antoine Balard - 95310 Saint-Ouen l'Aumône (RCS Pontoise 482.644.952) with a view to ensuring the collection and treatment of professional waste electrical and electronic equipment.

### VII. APPLICABLE LAW – ATTRIBUTION OF COMPETENCE

This contract is governed by French law. The application of the Vienna Convention on Contracts for the International Sale of Goods is specifically excluded. Any dispute relating to the forming, implementation or termination of contractual obligations between the parties which does not lead to amicable settlement shall be referred to the French courts. In case of any dispute with professionals and/or merchants, this shall be referred to the TRIBUNAL OF COMMERCE OF PONTOISE within whose area of jurisdiction Hexagone Manufacture S.A.S.'s headquarters is situated, whatever the conditions of sale and mode of payment accepted may be, even in cases of individual claims, warranty appeal or of more than one respondent, Hexagone Manufacture S.A.S. reserves the right to refer the case to the competent local jurisdiction where the Customer's headquarters are situated.

### VIII. PARTIAL NULLITY

If one of the clauses or provisions of these GCS should be annulled or declared void by a definitive court ruling, such nullity or void nature shall be without prejudice to the other clauses and provisions, which shall continue to apply.



# THE 5-STAR PROFESSIONAL ROBOT!



**peps**  
200



1-5 rue Michel Carré 95100 Argenteuil - France  
Tél : +33 (0)1 34 34 11 55 - Fax : +33 (0)1 34 34 11 50  
info@myhexagone.com - www.myhexagone.com

Partner



[www.myhexagone.com](http://www.myhexagone.com)

