HEXAGONE
SPORT ROBOTICS

La FRENCH FAB

LE ROBOT FRANÇAIS

CATALOGUE 2026-2027



WHY HEXAGONE?

1 - A MANUFACTURER, NOT A DEALER

Made in France since 1987, in our Argenteuil factory (7,500 m²).
You talk directly to the people who design and repair your machines.

2 - DURABILITY THAT PROTECTS YOUR BUDGET

Spare parts and repair guarante**ed for up to 15 years af**ter purchase.
7-**year anti-corrosion warranty** on our stainless steel frames. A public investment that lasts.

3 - A LOCAL AFTER-SALES SERVICE EVERYWHERE IN FRANCE

A team of more than 1**00 people and** dedicated regional technicians, present throughout F**rance. Workshop** trucks, on-site interventions and remote maintenance.

4 - A CONTROLLED BUDGET ADAPTED TO THE PUBLIC CYCLE

Purchase, annual or seasonal long-term lease with maintenance i**ncluded: you choose the f**ormula that corresponds to your budget year.

5 - CSR APPROACH ALIGNED WITH YOUR OBLIGATIONS

HexaPülse **program:** reduction of the water/energy footprint, almost zero non-recovered waste, products designed to limit obsolescence.

La FRENCH FAB

LE ROBOT FRANÇAIS

A TEAM OF MORE THAN 100 PEOPLE

TO BUILD AND MAINTAIN THE DURABILITY OF OUR MACHINES
With 39 years of existence, Hexagone Manufacture is made up of 4 distinct departments that make the success of the company:

- HexaLab: Research & Development
- HexaFab: Supply Chain and Production
- HexaCom: Commerce and Marketing
- HexaCARE: After-Sales Service and Remote Maintenance
- HexaBank: Finance and Growth

All our employees have know-how and interpersonal skills, more than 30 nationalities that make your experience unique.



SUSTAINABILITY ISN'T AN ARGUMENT, IT'S A RESULT.



Let's be blunt: in a 50-meter pool, you don't play as an amateur. You are in the Champions League. And in the Champions League, equipment has no room for error.

At Hexagone, we don't sell robots. We sell legendary durability. But sustainability is not a magic formula; It's a business execution strategy that is built on four brutal pillars of realism:

1. A Team of "Champions"

Quality does not come down from the sky**. She comes from a fantastic** team, obsessed with service. We choose top-notch components and the best workmanship because we know that poor hardware always costs more in the end.

2. R&D that listens to the truth

Our R&D center doesn't work in the lab, it works with you. We have learned **from your needs, but above all f**rom your feedback on the ground. High intensity is our test bed. If one machine can dominate an Olympic pool, it can dominate everything.

3. Zero Obsolescence, 100% Repairability

Sustainability is refusing to throw away. It is knowing how to repair and recycle. A breakdo**wn is not a failure, it is a maintenance st**ep, especially after 7, 10, 15 years of use... With our on-site technicians, all-inclusive Hexafix contracts, and preventative remote maintenance, we ensure your machine stays up and running, period. Your machines don't age, they evolve via our system updates.

4.La Mastery through Training

A robot only lasts if it is respected. We train your agents in best practices and your technicians from level 1 to level 3. We give you the k**eys to performance through our** video tutorials and our constant support.

Winning also means knowing how to invest. We know that excellence comes at a price. That's why we make our products accessible through Long-Term Rental solutions. You manage your budget, we manage performance.

We've been here for 39 years, leading your success, because your peace of mind is our only measure of success.

Be demanding. Be bold. Choose the duration.

Joann Chouraqui


PRESENCE OF HEXAGONE IN FRANCE, IN EUROPE AND AROUND THE WORLD... ALWAYS CLOSE TO YOU!



JEAN DILIBERTO
Sales Director France
+33 (0)6 23 36 67 10
jd.hexagone@gmail.com



DIDIER AUFFRAY
Trainer Expert
+33 (0)7 83 71 74 74
hotline.hexagone@gmail.com





Region NORD
Richard PISCHON
07 56 10 88 27
nord.hexagone@gmail.com



Arthur SMAGIN



Philippe CORREIA



Armand BERTHET



Mykyta IVANOV



Tigran GAREGINYAN



North-WEST REGION
Benoit AMÉ
07 43 61 93 67
nordouest.hexagone@gmail.com



Ludovic HUCHE



Region OUEST
Nicolas MOTTE
06 10 77 26 58
ouest.hexagone@gmail.com



Region CENTRE
Thomas LEROY
06 21 05 11 32
cana.hexagone@gmail.com




Région SUD-OUEST
Fabrice GARREAU
06 40 67 46 85
secteurcentre.hexagone@gmail.com



Lucas BALES



Stéphane POEYS



Olivier SANCHEZ



SOUTH
Jeremy WILTSHIRE
06 26 96 00 96
jw.hexagone@gmail.com





IDF
Manel Baounous
06 24 96 22 61
idf.hexagone@gmail.com



Région IDF
Jérôme BOUGLÉ
07 82 61 76 04
idf2.hexagone@gmail.com



Region EST
Franck DUBOIS
07 56 10 52 35
est.hexagone@gmail.com



Région RHONE-ALPES
Raphaël VICENTE
07 49 02 99 64
ra.hexagone@gmail.com



Alain CLÉMENT



Philippe LOUCHEUR



SOUTH-EAST REGION
Camille THESE
07 77 26 01 53
sudest.hexagone@gmail.com

PRESENT IN MORE THAN 57 COUNTRIES WORLDWIDE



Olivier BERTHET
Export Director
06 23 36 67 12
ob.hexagone@gmail.com



Noé CHOURAQUI
Commercial Export
06 23 36 67 11
export2.hexagone@gmail.com



Fabrizio FERRARI
Italie



Jürgen BUSCHLINGER
Germany



Josué GARCIA
Juan CONCA
Spain



Sander SCHUURMAN
Benelux



Stephen MURRAY
Malcolm CUFFE
Ireland




Brad ATTWOOD
United Kingdom



LÉO CHOURAQUI
Business Developer Export
+33 (0)7 81 58 53 38
marketing.hexagone@gmail.com

FRENCH MANUFACTURER SINCE 1987

Hexagone Manufacture is celebrating the 20th anniversary of its French factory in Argenteuil with an expansion and technological improvement of the workshops and its logistics flow.
Our unique know-how is recognized throughout the world, respecting very strict standards, certifying the quality of products made in France, Reliability, traceability.
In 2025, the plant reached an important milestone by manufacturing its 25,000th machine.
- 7,500 m2 of factory on the outskirts of Paris




La FRENCH FAB

MADE IN FRANCE

CLUB DES 2000 PME D'EXCELLENCE DE FRANCE*









UNIQUE CRAFTSMANSHIP

LEGENDARY SUSTAINABILITY

Active listening to customer needs

Hexagone has been designing and distributing swimming pool equipment around the world for 39 years. This extensive experience makes it possible to offer public and commercial swimming pools high-performance machines, often with characteristics that are never before seen on the market.
Your requirements drive our innovation efforts. We are proud to be the industry leader and committed to transforming the way you work. Hexagone is your everyday partner.

CUTTING TECHNOLOGY


PIONEERS OF THE LATEST INNOVATIONS


- **€1.2 MILLION IN R&D INVESTMENT PER YEAR**
- **A TEAM OF 12 PEOPLE WITHIN THE HEXA LAB CLUSTER**
- **18 NEW PRODUCTS IN 24 MONTHS**
- **NEARLY 10 INTERNATIONAL PATENTS**

MANUFACTURING QUALITY

INDUSTRIAL KNOW-HOW

Our unique know-how is recognized throughout the world, respecting very strict standards
certifying the quality of products made in France, reliability, traceability.
In 2025, the factory reached an important milestone by manufacturing its 25,000th machine.
• A team of 35 manufacturers





THE GUARANTEE

OF PERMANENT DURABILITY

- **Availability of products and spare parts**
- **Stock of more than 3.5 million euros in our warehouses**

PROGRAMS HEXAPÜLSE

COMMITMENT DECARBONIZATION / CSR

PRODUCT RESPONSIBILITY

PRODUCTS BUILT TO LAST


We fight against planned obsolescence by developing robust products, with quality materials (such as stainless steel), designed to withstand the test of time.

OUR EQUIPMENT IS DESIGNED FROM THE GROUND UP TO BE:

- Repairable
- Sustainable
- Easy to maintain

We ensure the availability of spare parts and the repair of our machines up to 15 years after they are marketed.

AT HEXAGONE, NO ROBOT IS LEFT OUT.



ENVIRONMENTAL IMPACT

REDUCING OUR FOOTPRINT EVERY STEP OF THE WAY

- Reduced consumption of water, electricity and detergents
- Use of environmentally friendly products
- Limitation of harmful substances

We ensure the availability of spare parts and the repair of our machines for up to 15 years after they are marketed.

RECYCLING OUR WASTE

TOWARDS ZERO WASTE

WE ARE COMMITTED TO:

- Reducing and sorting our waste
- Maximizing their recycling and recovery

TODAY:

- Almost 100% of waste recycled
- Fully upgraded metals
- Non-recyclable waste recovered for energy (75%)

At the end of their life, our products are dismantled and sorted to ensure responsible management.

THE FRENCH UNIVERSE



SWIMMING POOL

- AQUATIC CENTRES
- MUNICIPAL SWIMMING POOLS
- OUTDOOR HOSPITALITY
- HOLIDAY CENTRES
- RESIDENCES, CONDOMINIUMS
- SPA, HAMMAM, SAUNA, WELLNESS
- THALASSOTHERAPY / PHYSIOTHERAPY

SERVICE INCLUDED



STAGE

- FIELDS OF HONOUR
- GRASSED STADIUMS
- FOOT INDOOR
- SYNTHETIC PITCHES
- GOLF GREEN FAIRWAY



MULTI-SPORTS

- ATHLETICS TRACKS
- SPORTS HALLS
- TENNIS - PADEL - PICKLEBALL
- FITNESS ROOMS
- DOJO - GYMNASTICS



FINANCING SOLUTIONS

A PARTNER WHO KNOWS THE CONSTRAINTS OF PUBLIC PROCUREMENT

LONG-TERM RENTAL

BUDGET CONTROL

DIRECT ENGAGEMENT WITH THE MANUFACTURER

48 or 60 month long-term lease, seasonal rental

With the HEXABOX rental contract, it is the guarantee of using recent robots that are always well maintained. Annual or seasonal rental without deposit. It's reassuring to be fully taken care of, it's an incomparable service, a real partnership!

HEXABOX
ANNUEL FULL SERVICE

At all times, you can be sure that your robot will be ready to use and you can anticipate your costs well in advance.
48 or 60-month long-term lease offer with MAINTENANCE INCLUDED:
· Equipment of your choice
· After-sales service included with unlimited parts, labour and travel
· Loaner equipment if necessary.

The advantages:
· Peace of mind guaranteed thanks to the payment of monthly rents with maintenance included,
· A controlled budget thanks to fixed monthly rents without surprise.
· Support from our technicians to prevent abnormal wear and tear or misuse of your robots during

HEXABOX
SAISON FULL SERVICE

90 or 150 day maintenance rental:
Do you have a seasonal pool, which only works in summer? HEXAGONE has the solution.
· A 3/4/5 or 6 MONTH rental for 4 or 5 YEARS!
· We provide delivery, commissioning and maintenance by our regional technician.
· At the end of the season, we take the robot back to put it in "wintering" in our workshops, after having checked, overhauled and checked it.
· From the beginning of the season, we re-deliver your robot, the refore, throughout the winter season the robot remains in our workshops sheltered from bad weather!
· If you change personnel, no problem, our regional technician, your partner, remains at your disposal, to give the instructions for launching and operating the robot.

OPT FOR OUR LEASEFULL SERVICE

CONTRACTS

ANNUAL OR SEASONAL

99%
SATISFIED CUSTOMERS

POOLS



SPOT
from
90€ *excl. VAT/month**
with full service



PEP'S
from
€185 *excl. VAT/month**
with full service



CHRONO MP3
from
€210 *excl. VAT/month**
with full service

STADIUMS



VISTA
from
630€ *excl. VAT/month**
with full service



MOXY PRO
from
€710 *excl. VAT/month**
with full service



BUKY ONE
from
€875 *excl. VAT/month**
with full service

MULTI-SPORTS



JIMMY FIT
from
€560 *excl. VAT/month**
with full service



JIMMY BRUSH
from
€605 *excl. VAT/month**
with full service



JIMMY XL
from
1100€ *excl. VAT/month**
with full service

*Indicative price, subject to change

AFTER-SALES SERVICE SOLUTIONS

ON-SITE REPAIR AND MAINTENANCE CONTRACTS



96%

OF OUR ROBOTS ARE REPAIRABLE ON SITE.

WORKSHOP TRUCKSNATIONAL PRESENCE - LOCAL PROXIMITY

REPAIR IS: EFFICIENT, ECONOMICAL & ECOLOGICAL

Rapid interventions. Availability of spare parts with a truck stock managed by SAP. A 100% PRO quality service, management of the technicians' collaborative calendar.

MAINTENANCE CONTRACTS THAT ADAPT TO YOUR NEEDS

HEXAFIX Prevention:
an annual visit, complete inspection and preventive maintenance to preserve the performance of the equipment.

It includes:
- displacement
- check time
- wear parts

It does not include:
healing, spare parts, breakage/vandalism, battery upgrade, seals.

HEXAFIX Unlimited peace of mind:
preventive + curative, with interventions and spare parts included with no contractual limit.

It includes:
- unlimited travel.
- unlimited labour for preventive and curative interventions
- wear parts
- all worn or recognised spare parts defective following normal use
- the loan of similar equipment from 48/72 hours of immobilisation

It does not include:
repair work or loan of equipment following misuse, b**reakage or vandalism**.

CONTRATS HEXAFIX


TYPE OF CONTRACT	PREVENTION	SERENITY UNLIMITED
WORKFORCE		
ON-site preventive manpower, once a year (planned visit)	✓	✓
On-site workforce (inspection and repair)	–	✓
Workshop workforce if necessary	–	✓
TRANSPORT AND TRAVEL		
On-site preventive maintenance trip (planned visit)	✓	✓
Travel following customer call (inspection and repair)	–	✓
Transport for loaner robot shipment (round trip)	–	✓
Transport for repatriation robot or part (round trip)	–	✓
Sending spare parts	–	✓
PARTS		
Wear parts	✓	✓
Spare parts	–	✓
Original manufacturer parts (motor, pump, board, cable, battery)	–	✓
Electronic program update	✓	✓
COMMISSIONING AND TRAINING		
On-site commissioning	✓	✓
New user training	✓	✓
HOTLINE AND REMOTE MAINTENANCE		
Response time intervention	72H	48H / 72H
Telephone assistance 5 days a week, from 7:30 a.m. to 6:00 p.m.	✓	✓
Dedicated remote maintenance	–	✓
Factory training at Hexagone Academy	✓	✓
EXTRA		
Loan robot during prolonged downtime	–	✓
Winter storage	–	Optional
Report to each visit	✓	✓

DIGITAL SOLUTION

REMOTE MAINTENANCE AND SUPERVISION

CONTROL, MANAGE AND OPTIMIZE
all your equipment in real time.


THE CUSTOMER APP
Remote control, cycle programming, and information on the status of your machine.




A 360° CENTRALIZE
information to ensure total fluidity between the field and management.



THE WEB PLATFORM MANAGER
Centralized dashboard to manage your entire fleet



THE TECHNICIAN APP
Direct access to diagnostics, real-time alert reporting and guided technical support.



HEXACONNECT

The Hexaconnect manAGEMENT TOOl uses the data collected from your connected robots to measure, analyze and maximize the performance of each machine.

- **FLEET MANAGEMENT**
  Operating hour counter / Serial numbers / Warranties etc.
- **FAULT DETECTION PREDICTION**
- **REMOTE OTA UPDATE**
- **MAINTENANCE LOGS GENERATED AT THE END OF EACH CYCLe**
  for an optimal history from the user to the expert
- **DATA & CYBERSECURITY**
  Secure Data Hosting
  GDPR Compliance



1-CLICK SERVICE REQUEST!

Direct contact with our after-sales team
Sending a service request from the mobile application
Possibility of adding a note or a photo to the message
Ease and speed: limits the downtime of your robot for a flawless responsiveness.



POOL
TURF
GYM

USAGE AND ERGONOMICS SOLUTIONS

CARING FOR AGENTS

FIGHT AGAINST DISORDERS MUSCULOSKELETAL

EQUIPMENT DESIGNED FOR COMFORT AND PERFORMANCE

With ergonomic solutions — from jib carts and lifeguard chairs to lightweight tools like the SPOT and the ultra-light Hexa Mop scrubber dryer — we actively contribute to the prevention of musculoskeletal disorders (MSDs).

PEOPLE WITH DISABILITIES INCLUSIVE

CONNECTED SOLUTIONS

Thanks to innovative robots and dedicated devices, we facilitate their integration and efficiency on a daily basis.
With the Spartel Secu-Relais communication system, each agent remains permanently connected, allowing them to alert, assist and intervene quickly, wherever they are in the establishment.

RISK PREVENTION PROFESSIONALS

REDUCE RISKS, IMPROVE EVERYDAY LIFE

Hexagone solutions actively contribute to the reduction of occupational risks and the improvement of the working conditions of your agents.
Combined with solutions such as ozonated water plants or in situ chlorine production, they make it possible to significantly reduce the handling of chemicals.

IMPROVING IMPACT ENVIRONMENTAL

COMMITTED SOLUTIONS FOR THE ENVIRONMENT


Our robot cleaners and chlorine or ozonated water production systems help limit the use of chemicals and their release into the environment.
In addition, our thermal covers optimise the heat conservation of the pools, helping to reduce energy consumption.

TUTORIALS PLATFORM

A dedicated space to find the best practices for using your robots

You will be able to find a large repertoire of explanatory videos to know how to properly use Hexagone products, as well as the answers to the majority of questions that your agents may have about the installation and use of our robots.






COMMISSIONING, TRAINING AND BEST PRACTICES

Our teams support you in the use of your robots with many adapted supports.

In addition to the training carried out by our teams during commissioning, we provide you with visual aids to remind and keep your teams up to date on the best practices for using Hexagone robots.

SUPPLIER OF EQUIPMENT FOR AQUATIC CENTRES SINCE 1987



MAINTENANCE & TECHNIQUE:

ROBOT VACUUM CLEANERS	**P.26**
HEXA PURE	**P.46**
Sani PURE	P.54
Quick VAC	P.56
Linéo	P.62
Caddy PRO	**P.64**
Analytical equipment	P.66

PMR :

Wheelchairs for PRM	**P.68**
UNI-RAMPE	P.74

LIFEGUARD:

Hexa-Secure	**P.82**
Hexa-Chair	P.84
Hexa-TOUR	P.86
SPARTEL	**P.88**
Swim line	P.90
Aquafitness equipment	P.92
Everything for kids	P.96
Storage	P.98

HOME:

Swimsuit dryer	**P.102**
Shower and hairdryer	P.104
Wellness and Farniente	P.106

SERVICE:

Chutes	P.108
Gliss Protect	P.110
Covers and Reels	P.112

72% of French public swimming pools have Hexagone equipment

POOL ROBOTICS

TO EACH HIS OWN CUSTOM-MADE ROBOT

CHRONO
PRO VACUUM CLEANERS



FEATURES	CHRONO MP3 M	CHRONO MP3 L	CHRONO MP3 XL	BIOMATIC M	BIOMATIC XL
Usage	**Intensive**	**Intensive**	**Intensive**	**Biopool / Lagon**	**Biopool / Lagon**
Basin area	400 m2	600 m^2	1250 m2	1600 m²	3500 m²
Vacuum cleaner width	50 cm	60 cm	73 cm	50 cm	73 cm
Cleaning speed	from 10 to 18 m/min	from 10 to 18 m/min	from 10 to 18 m/min	10 m/min	10 m/min
Suction power	50 m3/h	50 m3/h	50 m3/h	50 m³/h	50 m³/h
Cable length	25 m (32 or 40 m optional)	32 m (40 or 50 m optional)	40 m (50 or 60 m optional)	40 m (50 m en option)	50 m (60 m in option)
Painted stainless steel trolley	Hose reel (Reel or jib crane)	Reel (Jib)	XL Reel (Jib)	Enrouleur + enrouleur tuyau (Potency)	Potence + enrouleur tuyau
Filtration capacity	3.1 kg	3.1 kg	3.1 kg	3 kg + extraction filter hors bassin 20 kg	3 kg + extraction filter hors bassin 30 kg
Sensors (wall detection)	2 or 4	2 or 4	2 or 4	2 ou 4	2 ou 4
Feeding	110 v-240 v / 24 vdc	110 v-240 v / 24 vdc	110 v-240 v / 24 vdc	110 v-240 v / 24 vdc	110 v-240 v / 24 vdc
Manual control	Radio + touch screen + App	Radio + touch screen + App	Radio + touch screen + App	oui	oui
Weight out of water/ in water	22 kg/ 3 kgd40 cm dc26	23 kg/ 3 kg	24 kg/ 3 kg	22 kg/3 kg	24 kg/3 kg
Water depth mini		40 cm	40 cm	40 cm	40 cm
Number page		26	26	44	44

SPOT RANGE and PEP'S
VACUUM CLEANERS PROF MID-RANGE



FEATURES	WIRED SPOTLIGHT 20	WIRED SPOTLIGHT 50	WIRED SPOTLIGHT 100	SPOT BATTERY 150	DUO SPOT 200	PEP'S WIRAIRE 200	E-PEP'S BATTERIES 200	PEP'S FILAIRE 300 XL	E-PEP'S BATTERIES 300 XL
Usage	**Normal**	**Normal**	**Normal+**	**Standard**	**Normal+**	**Intensif**	**Intensif**	**Intensif**	**Intensif**
Basin area	150 m2	200 m2	300 m²	300 m2	1000 m2	350 m2	350 m2	750 m2	750 m2
Vacuum cleaner width	40 cm	40 cm	40 cm	40 cm	80 cm	40 cm	40 cm	60 cm	60 cm
Cleaning speed	de 10 à 15 m/min	de 10 à 15 m/min	de 10 à 15 m/min	de 10 à 15 m/min	de 10 à 15 m/min	de 10 à 12 m/min	de 10 à 12 m/min	10 à 12 m/min	de 10 à 12 m/min
Suction power	27 m3/h	27 m3/h	27 m³/h	27 m3/h	27 m3/h x 2	37 m3/h	37 m3/h	37 m³/h	37 m3/h
Cable length	18 m	24 m	30 m	5 m	40 m, 50 m en option	30 m (25 m or 40 m en option)	5 m (1.2 m or 2.5 m en option)	40 m (30 m en option)	5 m (1.2 m or 2.5 m en option)
trolley	Option	Oui		Oui	oui	En inox	En inox	En inox	En inox
Filtration capacity	3.1 kg	3.1 kg	3.1 kg	3.1 kg	5.1 kg	4 kg de sable	4 kg de sable	6 kg de sable	6 kg de sable
Sensor (wall detection)	Non	Non	2	2	2	1	1	1	1
Feeding	110 v-240 v/24 vdc	110 v-240 v / 24 vdc	110 v-240 v / 24 vdc	Battery 12V - autonomous 3h	110 v-240 v / 24 vdc	110 v-240 v/24 vdc	Battery 12V - autonomous 3h30'	110 v-240 v / 24 vdc	Battery 12V - autonomous 3h30'
Manual control	App	Radio + App	Radio + App	Radio + App	Radio + App	Radio + écran tactile + App	Radio + App	Radio + écran tactile + App	Radio + App
Weight out of water/ in water	7 kg/1.3 kg	8.5 kg/1.8 kg	9 kg/2 kg	9 kg/2 kg	19.5 kg/5 kg	14 kg/2 kg	14 kg/2 kg	17 kg / 3 kg	17 kg/3 kg
Water depth mini	30 cm	30 cm	30 cm	30 cm	30 cm	15 cm	25 cm	15 cm	25 cm
Page number	38	38	38	38	38	34	34	34	34

ROBOTS ANTI-DRAIN



HEXA PURE BASIN

HEXA PURE BAC TAMPON

FORM ANALYSIS CONSTRAINTS AND NEEDS

STRUCTURES
- ☐ LEARNING POOL
- ☐ COMPETITION POOL
- ☐ ACTIVITY AREA
- ☐ RECREATIONAL POOL
- ☐ LUDO / CHILDREN'S POOL
- ☐ SLIDE RECEPTION
- ☐ BALNEOTHERAPY AREA
- ☐ DIVING POOL / POOL
- ☐ WATER PLAY AREA
- ☐ SOLARIUM AND GRASSED AREA
- ☐ RIVER
- ☐ FOUNTAIN
- ☐ BIOLOGICAL BASIN
- ☐ LAGOON
- ☐ BUFFER TANK
- ☐ INDUSTRIAL BASIN

SHAPE
☐ RECTANGULAR ☐ ROUND/OVAL ☐ PLAYFUL/FREEFORM ☐ ANGLED (U OR L)

COATING
☐ LINER ☐ TILES ☐ STAINLESS STEEL ☐ CONCRETE ☐ OTHER

BACKGROUND
☐ MAIN COURSE ☐ GENTLE SLOPE ☐ 45° ☐ DIAMOND ☐ MOVABLE FLOOR

OUTLINE
☐ 90° ☐ ROUNDED ☐ BEVELED ☐ SAFETY LEDGE ☐ OTHER

CHUTE
☐ ENGLISH ☐ CALIFORNIAN ☐ AUSTRALIAN ☐ OTHER

OBSTACLE
☐ MUSHROOM ☐ BEACH ☐ BOTTOM DRAIN XL ☐ GAMES ☐ BALNEOTHERAPY ☐ OTHER

TREATMENTS
☐ CHLORINATED ☐ ORGANIC ☐ SEAWATER ☐ ELECTROLYZER ☐ OZONE


TYPE OF SOILING
☐ DIATOMACEOUS / PERLITE ☐ DUST / POLLUTION ☐ SAND / HAIR
☐ ALGAE / LEAVES ☐ LEAVES / PEBBLES

SCHEDULES OF CLEANING
☐ MORNING ☐ DAY ☐ NIGHT

BATHERS
☐ LOW ☐ AVERAGE ☐ STRONG

BUDGET
☐ PRICE ☐ PERFORMANCE

TECHNICAL LEVEL OF AGENTS
☐ LEVEL 1 BEGINNER ☐ LEVEL 2 MODERATE ☐ LEVEL 3 EXPERT



CHRONO MP3

THE STAINLESS STEEL ROBOT WITH LEGENDARY DURABILITY

Performance is not an option.

High-intensity use
In the world of professional pools, the conditions are extreme.
Temperature, chemistry, intensive use: the Chrono MP3 was not designed to survive these constraints, but to dominate them.
Every part, every weld, every component is the result of precision engineering.
Choosing the Chrono MP3 is not just about buying a cleaning robot, it is about investing in a sustainable asset. It's the assurance of a robot that never falters, capable of maintaining your highest hygiene standards, day in and day out.
We are not number 1 by chance. We are because reliability is not a selling point for us and for you: it is our only promise.

20 ANS

20 YEARS
OF SUSTAINABILITY

MADE IN FRANCE

ANTI CORROSION
7 YEARS

ERGONOMIC AND CARING

Chrono MP3:
The intelligence that makes every move easier. Because performance should never be a constraint, we have designed a robot that anticipates your needs and preserves your daily comfort.



1. Full control at your fingertips.

Take control in manual mode. The ergonomic radio control enables targeted and responsive cleaning of all critical areas.



2. Goodbye heavy handling.

The Hexa-Ergo program allows the robot to automatically launch itself out of the water. He then descends into the pool alone and starts his cleaning mode.



3. Controlled weight.

The handle is designed for a secure and balanced grip. Getting out of the water is simplified, the posture is preserved. Optionally, a jib trolley is available.



4. Touchless hygiene.

The "umbrella" system opens the filter with a simple movement. Impurities remain on the tray and can be drained away instantly without direct contact with your hands

HUMANS AT THE HEART OF ROBOTICS!



INTERFACE INTUITIVE

Waterproof and responsive color touchscreen, designed for simple programming, even with wet hands.



MOBILITY MADE EASY

Lightweight, balanced and manoeuvrable transport trolley with wide wheels for all types of surfaces (tiles, resin).





OPTIMAL STORAGE

High-quality self-floating cable, designed to prevent knots, and its heavy-duty reel for quick and tidy storage.



DIRECT MAINTENANCE

Immediate and tool-free access to common wear parts (brushes, belts), for smooth and autonomous daily maintenance.

QUALIFYING TRAINING : BEYOND THE MACHINE, THE KNOW-HOW.

State-of-the-art equipment is nothing without controlled operation.

We support your teams with comprehensive training: best practices for MSD prevention, small autonomous maintenance and optimization of work cycles. We are committed to the well-being and performance of your agents.



FIGHT AGAINST MSDS



TOOLS



TRAINING

MAGELLAN IA

AI at the service of precision.

The result of 39 years of expertise and 25,000 robots in service, our Magellan AI platform combines industrial hardware with software boosted by artificial intelligence for flawless navigation.

THE BRAIN THAT LEARNS FROM ITS ENVIRONMENT. PREDICTIVE AND INTELLIGENT ANALYSIS

From the moment it is immersed, the Magellan AI platform does not just follow a program: it learns from its fieldwork. Thanks to its Machine Learning algorithms, the robot calculates the actual dimensions of the pool on its own and identifies complex areas (slopes, obstacles, nooks and crannies).

Dynamic parameter adjustment:

The Chrono MP3 is the only robot capable of compensating physical variables in real time:

MECHANICAL COMPENSATION:

If the software detects a loss of tension on a belt, the AI immediately adjusts the power sent to the motors to maintain a perfectly straight trajectory.


Trajectory correction:

By analyzing the data from the inertial unit (gyrometer/accelerometer), the robot corrects its drifts autonomously, ensuring mathematical scanning, even on slopes.

Energy optimization:

The robot learns to minimize unnecessary movement, reducing component wear and energy consumption over cycles.

THE 5 CLEANING MODES*



A peripheral tower that captures 75% of impurities in record time.

Line-by-line cleaning for perfect coverage of standard pools.

Combines zscan with cross-passes for a surgical result.

Use the 4 infrared sensors to navigate XXL rivers and basins with varying angles.

Integral cleaning (bottom and walls) based on the Magellan.br Cross algorithm

*Estimated times are for a 25x10m pool

HIGH PRECISION SENSORS FOR 360° VISION.



INERTIAL MEASUREMENT UNIT (X, Y, Z) & ANGLE SENSORS
Stabilization and ultra-precise spatial orientation.

ULTRASOUND
Distance measurement and obstacle detection in real time.

TENSIOMETERS SMART
Load Monitoring on each motor relay and pump.

INFRA-RED
Reflection sensor to adjust the cleaning time of the wall feet.

ANTI-TWIST
Active protection to prevent cable winding
.

PREMIUM MP4 OPTION
Video camera with remote screen feedback.

BUILT TO LASTMORE THAN 20 YEARS

A design designed for high-intensity use, with durability that protects the investment over the long term.

100% STAINLESS STEEL CHASSIS
The most noble and resistant structure on the market.


7-YEAR ANTI-CORROSION WARRANTY
A unique commitment for your investment

IP68 MARINE WATERPROOFING
Protected components for immersion up to 20 meters.

ARCHITECTURE PLUG & PLAY
Simplified maintenance with independent modules.

Experience from the global field

With a legacy of 25,000 robots put into service, the Magellan AI Firmware benefits from millions of hours of feedback experience. Each update via HexaConnect enriches this database, allowing your robot benefit from the best cleaning strategies developed around the world.



256 CONFIGURATIONS AND POSSIBLE VARIANTS


A SINGLE STANDARD:

L'EXCELLENCE HEXAGONE

1 Models



☐ **CHRONO MP3 M**
Pool up to 400 m2



☐ **CHRONO MP3 L**
Pool up to 600 m2



☐ **CHRONO MP3 XL**
Pool up to 1250 m2

2 Automatic Modes

Immediate or delayed launch

☐ **HEXPRESSO**
Soil - Perimeter

☐ **CROIX MAGELLAN**
Floor - Multi-pass

☐ **CROIX MAGELLAN**
Floor and walls

☐ **SYSTEMATICS**
Floor
Line to line

☐ **IN V**
Floor -
Left Right Swipe

+ MULTI-BASIN 4-POND CLEANING MODE

+ COMBI MODE ABILITY TO CHAIN 2 DIFFERENT MODES

3 Radio Control Modes



☐ **REMOTE CONTROL**




☐ **DEFLECTOR ANTI-SWIRL**



☐ **AMPLIFIER RADIO CONTROL**

4 Filtrations


Interchangeable filters depending on the nature of the impurities




☐ **RED**
Laminar filter 20µ MICRONS
Crystal clear finish, captures invisible particles. Ideal for ponds with diatomaceous earth filtration.



☐ **VIOLET**
Dust filter 75µ MICRONS
Ideal for volatile residues and fine pollution.




☐ **BLUE**
Sand & Hair Filter 105µ MICRONS
The all-round standard for high attendance.



☐ **GREEN**
Sand & Leaf Filter 250µ MICRONS
For outdoor pools and heavy debris.



☐ **YELLOW**
Algae filter 1000µ MICRONS
Wide mesh size for difficult restarts.



☐ **COMPLEMENTARY FILTER**
TOP 1 + bracket
Comes in addition to a first filter in the bell. We recommend a 75 micron TOP 1 bag.



☐ **EXTRA TRAY**
A second tray so you don't have to change your type of bag depending on the day.

5 Power supplies

Reinforced, self-floating, high flexibility, PVC sheath.

☐ **25 m**

☐ **32 m**

☐ **40 m**

☐ **50 m**

☐ **60 m**

☐ **70 m**

6 Roller coatings

☐ **STANDARD**
Mixed PVC/PVA



☐ **ROUGH FLOOR**
PVC Brushes



☐ **GLOSSING FLOORPVA**
foams



4 Active brushes

☐ **ROTARY**
ON 2 pulleys



☐ **LATERAL**
On 4 corners



☐ **BACKground**
On plate of background



7 Options châssis



☐ **LARGE DEPTH KIT**



☐ **RE-RAISED MOUTH M/L/XL**



☐ **KIT LINER M - L - XL**



☐ **SEAWATER KIT**

8 Chariots



☐ **REEL**



☐ **REEL**



☐ **RAMP**



☐ **JIB**



☐ **SLAP**

☐ **CAMERA OPTION**



Possibility to add an MP4 camera with video feedback on the trolley screen. Ideal for inspecting movable floors.

☐ **REMOTE WARDROBE**



9 HexaConnect

- ☐ Smartphone Apps
- ☐ Bluetooth
- ☐ 4G

10 Funding

- ☐ Purchase
- ☐ Annual leasing
- ☐ LLD season

11 Maintenance

- ☐ Hexafix PREVENTION
- ☐ Hexafix SERENITY

12 Installation

- ☐ Commissioning
- ☐ Training

POOL TURF GYM



Pep's

AGILITY FOR PERFORMANCE PERFORMANCE

The partner in your daily life: Light and quick to implement.

The PEP'S is the master of municipal and school catchments. Designed as an "ocean buoy" on a stainless steel tubular chassis, it combines rustic robustness with formidable agility. It is the "all-terrain" robot: simple, efficient and ready to use in a few seconds.


MADE IN FRANCE

RESISTANCE MARINE



THE STRENGTH OF BRUSHING: THE ACTIVE "SCRAPING

Turbo-Brush Technology: Its hard-bristled brushes rotate 3 times faster than the robot's travel speed.
Result: Intense mechanical action that removes tile joints and the most stubborn impurities. Where the others go, the PEP'S strips



ENERGY IN FREEDOM (THE CHOICE OF THE TERRAIN)

AC Power: For classic and continuous endurance.
Floating Battery Power: For total freedom without cables. The PEP'S "sails" in all pool configurations.

DESIGNED TO MAKE THE DAILY LIFE OF TEAMS EASIER

Every detail has been thought out to reduce effort, make handling safer and optimise intervention time.



Caractéristiques	PEP'S 200
Superficie du Bassin	350 m²
Largeur du robot	40 cm
Vitesse de nettoyage	10 à 12m / min
Puissance d'aspiration	37 m³/h
Poids hors d'eau/dans l'eau	14 kg / 2 kg
Alimentation	110v -240v / 24vdc



ULTRA-LIGHT & MATTED

Featherweight: Less than 14 kg out of water. Effortless handling for all teams.
Suction "Low tide": The PEP'S works where others stop. It vacuums with total efficiency in less than 20 cm of water. Ideal for wading pools and shallow areas.

FIGHT AGAINST MUSCULOSKELETAL DISORDERS
SKELETAL DISORDERS




"OCEAN BUOY" DESIGN

Stainless Steel & Polyethylene: An indestructible tubular stainless steel frame protected by a flexible and ultra-resistant shell. He takes the shocks of everyday without ever scoring.

TECHNOLOGY AT THE SERVICE OF RESULTS


Pep's incorporates the Metro Nav navigation system, designed to ensure regular and controlled coverage of the pool. Two modes of travel allow the cycle to be adapted to the level of intervention required.

1H SYSTEMATICS Mathematical rigour.



Line-by-line cleaning for perfect coverage of standard pools (25x10m).

2H CROIX MAGELLAN Depth



Combines scan with cross-passes for a surgical result.

*Estimated times are for a 25 x 10 m pool

Travel speed from 10 to 12 m/min

SENSOR AT THE HEART

It moves autonomously thanks to its artificial intelligence managed by its microprocessor and sensors

PROXIMITY SENSORS ***TRAJECTORY SENSORS***

Infrared · Des Angles · Accelerometer · Gyro

SUPERGRIP WHEELS

Direct drive for stable propulsion thanks to two-wheel drive.




ROTATING BRUSH HARD BRIS

Spins up to 3× faster than forward speed to loosen deposits and ensure efficient vacuuming.



SUCKS IN SHALLOW DEPTH

minimum 15cm of water





1 Models

Cleaning width 40 CM



☐ **Pep's 200** Pool 25 m

Cleaning width 60 CM



☐ **Pep's 300 XL** Pool 25 to 50 M

2 Wheels

STANDARD / GLOSSING PVA



FLOOR ROUGH Overmolded / PVC



3 Chariots





4 Power supplies

25 m ☐ · 30 m ☐ · 40 m ☐



☐ **12V SELF-FLOATING BATTERY**

1.2 m ☐ · 2.5 m ☐ · 5 m ☐

5 "Sail" filters



☐ **VIOLET DUST FIlter** 75µ MICRONS



☐ **BLUE SAND &** Hair Filter 105µ MICRONS



☐ **GREEN SAND** & Leaf Filter 250µ MICRONS



☐ **YELLOW ALGAE** filter 1000µ MICRONS

6 Navigation



☐ **CROIX MAGELLAN** Floor - Line to Line



☐ **SYSTEMATICS** Floor - Multi-pass

7 Order

☐ **RADIO CONTROL**





☐ **EDGE ROUNDED KIT**



☐ **SEAWATER KIT**

8 HexaConnect

- ☐ Smartphone Apps
- ☐ Bluetooth
- ☐ 4G

9 Funding

- ☐ Purchase
- ☐ Annual leasing
- ☐ LLD season

10 Maintenance

- ☐ Hexafix PREVENTION
- ☐ Hexafix SERENITY

11 Installation

- ☐ Commissioning
- ☐ Training



SPOT

THE LIGHTWEIGHT CHAMPION OF THE PRO CLASS

SPOT automates the daily cleaning of the ponds with immediate handling and simple operation. Manually or automatically, it cleans the bottom and climbs the walls thanks to controlled navigation and double-fineness filtration.

MADE IN FRANCE

WEIGHT LIGHT



ERGONOMIC HANDLE

A handle designed for practicality, health and to prevent MSDs in your agents



CLIMBS TO THE WALLS

With its high-grip tracks and controlled navigation, SPOT effectively cleans the pond walls and slopes for complete coverage, from the bottom to the waterline.

EASY TO USE EVEN WITHOUT TRAINING

Intuitive and simple, the Spot Robot is easy to use to put it in the water, start it, take it out and clean it.





DUAL BAG

Double filtration by industrial bags. Captures 250 micron coarse impurities as well as 5 micron residues.
A zip allows them to be cleaned easily and quickly.



NAVIGATION OPTICRUISE

The OPTICRUISE automatic program allows you to manage all spot trajectories effectively and efficiently.



SPOT App

Simple and intuitive control with just a few clicks on your phone with the dedicated app with remote control.

Disponible sur App Store

Disponible sur Google Play

Technician's favorite


A mobile application to manage the robot's departure as well as an 8-function remote control mode.

Caractéristiques	SPOT 100
Superficie du Bassin	300 m²
Largeur du robot	40 cm
Vitesse de nettoyage	8 m / min
Puissance d'aspiration	27 m³/h
Poids hors d'eau/dans l'eau	9 kg / 2 kg
Alimentation	110v -240v / 24vdc

CUTTING-EDGE TECHNOLOGY AT THE CLICK OF A BUTTON

The Spot incorpo**rates the OPTICRUISE navigation sys**tem, designed to ensure regular and controlled coverage of the pool. T**wo modes of travel allow** the cycle to be adapted to the level of intervention required.

1h30 OPTICRUISE



Combines scan with cross-passes for a surgical result.

4h30 FLOOR AND WALLS



Integral cleaning (bottom and walls) based on the OPTICRUISE Wall. algorithm

*Estimated times are for a 25 x 10 m pool

Travel speed of 8m/min

SENSORS

The Spot moves autonomously thanks to its artificial intelligence managed by its microprocessor and sensors

PROXIMITY SENSORS ***TRAJECTORY SENSORS***

Infrared · Des Angles · Accelerometer · Gyro

A COMPLETE ROBOT

All the functions of a professional robot in a compact format for your small ponds.

- 360° — Cable Anti-Twist "GYROTWIST"
- <25 m² — For pools up to 25 m (50 m SPOT 200)
- 27 m³/h — Suction power 27m3/h
- DELAY — Automatic delay check-out
- AUTO — Deep cleaning floors and walls
- Gyroscope navigation controlled
- 250µ 5µ — Filtration "DUAL BAG" 5 and 250 µ bag
- Bluetooth for diagnostics and maintenance
- Navigation via mobile app
- Lightweight, easy to carry and handle
- Full "DUAL BAG" indicator
- Zip-up bag cleaning "white glove"
- AUTO — Automatic immediate check-out
- In / Out — In/Out water inlet/outlet function
- Smart navigation "Aqua Positioning technology"



1 Models



Cleaning width 40 CM

☐ **SPOT 20**
Pool 15 to 20 M



Cleaning width 40 CM

☐ **SPOT 100**
Pool 25 m

Cleaning width 80 CM



☐ **SPOT DOUBLE 200**
Pool 33 to 50 M

2 Chariots



☐ REEL



☐ REEL



☐ LIGHT


3 Power supplies

18 m · 24 m · 30 m · 40 m




☐ **24V SELF-FLOATING BATTERY** 5m


4 Dual BAG ZIP



☐ **WHITE DUST FIlter 5µ MICRONS**
Crystal clear finish, captures invisible particles.



☐ **VIOLET DUST FIlter 75µ MICRONS**
Ideal for volatile residues and fine pollution.



☐ **GREEN SANDS and Leaves Filter 250µ MICRONS**
For outdoor pools and heavy debris.

5 Brushes

STANDARD / GLOSSING PVA



☐

ROUGH FLOOR PVC



☐

6 Navigation



☐ **OPTICRUISE** Soil



☐ **OPTICRUISE** Floor and walls

7 Options

☐ **RADIO CONTROL**



☐ **INFRARED**



8 HexaConnect

- ☐ Smartphone Apps
- ☐ Bluetooth
- ☐ 4G (optional)

9 Funding

- ☐ Purchase
- ☐ Annual leasing
- ☐ LLD season

10 Maintenance

- ☐ Hexafix PREVENTION
- ☐ Hexafix SERENITY

11 Installation

- ☐ Commissioning
- ☐ Training


POOL TURF GYM



Marly ECO

THE CLEVER WIRELESS OF SMALL POOLS

The Marly ECO benefits from the latest technological developments for pool cleaning cable-free.
The cordless robot combines advanced performance and excellent value for money.
It's perfect for small pools like slide landings.



FILTER BASKET 180µ MICRONS

Its easy-to-clean, large-capacity filter basket traps a large amount of debris.




CLIMBS TO THE WALLS

Thanks to its high-grip tracks and controlled navigation, Marly ECO effectively cleans the walls and slopes of the pond for complete coverage, from the bottom to the water line.

THE ECONOMIQUE SOLUTION FOR SMALL PONDS

For the cleaning of your small pools without a cable in all simplicity for your teams.





POWER AND VERSATILITY

Equipped with active PVC brushes and powerful suction for intense cleaning on all types of pools.




3 CLEANING MODES

Bottom only, Bottom, walls and water line or walls only

APPLICATION

Stay in control of your Marly ECO thanks its dedicated app.

Disponible sur App Store | Disponible sur Google Play



Technician's favorite

Effortless recovery of the Marly ECO which parks itself near a pool wall at the end of each cleaning cycle. With its hook included in the delivery, you can take the robot out of the water easily.

Caractéristiques	Marly ECO
Longueur de piscine	Jusqu'à 15 m
Dimension (L x L x H)	42 x 38 x 23 cm
Moteurs	3
Cycles de nettoyage	6 cycles de 3h à 30 m
Poid	8 kg
Autonomie / Charge	4h / 2,5 h



BIOMATIC

THE NATURAL POND ROBOT



The power to extract algae and leaves.

With our impressive power of internal and external dual pumps, the BIOMATIC meets the needs of natural bathing.

How it works: The algae-laden water is sucked in, pre-filtered into the robot and then fed into our external filtration, blocking fine, clogging particles so that clean water can be returned to the pool.

The advantage, a clean basin and better oxygenation of the water while preserving the balance of your water without the addition new water. It is easy to implement, the robot works autonomously and manually.



ROBOT WITH PREFILTER



EXTERNAL PUMP ON ITS CARRIAGE



FORK WITH 4 ULTRAFINE FILTERS

1 Robots



50cm



75cm

- [ ] **BIOMATIC M** Pool 25 to 33m
- [ ] **BIOMATIC XL** Pool 50 to 80m



- [ ] **Bio-Matic Connector**
For self-floating reinforced PVC cable.

2 Cables & Hoses

Power Cable

- [ ] 32m
- [ ] 40m
- [ ] 50m
- [ ] 60m
- [ ] 70m

Self-floating hose

- [ ] 35m
- [ ] 45m
- [ ] 55m
- [ ] 65m
- [ ] 75m

Discharge hose 5m

- [ ] ø 38
- [ ] ø 50

3 Chariots



FILTRATION

4 Robot pre-filtration



- [ ] **Pre-filter robot** 1000 microns



- [ ] **Plate sheet** 1 cm



- [ ] **COMPLEMENTARY FILTER TOP 1**
Complements a first filter in the bell. We recommend a 75 micron TOP 1 bag.

5 Filtration after extraction



- [ ] **External pump/filter**
External filter motor on trolley.
Suction power: 14.4m3/h.
Supastream sef-priming pump
0.50 HP.
2 hose adapters 11/2 ".
trolley.
10m power cord with plug.
Dimensions (WxDxH): 48 x 79.5 x 125 cm

6 Pre-discharge filtration

FORK4 BAGS





- **VIOLET FILTER** Dust 75µ MICRONS



- **BLUE SAND &** Hair Filter 105µ MICRONS
The all-round standard for high attendance.



- **GREEN ALGAE** & Leaf Filter 250µ MICRONS
For outdoor pools and heavy debris.

INDUSTRIAL ROBOT: Tank water tank



For sediment industrial basins and tanks

For more d'informations contact us

LINEO BASSIN BIO

- Battery-powered waterproof roller brush
- Scrubs and vacuums at the same time
- Ideal for scrubbing the bottom of organic ponds.
- Different types of brushes optional, please contact us...




*Comes with a black roll

BIO LINEO XXL

Brush Size	Width 44 cm
Power	24V Li-ion battery
Telescopic Pole	250 to 500 cm
Battery Charger	In series
Power/ Runtime	120 rpm/ 2h to 3h
Weight	6 kg
Brushing/ Cleaning	*Swivel nylon roller
Reference	xz26lineobs44

SURFACE SKIMMER



SKIMBOT surface skimmer

The SKIMBOT is a pump for vacuuming floating waste, macro-waste and hydro-carbons. A powerful pump sucks up clear water to create a surface current that allows waste to be sucked up and stored in a net.

Operates continuously, without personnel. Suction flow: 26m3/h.

Waste storage: 150 L



NEW

HEXA PURE

NO NEED TO EMPTY YOUR PONDS TO SCRUB ...

THE "ZERO DRAIN" REVOLUTION

Why empty when you can preserve? Discover Hexagone's new "zero emptying" service. Our robot and hardware innovations guarantee you the impeccable cleanliness of a traditional emptying of your ponds, without the waste.



Service provision
Hexa PURE

IMPROVING ENVIRON-
MENTAL IMPACT

ECOLOGY & SOBRIETY
Preserving water resources

Each regulatory or technical emptying requires thousands cubic metres of treated and heated drinking water to be thrown directly into the sewer. The HexaPure answer: We transform a curative cleaning into a local circular economy. The water never leaves the pool.

HEALTH & SAFETY
The scientific certainty of zero biofilm

Emptying a pond without targeted mechanical action leaves the biofilm and limescale encrusted.Our tiered filtration protocol combined with the mechanical action of our robots and motorized brushes physically extracts invisible pollution. Each intervention includes a transparency audit that proves the extraction of biofilm and organic matter, Guaranteeing healthier water than during a conventional emptying.

MANAGEMENT & CONTINUITY OF SERVICE
The pool remains open


A traditional emptying is a minimum of 3 to 5 days of closure to the public. It's a logistical nightmare for clubs, schools and users. With Hexa Pure, no closure longer than 8 a.m. Users swim the next morning in regenerated water. For elected officials, it is the guarantee of a continuous and frictionless public service.

AN IMMEDIATE ECONOMY
for the community

By eliminating the need to warm new, cold water, you preserve the calories in the pool. Up to €8,750 in direct savings per pool compared to a real mechanical drain. Immediate compliance with the reduction objectives of Decree No. 20251285 of 19/12/2025.

HEALTH & SAFETY

Pool robots cannot filter to less than 5 microns, so cann**ot retain** viruses and biofilm. It is a**bsolutely necessary that** it goes back to your main filtration which knows how do it.



PERFORMANCE AUDIT (INCLUDED)



GUARANTEEING COMPLIANCE BEFORE AND AFTER THE INTERVENTION.

Since the decree requires strict keeping of a health record approved by the authorities, the annual service provides an official document to be attached to this logbook:
· A report on the initial state of the bottom of the basin.
· Validation of the reduction in the organic load.
For the town hall or the manager, This is proof that it implements the "means of surveillance" required by the new legal framework.

WHAT DOES AN OIL CHANGE REALLY COST YOU

Costs of a Classic Oil Change

Cost Item	Emptying 25 m (550m^3)	Emptying 50 m (2000m^3)
Purchase of new water	4 € /m³	4 € /m³
Energy (Heating)	9 € /m³	9 € /m³
Chemicals	2 € /m³	2 € /m³
Impact Exploitation Closed for 5 days	6 € /m³	8 € /m³
Cost per m³	21 € /m³	23 € /m³
Estimated Total Cost	**€ 11,50**	**€ 46,00**

HEXA PURE PACKAGE:

Day rate: €5 excl. tax /m3 (Technician + Workshop Truck + Equipment + Audit)
Night rate: €8 excl. tax /m3 (Technician + Workshop Truck + Equipment + Audit)

Total Cost Hexa PURE	€ 2,75	10 000 €
ESTIMATED NET SAVINGS:	**€ 8,75**	**€ 36,00**



IN SUMMARY

No more logistical disruptions for your users and no more loss of revenue due to traditional emptying. The Hexa Pure system ensures minimal downtime: your pond never closes for more than 8 hours.

POOL
TURF
GYM

A SERVICE CARRIED OUT BY EXPERTS

WE DON'T DISPLACE THE POLLUTION, WE EXTRACT IT IN 3 STEPS.

Unlike a conventional robot that recycles water through an internal filter, the HexaPure™ protocol uses suction by an external pump sending the impurities directly into our mobile treatment unit.



The technological heart of the system, the Chrono Viking, is a robot for extracting biofilm at controlled speed.
Action: Mechanical detachment of sediments and biofilm.
Benefit: Radical extraction of deposits without disturbing the chemical balance of the basin.



Unique motorized brush for the treatment of vertical surfaces.
Connected to an external suction.
Action: Removes the biofilm from the walls and the air/water line.
Benefit: Instant suction of greasy, limescale and biofilm residues.



Chutes and gutters are sources of chloramines.
Action: High-pressure cleaning and brushing of residues.
Benefit: Immediate decontamination of the biofilm for improved water treatment.

HEXA PURE UNIQUE TOOLS:

Removes 99.8% bacteria*

Chrono VIKING Robot (for the background)

- **Sucks up and extracts biofilm within 5 cm of the bottom**
- **Reduces the consumption of chemicals**
- **Allows bacteria to be extracted from the bottom of the pools**
- **Substantial reduction in the level of chloramines**
- **The robot becomes the armed arm of your filtration**

***According to the study done by Teknologisk institute, Denmark**



VIKING M and XL chrono

Pond length	25- 50 and 60 m
Cleaning width	50 cm / 75 cm
Cleaning speed	10 to 18 m/min
Suction power	50 M3/H3.1 kg
Filtration capacity	24 KG/ 3 KG110 V-240
Weight out/in water	V / 24 VDCXYCM-
Feeding	P³M510VKGXYCMP3XL-
Viking M	VKG
Viking XL	



External pump

Badu 21-50 speck pump installed on a trolley jib reel.
Optional NC part number



Hose reel trolley

Hose reel trolley up to 60 m.
Reference k00011n000

Floating pipes

Diameter 38 or 50 mm. 25 m,
Ø38 mm Z218H44309-25M25 m,
Ø50 mm Z218H44329-25M

Motorized Brushes (for walls and gutters)



LINEO WALLS

Great depth

ø 24 cm
24V Li-ion battery
250 to 500 cm
60 rpm.
1h to 2h
4 kg
*Swivel nylon brush (pad option)



LINEO GOULOTTE

144m² per hour
ø 18 cm
12V marine battery
70 to 140 cm
40 W / 3h
1.75 kg (3 kg with bag)
Pad/70° swivel nylon brush17 x 140 x 18 cm


Pre-Filter Cartridge



The Mobile High Performance Filtration Solution is a portable filtration unit dedicated specifically to the Hexa PURE solution.
The 5 micron laminar filter ensures quality prefiltration.
The water is then sent to the mobile UV lamp system.

UV Sterilizer

The mobile UV disinfection system uses ultraviolet light to continuously neutralize bacteria, viruses and microorganisms extracted by the Viking robot and Lineo XL. At the outlet, the water is almost drinkable, free of its biofilm.





Dark Cleaner

The only robot for BUFFER TRAY

PATENTED

PRO RISK PREVEN-TIONRISK

Even invisible particles can now be sucked up by our robots.

It is in the biofilm that bacteria, viruses and pathogens hide.

Our new technology consists of extracting the biofilm from the bottom of the pond to evacuate it either into your main filtration or to the sewer.

By removing the biofilm, the chlorine does not fight it and thus creates additional chloramines and THMs.

We improve working conditions when cleaning the buffer tank.



BUFFER TRAY CLEANING

- **Allows regular cleaning of the buffer tank, obligation of Decree No. 2021-656**
- **Remains permanently in the buffer tank**
- **Much simpler and safer for the agents**
- **A real daily cleaning before emptying**
- **Fight against chloramines and deposits**
- **1 infrared wall detector**



WITH EXTERNAL PUMP


Dark Cleaner

Basin	Buffer tray
Cleaning width	40 cm
Cleaning speed	8 m/min
Suction power	30 m3/h
Filtration capacity	External
Weight out/ in water	14 kg/ 2 kg
Feeding	110 V 240 V / 24
Reference	VDCXypep'S100VKG



External pump

External filter motor on trolley.
Suction power: 14.4m3/h.
Supastream 0.50 HP self-priming pump.
2 hose adapters 11/2".
trolley.
10 m power cord with plug.
Dimensions (WxDxH): 48 x 79.5 x 125 cm.
Reference z289h200400hex



Service provision

Hexa PURE - BAC TAMPON

Our solution adapts its breakthrough technology to the surgical cleaning of your buffer tanks:

- **Ecology & Sobriety (Zero Loss)**
- **Radical Biofilm Eradication**
- **Service continuity**
- **Compliance & Transparency**



Sani PURE

CHANGING ROOMS, LOCKERS AND SANITARY FACILITIES ZERO BIOFILM, ZERO ODOR

DISINFECTION AND DEODORIZATION

Lockers, bins, toilet surrounds:
Hexagone's double attack
against biofilms and odours



Sani CLEAN

MINI OSCILLATING PAD ON BATTERY

5,000 oscillations/minute.
Dirt comes off.
Ultra-flat profile: Full access under benches, lockers and around toilets.
90° vertical action: Ideal for wall feet and locker bottoms.

Available in Service



Sani ZOOM

THE MIST
DISINFECTANT AND DEODORIZER

Zero Contact: Targeted spraying. Creates a disinfectant and deodorizing mist. 68 micron mist.
Fill the one-liter canister with your disinfectant product. It runs on battery power like a sprayer.

ELIMINATES 99.9% OF VIRUSES

CHLORE GUN



Sani GUN

The HEXAGUN Chlorine 70ppm gun is a simple and effective system for cleaning and disinfecting.
Save time: Insert a chlorine stick and the Hexagun is ready to go. It can be used anywhere and on any water-resistant surface



Buckets of chlorinestick

Chlorine stick for Hexagun. Set of 16.

CLEANING CENTRE



Cleaning Plants

Allows efficient mixing thanks to the 14 color-calibrated nozzles. Dilution ratio of 0.5 to 11%. Working pressure: 1.5 to 6 bar.
Working temperature: 50°C maximum.
Wall-mounted c**ontrol unit 2 products for** cleaning/rinsing/disinfecting
Reference z237fcep2150apa00000
Trolley only for model offered
Reference z237fchmob30



Antichoc type Dinga pistol

Multi-jet pistol. Locking trigger.
Reference qo0001n000



Flexi pro black

Extendable garden hose. ø22 mm anti-tendril.
15 m Order no. 2188f475.500.015
30 m Part number 2188f475.500.030

BACK VACUUM



Sani SPI

Innovative and patented professional backpack vacuum cleaner, powered by batt**ery.**
Very powerful, robust and with a long autonomy, Sani SPI is a multi-functional device:
by adding specific accessories, it transforms into a powerful stick vacuum cleaner or
a
professional vacuum cleaner.
Sani SPI also allows **you to spray a pure liquid product, to quickly sanitize surf**aces and small spaces.



Working Width	**24-40 cm**
Brush Power	**Optional**
Filter	**Sponge/HEPA**
Feed	**36V battery**

TRANSFER PUMPS



Transfer Pump motorized

Suitable for canisters from 20 to 200 L.



Transfer Pump manual

Injection rod

STORAGE



Tray with grating

Available in 13 L, 28 L, 39 L, 60 L, 87 L and 143 L.



Bac sans caillebotis

Available in 10 L, 20 L, 30 L, 40 L, 60 L and 100 L.

PEDICHLORE



Pedichlor

Chlorine dispenser for footbath.
For 250 g pebble

PROTECTION EPI



Gas mask



Apron PVC



Glove chemistry



Overshoes



QUICK VAC

FOR PONDS, RIVERS, PADDLING POOLS AND STEPS.

WITH INTEGRATED PUMP AND FILTER

- Autonomous, independent of the filtration system
- Simple, powerful and quick to install
- CleAns an 8 x 4 m pool in less than 10 minutes
- Vacuum iN every corner, even corners and feet of walls
- 360° wheels for perfect manoeuvrability
- Vacuum from 15 cm (Quick Vac' paddling pool)

Efficient and professional

MADE IN FRANCE

ANTI CORROSION
7 YEARS




Quick VAC

THE FOR PROS MANUAL VACUUM CLEANER WITH INTEGRATED PUMPAND FILTER

MADE IN FRANCE


MINI POOL SPECIAL

- Self-contained, independent of the filtration system
- Simple, powerful and quick to install
- Cleans an 8 x 4 m pond in less than 10 minutes



Extended area of action for even more efficiency

The Ninja turbine is so powerful that it sucks up dirt over an area of about 15cm all around the head of the Quick VAC.



VACUUM IN 15CM OF WATER.

The Quick VAC paddling pool allows suction from a depth of 15cm



OPTIONAL: Side handle attachment for trunk cleaning shutter or stairs



SINGLE-USE FILTER

For complex hygiene problems, you have single-use filters

DESIGNED TO MAKE THE DAILY LIFE OF TEAMS EASIER

Every detail has been thought out to reduce effort, make handling safer and optimise intervention time.



Cleaning speed: from 10 to 15 m/min
Suction power: 40m3/h
Pump: 250 W
Telescopic handle: 2 to 10m (optional)



A BACKPACK BATTERY FOR QUICK AND EASY USE.

Available for 1 or 2 batteries.



MANEUVERABILITY

Easy to steer with its 4 360° rotating casters



SPECIAL RIVER POOL

Perfect for winding and highcurrent pondsPowerful suction in every meander

1 Chassis



☐ CLASSIC



☐ PADDLING POOL

☐ REDUCTION PLATE WATER depth 9 cm



☐ XL STAINLESS STEEL

2 Power supplies



BACKPACK 12V BATTERY

☐ 1 BATTERY 1H ☐ 2 BATTERIES 2H



BATTERY AND CASE

3H30 BATTERY 12 V. AS STANDARD.



MAINS

220V / 12V



12V SELF-FLOATING 3H BATTERY

3 Filters



VIOLET

DUST FILTER

75µ MICRONS



BLUE

SAND & HAIR FILTER

105µ MICRONS



GREEN

SAND & LEAF FILTER

250µ MICRONS



YELLOW

ALGAE FILTER

1000µ MICRONS

4 Cables

3m 5m 7m

12.5m 21m

5 Chariots



☐ Without ☐ With



☐ Caddy PRO

VACUUM BAM



☐ Quick VAC Classic



☐ Quick VAC Paddling pool



☐ Quick VAC XL

	Quick VAC classic	Quick VAC Paddling pool	Quick VAC XL
Cleaning Width	40 cm	40 cm	65 cm
Water Depth Mini	15 cm	40 cm	40 cm
Filtration Capacity	3 kg	4 kg	6 kg
Weight Out of Water	5 kg	5 kg	7 kg
Cable Length	12.5 m	12.5 m	21 m
Transport Trolley	Avec	Avec	Avec

MINI SPA VACUUM CLEANER



☐ SPA MINI



☐ 360° SPA



☐ SPA XL

	Quick VAC SPA Mini	Quick VAC SPA 360°	Quick VAC XL
Cleaning Width	Ø 20 cm	Ø 11 cm	40 cm
Water Depth Mini	15 cm	15 cm	22 cm
Filtration Capacity	500 g	500 g	1 kg
Suction Power	12 m³/h	9 m³/h	15 m³/h
Filtration	100 µ	100 µ	50 / 100 µ
Rechargeable Battery	12 V	12 V	12 V

POOL/ SPA MAINTENANCE

QUICK VAC' SPA, THE SOLUTION FOR SMALL POOLS, SPAS AND STAIRS

MINI POOL SPECIAL

- Allows powerful cleaning with reduced weight
- Reusable filter bags
- Autonomous, battery-operated, All-purpose!



SPECIAL ANGLE ROUNDED




EASY HANDLINGHANDLING



IDEAL FOR CASSETTE FLAP



ADAPTS TO ALL TERRAIN





LINEO

THE CORDLESS ROTARY BRUSH

FIGHT AGAINST MSDS

AIR/WATER LINE CLEANING

- **Versatile cleaning:**
  air/water lines, shutters, ducts, spas, floors,
  changing rooms, toilets, footbaths, stairs
  - **The small battery-powered mono-brush**
  - **Safe 12V operation, even with the public in the water**
    Maneuverability, efficiency!

- **Included accessories:**
  stand + green pad + backpack + battery




LINEO COMPACT

Covered Area	144m² per hour
Cleaning Width	ø 18 cm
Feed	12V marine battery
Telescopic Pole	70 to 140 cm
Power/ Runtime	360 rpm / 4h
Weight	1.75 kg (3 kg with bag)
Brushing/ Cleaning	Pad / 70° swivel nylon brush
Dimensions (WxDxH folded)	17 x 140 x 18 cm
Reference	xzalineo1200



CORDLESS CLEANING

The backpack battery allows cordless cleaning of all pool surroundings.



QUICK BRUSH CHANGE

The Lineo's hanging system allows for quick changes of the brushes.





TELESCOPIC POLE

The Lineo quickly adapts to any height of user, thanks to its built-in telescopic handle.



TARGETED SPRAYING ON DEMAND

The solution is delivered by the powerful high-pressure pump for targeted application.



SPECIAL CHUTE BRUSH AND RISER

An ideal brush designed to clean trunking with precision.



LINEO JET

***Comes with a brush**

	144m² per hour
	ø 18 cm
	12V marine battery
	70 to 140 cm
	40 W / 3h
	1.75 kg (3 kg with bag)
	Pad / 70° swivel nylon brush
	17 x 140 x 18 cm



LINEO XL

great depth

	—
	ø 24 cm
	24V Li-ion battery
	250 to 500 cm
	60 rpm.
	1h to 2h
	4 kg
	*Swivel nylon brush (pad option)

BRUSHES AND PADSAVAILABLE



Support Disc Pad



Pad green abrasive disc



Bristle semi-soft brush



Magic Sponge Pad Disc



The Brush chute



CADDY PRO

THE SWIMMING POOL ALSO HAS ITS OWN TROLLEY

The *Caddy Pro* is a professional trolley inspired by both cleaning trolleys used in the hotel industry and service trolleys in the catering industry. It has been designed to offer pool technicians a practical, organised and robust solution to transport all their maintenance tools around the pool

- A chemical analysis case for water tests
- Chemical canisters
- The suction broom hose
- The different broom heads (brushes, rotary heads)
- A Fairlocks landing net
- The floating hose
- A PC or analysis tablet
- The pond health log
- Telescopic handle
- Broom

☐ ***Trolley CADDY PRO***



NEW

FILL YOUR CADDY PRO AS YOU SEE FIT...

1 WATER ANALYSIS



☐ Health record

Photometers



☐ 3 ☐ 4 ☐ 6 ☐ Manual

DPD Pads



☐ DPD1 ☐ DPD3 ☐ DPD4
☐ Phenol Red ☐ Stabilizing

Thermometers



☐ Digital ☐ Floating

2 WATER TREATMENT



☐ Slow chlorine
☐ Chlorine shock
☐ pH - ☐ pH +
☐ Anti-algae

3 WATER LINE CLEANING



☐ LINEO



☐ HEXAGOM and its rotating support (optional)



☐ Net bord gel

4 WALL BRUSH



PRO Wall Brush



360° brush for stairs, wall

5 BOTTOM VACUUM CLEANER



☐ Quick VAC



☐ Quick VAC SPA



☐ Rigid broom head



☐ Soft mop head

6 FLOATING HOSE



Diameter Ø 38 Sleeve	Diameter Ø 50 Sleeve
☐ 5 m	☐ 5 m
☐ 10 m	☐ 10 m
☐ 15 m	☐ 15 m

7 LANDING NET



☐ Classic landing net



☐ Reinforced landing net
☐ Surface landing net

8 BROOM/ RACLETTE



☐ Brush broom
☐ Broom leaves
☐ Raclette broom

9 TELESCOPIC HANDLE





Reinforced aluminium	Carbon Fiber
☐ 2.5 - 5 m	☐ 1.6 - 3 m
☐ 3.75 - 7.5 m	☐ 2.5 - 4.5 m
☐ 6 - 10 m	☐ 3.6 - 10 m

10 TRASH CAN



☐ 15L garbage bin

Trash Bags 15L x100

☐ Black ☐ Yellow ☐ Blue ☐ Green



11 CADDY PRO ACCESSORIES

☐ Vehicle transport plate



ANALYTICAL MATERIALS

THE ACCURACY OF YOUR HEALTH DATA

HEALTH RECORD

Edition 2026 - 2027

The agenda of the public or residential swimming pool.
Each page allows you to note on the
7 days of the week, your observations and readings
d'analyses.

TURBIDITY ANALYZER

Turbidity meter

Mandatory analysis following Decree No. 2021-656.
Measures water turbidity. Power supply 2x 1.5V 'AA' alkaline battery.
Dimensions: 82 x 225 x 50 mm.
Stores up to 1000 datasets.



MUNICIPAL KIT

Colorimetric Comparator

Colorimeter, comparator,
discs, 6 functions.
Square test tubes, accessories. Analysis Chlorine, pH, TAC, TH Calcium and Stabilizer
(Cyanuric Acid).

Calibration of PC ANALYSIS ALMOST ALL BRANDS LOVIBOND AND PALINTEST, (EXCLUDING Swan and Hanna).

We will send you a carrier and we will send the device back to you once it has been calibrated.

Photometers



PC 03

Quickly and reliably analyze the following test parameters: Chlorine 0 - 5 mg/l. Chlorine 0 - 10 mg/l. Cyanuric acid 0 - 100 mg/l (stabilizer).
pH phenol red 6.5 - 8.4.
Reference z246f417003002

PC Photometer 06

Comprehensive water balance calculation, with alkalinity, bromine, calcium hardness, chlorine, cyanuric acid, and pH tests. Quickly and reliably analyze the following test parameters:
Bromine 0 -10 mg/l. Calcium hardness 0 – 500 mg/L. Chlorine 0 – 5 mg/l. Chlorine 0 - 10 mg/l
Cyanuric acid 0 -150 mg/l. Phenol red pH 6.5 - 8.4. Total alkalinity 0 - 500 mg/l.
Reference z246f417006001



SpinTouch Photometer

The innovative Spin Touch photometer performs all the water analysis of your pool and spa for you, wherever you
need it.



Spin Discs

The genius of the Spin Touch® lies in its patented Centrifugal Fluid Reagent Disc designed to analyze 10 or 3 parameters at once!

TABLETS



PHOTOMETRIC ACCESSORIES



Roundbr specimens

10 ml. Glass. Pack of 5.
Large z276hpt595uni
Wide z276hpt555uni



Square specimens

10 ml. Glass. Set of 5.
References z276fpt521/5



SAMPLING POLES



Telescopic pole

With 1.5/2.5 m
telescopic pole and beaker with 600 ml spout.
Telescopic pole z251fbur-53550250
Beaker with spout z251fbur-53545050

Thermometers



Buoy thermometer

Floating thermometer.
Reference z303f2381



Classic thermometer

Anchor thermometer.
Reference z218ft554/cs/12



Electronic thermometer

Electronic thermometer with probe.
Reference z368fhi98509n

REGULATION / DOSING PUMP



Control amperometric Cl/ pH

• This regulation has a amperometric measurement with 2 injection thresholds for chlorine and 2 for pH.
• 6 cm high
display and 2 different colors.

Electromagnetic dosing pumps



Probes

Wireless Cl probe
Order no. z243f5636ccp
Cl probe with wire
Order no. z243f963sa
universal pH probe
Order no. z245f1150112

POOL
TURF
GYM



LAUNCHING PRM AND SENIORS

MOBILE, FIXED, HYDRAULIC...

TO EACH HIS OWN LAUNCH FOR PEOPLE WITH REDUCED MOBILITY

- An exceptional range of launches for the reception of PRMs
- Ideal for hotels, campsites and municipal swimming pools

WELL-BEING & ACCESSIBILITY : A WINNING DUO

INCLUSIONS OF PEOPLE DISABILITIES

FORM ANALYSIS OF PRM NEEDS

FEATURES PELVIS

- ☐ OVERFLOW
- ☐ COPING
- ☐ ABOVE GROUND
- ☐ GENTLE SLOPE
- ☐ SAND / SEASIDE

AFFLUENCE PMR

- ☐ PRIVATE
- ☐ LOW
- ☐ INTENSIVE

INSTALLATION / STORAGE

- ☐ MANUAL MOBILE
- ☐ MOTORIZED MOBILE
- ☐ FIXED ANCHOR
- ☐ FIXED CORING

ASSISTANCE

- ☐ WITH ASSISTANCE
- ☐ AUTONOMOUS

ENERGY

- ☐ MANUAL
- ☐ BATTERY
- ☐ HYDRAULICS

BUDGET

- ☐ LIMITED
- ☐ NECESSARY
- ☐ SUBSIDIZED*

* ELIGIBLE FOR THE PROCEDURES FOR OBTAINING AID FOR LAUNCHING



UNIKART COMPACT

MOBILE LAUNCHING TROLLEY

FROM THE CHANGING ROOM TO THE ENTRANCE TO THE POOL

INCLUSIONS OF PEOPLE DISABILITIES

- Space-saving and easy to move
- Quick, no fixing to the ground
- Safe and practical for welcoming and launching PRMs Approved by APAVE.

Motorized 24V Safety Direct Stop Button Battery



Headrest adjustable

Removable armrests

Counterweight

2 rear 360° wheels with brakes

100% SAFETY: With brake stop for poolside

Footrest

MADE IN FRANCE

YOUR POOL BECOMES ACCESSIBLE TO PEOPLE WITH REDUCED MOBILITY



MANUAL VERSION
Double winch
Safety strap

MOTORIZED VERSION
Battery-powered electric actuator



WATERPROOF REMOTE CONTROL

UNIKART ACCESSORIES



Harness option
quadriplegic
Head, chest,
wrist, hip attachments.
qqk001n000



Protective tarpaulin for UNIKART
Dimensions (WxDxH):
67 x 70 x 118 cm
kd0004n000

CONFIGURATOR BOAT TROLLEY



UNIKART COMPACT

- Maximum lifting load: 136 kg
- Space saving
- Ideal if you manage several pools





UNIKART CLASSIC

- Maximum lifting load: 136 kg
- Moves very easily
- Available in manual or electric versions





UNIKART ASSIST

- Maximum lifting load: 145 kg
- Reduction of physical effort
- equiPped with a remote control



UNIKART 180°

- Maximum lifting load: 136 kg
- Comfort of use
- Mobile solution that visually enhances
- Simplified and fluid launching



UNIKART HI/LO

SR Smith

- Maximum lifting load: 136 kg
- Designed for structures with special configurations such as infinity pools, campsites.



UNIKALO 50

BATH ACCESS CHAIR FOR PEOPLE WITH REDUCED MOBILITY

SIMPLIFIED LAUNCHING SOLUTION

- **Ideal for hotels, campsites**
- Avoids the investment of heavy PRM equipment
- Lightweight and easy to use
- Ideal for infinity pools
- The chair floats during launching

... and Archimedes' law does the rest!

INCLUSIONS PERSONS DISABILITIES

MADE IN FRANCE





UNIKALO 50

Fauteuil UNIQUE 50


Max. user weight	Up to 130 kg
Weight	25 kg
Rear wheels	Inflatables and floating
Dimensions (WxDxH)	100 x 72.3 x 110 cm
Structure/ Seat	Marine stainless steel / Hard shell
Reference	xuni050n001


ECONOMICAL!

- Thanks to 2 large inflatable wheels, the chair floats during launch.
- Designed for access to water for PRM in a seated position (infinity pool public or private, hotel or campsite).

ACCESS AND EXIT FROM THE BATH WITH SIMPLE AND EASY ASSISTANCE









SHOWER CHAIRS

UNIBLUE Armchair



Max. user weight	13 kg
Weight	93 x 43 x 96 cm
Dimensions (WxDxH)	Stainless aluminium
Structure	Fabric/plastic
Seat	2 large / 2 small
Rear wheels/front wheels	z516f302018
Reference	
Up to 150 kg	

UNIBLUE Design armchair 100% PVC



Max. user weight	20 kg
Weight	67 x 82 x 105 cm
Dimensions (WxDxH)	100% thermoplastic
Structure/ Seat	2 large / 2 small
Rear wheels/front wheels	z200f715025
Reference	
Up to 150 kg	

BEACH CHAIR

Unique PLAGE



Max. user weight	27 kg
Weight	None
Food	Inflatables ø 41 cm
Rear wheels	1
Front wheels	152 x 107 x 127 cm
Dimensions (WxDxH)	Aluminium-Stainless
Structure/ Seat	steel / Fabric
Up to 113 kg	

ACCESS PATH

Beach Walkway





Ideal for facilitating access to the beach for strollers, wheelchairs for the elderly and people with disabilities.
Ideal for beaches, campsites, bathing establishments, parking areas, gardens, kiosks, pedestrian crossings, greenhouses, emergency tents for civil protection, etc.
Very robust, made of PP resistant to atmospheric agents, salt water and UV rays.
Composed of elements with dimensions 333×33 mm and thickness 15 mm.
Available in 10 colours from stock.
Contact us.
Reference z113ffl.5000ral



UNI-RAMP

ALUMINIUM PMR MOBILE STAIRCASE

INCLUSIONS PERSONS DISABILITIES

- Epoxy coating in standard white, other colours available.
- Complies with European standards
- With plastic sliding strips to protect the pool edge.
- Wheels for moving and storing.
- Aluminium steps, perforated to allow water to drain away.
- Moves with the movable floor.
- Weight of the Uni-Rampe is 45 kg


Ideal for seniors and pregnant women



UNI-RAMPE is available in 3, 4 or 5 steps

THE STAGES OF IMPLEMENTATION







THE IDEAL FOR SENIORS

Made of aluminum
Custom-made







STAR
Inox-Star Stainless Steel Cleaner is a special high-viscosity acid concentrate for cleaning and maintaining stainless steel surfaces.
1 Litre Reference z612f2056
16 litres Reference z612f1951

STAINLESS STEEL LADDER



Standard Scale

Ø 43 mm tube in polished stainless steel.
W.50 cm.
3-4-5 steps.
Other models, please contact us.

NON-SLIP STEPS



Non-slip step clip
The only non-slip safety system for pool ladders. Safe, innovative, non-slip.
• **QUICK AND EASY ASSEMBLY**• NO TOOLS NEEDED• SUITABLE FOR MOST STEPSNo need for ladder disassembly.
The rough, non-slip texture ensures maximum foot grip.
6 safety tabs. Adapts and attaches perfectly to walking. Extra stability. Ergonomic design.



1 To be laid on the step scale



2 Press system up to a "click"



3 check the attachment o the walk




UNIROCK

DESIGN WATER LIFT

FIXED AND AUTONOMOUS SYSTEM

- **Ideal for Seniors and PRM**
- Very compact, takes up little space
- Autonomous on battery

Designed for the comfort and safety of the person and their companion.



IDEAL FOR PEOPLE WITH ALZHEIMER'S OR PARKINSON'S AND THEIR CARERS

To rediscover the pleasure of swimming at home or at the hotel












UNIROCK on battery

Max	Up to 136 kg
Weight with counterweight	50 kg
Feed	1 battery
Dimensions (WxDxH)	68 x 129 x 122 cm
trolley/ Seat	Painted stainless steel/ polypropylene
System	Motorized
Seat low level	100 cm
Reference	xunirckn000

1 Transfer

- ☐ Left
- ☐ Right







UNIJET

SEAT ON HYDRAULIC PISTON

A CLASSIC OF ACCESSIBILITY OF SWIMMING POOLS

INCLUSIONS OF PEOPLE DISABILITIES

MADE IN FRANCE

PRM-ACCESS PISCINE

2 YEARS WARRANTY 2 YEARS

30 s MAXI


AUTONOMOUS ELEVATOR


UNIJET hydraulic rotation


Maxbr lifting loadWeight	Up to 136 kg
Feed	55 kg
Dimensions (WxDxH)	Hydraulic (3 bar min)
Structure/ Seat	70 x 70 x (185 bottom), (264 top)
Fastening	Painted 316L stainless steel/ polypropyler
Attachment point	Wheel with stainless steel threaded
Right-hand rotation 180°	Chemical bushing, stainless steel
Left-hand rotation 150°	anchor
Removable footrest option	xujetn002
Unijet option all electropolished stainless steel	xujettppn001
	kj0015n000
	xujepn002

UPS AND DESCENT UNDER 30 SECONDS









1 Rotation

☐ Left ☐ Right

2 Finishing

☐ Epoxy ☐ Stainless steel



From 75 cm depth

The Unijet can be used in all pools from a depth of 75 cm.



Possibility of attaching the unijet

Supplied with castors, it is possible to attach the Unijet in case of intensive use.

Portable, easy to carry


Can be installed only when it needs to be used and then stored away when no longer needed, while being able to service multiple pools within the same site.



COMPACT AND COMPACT HYDRAULIC LIFT


Made of stainless steel





Hydraulic Rotation Descent

An autonomous system that allows you to go up and down without electricity.



Mounting wheel

For safety, the Unijet is equipped with a mounting wheel for the safety of users.

INCLUSIONS OF PEOPLE DISABILITIES



UNIFIX

The 360° rotating jib crane

SIMPLE AND ECONOMICAL


- **Ideal for in-ground pools and spas**
- **Ba**ttery-powered motorized jack
- 360° swivel column per guide
- With hammoc**k or** rigid shell seat
- Foldable and **lightweight**



TO COMBINE SIMPLICITY AND SECURITY



Easy to store





Optional hard seat

Stainless steel frame, plastic shell.


Reference ks0007n000

FIXED STEM

Motorized Unifix XD

Max	60 kg
Weight	1 battery
Feed	137 x 30 x 141 cm
Dimensions (WxDxH)	Galvanized steel/ hammock
Stem/ Seat	130 cm
Seat low level	Platinum xufim30n000
Reference	Core xufim31n000
Reference	
Up to 150 kg	

Two types of floor fixing



AUTONOMOUS SPA



Unifix autonomous SPA

Maxbr Lifting LoadWeight	Jusqu'à 136 kg
with Counterweight	124 kg
Feed	Battery 24 volts
Dimensions (WxDxH)	101 x 120 x 152 cm
System	Motorisé
Seat High Level	180 cm
Reference	Z797f375-0000eu





HEXA SECURE

EQUIPPED STAINLESS STEEL LIFEGUARD STATION

The stainless steel station that centralizes the essential emergency equipment around the pool.

The structure is made entirely of AISI-316 stainless steel electropolished, guaranteeing a shiny appearance and protecting the steel against corrosion, prevents the appearance of rust, both on the structure and on the floor.

Stable and robust structure, with a round base of 70 cm in diameter, 4 mm thick, and 43 mm round tube reinforcements.

Base equipped with two nylon wheels for easy transport.

Equipped with:


- Hooks for attaching a rigid support
- Circular buoy
- Rescue pole
- Flexible belt

Includes an acrylic panel for attaching the pool information panel.

Signage not included.

PREVENTION OF RISKS PROFESSIONAL

READY TO INTERVENE!



Customizable display:



Caractéristiques	Hexa SECURE
Matériaux	acier inoxydable AISI-316
Dimension	180 x 70cm
Poids	20 kg
Roulettes	2 roulettes en nylon
Fourni avec	Bouée, Perche, Ceinture, Immobilisateur de tête, Sac médical vide, Planche dorsale

COMMUNICATION



Megaphone
Megaphone + siren.
Supplied without batteries.
Large range up to 450 m.
Order number z569f7566



Whistle
Plastic Ball Whistle.
Reference



Bell
Bell with fixed moulding.
Reference



Talkie walkie motorola T62
Connected on the go with a range of up to 8 km (depending on the terrain).
Licensed device with an LCD screen, 16 channels.
Dimensions: 5.4 x 16.5 x 3.1 cm
Reference z701fmot62b




HEXA CHAIR

ERGONOMIC MONITORING CHAIR NON-SLIP STEPS

PROTECTS THE LIFEGUARD

- **Before taking care of others, you must protect the rescuer...**
  - Ultra-resistant, very high stability.
  - Seat inclination ideal for good back support.
  - Wide, non-slip steps.

Seat heights in centimetres





Ideal tilt for the back



Wide 30cm non-slip steps, the size of an adult foot.



Wide feet for maximum stability for safety and comfort

1, 2, 3 or 4 steps





Technician's favorite

All our Hexa Chairs are equipped with a cup holder, ideal for keeping a water bottle or a can available with ease.

THE PREMIUMET DESIGN CHAIR



Hexa chair 1 marche

Maxbr load	Up to 130 kg
Weight	35 kg
Seat height	80 cm
Dimensions (WxDxH)	70 x 80 x 140 cm
Frame/chair	Recycled polypropylene
Reference	xi0505n000



Hexa chair 2 marches

Maxbr load	Up to 130 kg
Weight	50 kg
Seat height	100 cm
Dimensions (WxDxH)	80 x 105 x 155 cm
Frame/chair	Recycled polypropylene
Reference	xi0510n000



Hexa chair 3 marches

Maxbr load	Up to 130 kg
Weight	70 kg
Seat height	127 cm
Dimensions (WxDxH)	90 x 140 x 180 cm
Frame/chair	recycled polypropylene
Reference	xi0515n000



Hexa chair 4 marches

Maxbr load	Up to 130 kg
Weight	86 kg
Seat height	152 cm
Dimensions (WxDxH)	168 x 125 x 210 cm
Frame/chair	Recycled polypropylene
Reference	xi0517n000



HEXA TOUR

MONITORING PLATFORM FOR NORDICPOOL, WITH HEATING OR VENTILATION

PROTECTS LIFEGUARD FROM WEATHER CONDITIONS

COMFORT & ERGONOMICS

Dynamic posture: Designed to easily alternate between sitting and standing, boosting alertness and reducing fatigue.

ACCESS & INTER**VENTION**

True safe staircase: Flat non-slip steps and double handrails for a smooth emergency descent, even with equipment (replaces the traditional dangerous ladder).

4-SEASON MODULARITY

Winter Shield: Windproof sid**ewalls combined with** targeted infrared radiant heating to keep the monitor warm, even in sub-zero temperatures.

Summer Shield: UV canopy and built-in fan with optional 24V.

Cooler battery.

CHAISE HAUTE OPTIMA



Hexa chair Optima 6 marches

Maxbr loadWeight	190 cm
Seat height	76 x 100 x 236 cm
Dimensions (WxDxH)	Aluminium/ PVC
Frame/chair	z446f505
Reference	
Up to 100 kg	
25 kg	

PLATFORMS

- Steps, springboard and plastic seat. Umbrella stand included.
- Wide spri**n**gboard and 90° swivel seat for easy vision.



Observation deck 100

Maxbr loadWeight	Up to 100 kg
Seat height	60 kg
Dimensions (WxDxH)	100 cm
Frame/chair	90 x 150 x 166 cm
Reference	Stainless steel/ Plastic
	z218f15674



Observation deck 40

Maxbr loadWeight	Up to 100 kg
Seat height	40 kg
Dimensions (WxDxH)	40 cm
Frame/chair	100 x 150 x 100 cm
Reference	Stainless steel/ Plastic
	z218f15673

PARASOL



Parasol for MNS

- **S**pecial fabric 100% acrylic.
- **ø** 180 cm, height 140 cm
- **Alu**minium handle ø 40 mm

Without logo z241f90/10d18011

With logo Hexagon z241h90/10d'80-11-n001

SIGNAGE

Made of rigid PVC or adhesive 30 x 30 cm







PSN[illegible]
required
[illegible]
zs0027n000
Adhesive
zs0068n000

BUOYS/ PERCH





Wall bracket buoy

Stainless steel bracket 316L.

Reference qs0124n000



Plastic polypropylene buoy.

ø 60 cm	1.3 kg.	Z268F5BO010120 Ø
73 cm.	3.5 kg.	Z268fdieaplast



Rescue Tube

Made Of vinyl-covered foam. 105 cm long Z506FMS031



Aluminium pole

Dimensions: Ø 30 mm

Colours: white, yellow, red, green and blue

Length 5 m



Emergency pole

AlUminium ring.

Length 2, 3, 6 m.	z506fms020.3
Handle with 2 tips	

INFIRMARY KIT 1st AID



1st aid kit

First aid Kit for 10 people delivered filled with infirmary components that provide first aid for communities, water sports workshops and other establishments offering sports activities.



Foldable stretcher

PVC stretcher foldable in 4 with its anti-corrosion and anodized aluminum structure. This stretcher can be folded in width and length and is without the risk of finger pinching. Its coated PVC canvas is reinforced and washable.



Defibrillator semi-automatic

intuitive, efficient, fast and practical for all rescuers! It provides visual and audible information on how it works in order to support the rescuer during the intervention.



Reusable resuscitators

Made Of silicone and transparent polysulfone. The reusable resuscitators are ergonomic and guarantee a long service lif

They meet the needs not only of the rescue but also of the patient.



Cervical collars

Available in four adult sizes and two pediatric sizes that cover the full range of patient anatomies. It is used in case of suspected trauma to the cervical spine.



Mucus Aspirator

Manual Operation, with a suction power of 450 mmHg. Delivered complete with its 300 ml single-use container, cap and two probes (child and adult). A simple press of the trigger creates suction.



SPARTEL

Emergency wireless wireless communication system

TO ALERT THE ENTIRE POOL

- Multi-zone alert buttons
- Broadcast throughout your facility of identifiable alert messages
- A receiver to be placed anywhere, with audible message and display of the affected zone
- Radio wave operation, none wired installation.




PRO RISK PREVEN-TIONRISK


MADE IN FRANCE

This device is only a warning device, it cannot fit in your POSS.

SPARTEL WIRELESS RADIO HORN SYSTEM



Need assistance



Panic button



Team Alert



Aid procedure

In case of a problem in the SAUNA, HAMMAM, at the water's edge, in a changing room, in PRM toilets, install a panic button so that your customers alert you!

PANIC BUTTON, Configurable from 1 to 9 to define its zone.



IP65br panic button

Power supply	2 drops 1.5 V
Reach	150 m
Waterproof	Oui
Dimensions (WxDxH)	100 x 65 x 40 mm
Reference	egs002n003



Panic button with IP65br announcement

Power supply	2 drops 1.5 V
Reach	150 m
Waterproof	Oui
Dimensions (WxDxH)	100 x 65 x 40 mm
Reference	egs003n003



Sauna panic button IP65

Power	2 drops 1.5 V
Reach	150 m
Dimensions (WxDxH)	100 x 65 x 40 mm
Inner button	egs004n000
Outer button	egs005n002



WALL BOX, FOR Displaying panic alerts.

Visual and sound reception/broadcasting centre

The control unit is composed of a digital display and a loudspeaker. It is a radio receiver that allows you to display the number of the triggered panic button and broadcast the specific announcement that goes with it. This receiving station can be installed in several places where your teams are stationed.

Power supply	Prise 220 V
Reach	150 m
Waterproof	Oui
Power supply (option)	Panneaux solaires
Dimensions (WxDxH)	254 x 180 x 90 mm
Reference	eks003n000



OPTIONAL

IP66
radio signal repeater

Power supply	220 V
Reach	100 m
Dimensions (WxDxH)	180 x 94 x 60 mm
Reference	eks005n000 (single)
Reference	eks006n000 (wall)

SWIM HIGH-STRENGTH

COMPLIANT SWIM LINE WITH FINA STANDARDS

SPORT COMPETITION SWIM LINE

- **5 colours:** blue, red, green, white and yellow
- Mounted on AISI-316 stainless steel cable ø 4 mm
- High resistance to chemical agents & UV





Training ø100



Swim line HEXA STAR 100

Disc diameter	ø 100 mm
Line length	25 et 50 m
25 m Reference	z506fe5239.25ss
50 m Reference	z506fe5239.50ss

With cable, tensioner and stabilizer in AISI-316 stainless steel.

COMPETITION Ø150




Swim line HEXA STAR 150

Disc diameter	ø 150 mm
Line length	25 et 50 m
25 m Reference	e6304252
50 m Reference	e5345055

With cable, hook and stabilizer made of stainless steel AISI-316.

ø100 Ø150



DISPLAYS/ STOPWATCHES



Digital display temperature

Display of pool temperatures:
air, water and time. 220/24V DC.
Dimensions: 130 x 32 x 9 cm.
Reference z437fphl12.1



Digital display

Digital display, temperatures of the pools: air, water and time.
Dimensions: 46 x 32 x 9 cm.
Reference z437fph9.2



Wall-mounted stopwatch

4 needles. Dimensions: 62.5x62.5x10 cm. Power consumption 10 W. 220 V
Designed for use at temperatures of 10 to 35°C.
Reference z506fe539

TRAINING EQUIPMENT



Pull Buoy sénior

Dimensions: 23 x 8 x 13 cm.
Made of Golfoam.
Available in various colours.
Reference z506ft406



Pair of Pads

Small: 17.5 x 11 cm
Reference z506ft411
Medium: 18.5 x 11.5 cm.
Reference z506ft408
Large: 19.5 x 13 cm.
Reference z506ft407



Pair of fins

Made of highquality pure rubber. Ideal for swimming.
Sizes from 26 to 48 cm (contact us).

ACADEMIC IDEAL

PARTING LINE



With floats and clear tube



Polypropylene float 80 x 50 mm.
Colours: blue, white, orange, red, yellow, green.
Sold by the metre equipped with 4 to 6 floats.
Available on polyethylene rope or stainless steel cable.



With polyethylene floats



2 lengths 25 and 50m or sold per metre. Polypropylene float 80 x 50 mm.
Colours: blue, white, orange, red, yellow, green.
Available on polyethylene rope or stainless steel cable.


SWIMMING LINE FURLERS



150 cm

Reel L.150 or 200cm

Designed to wind lines. Made stainless steel electro-polished. Equipped with 4 wheels, 2 of which have b**rakes.**
L.150 cm:
Reference z506fe5258.150+ z506fe5259.150
L.200 cm:
Reference z506fe5258.200+ z506fe5259.200



200 cm

	Competition	Moscow	Rome	
150 cm	50 m	100 m	200 m	
200 cm	75 m	150 m	300 m	



Line

Ideal for pond coping noses and swim line floats.
Reference z197f10111021

CONLOTS


ABLE STAND IN 5 DIFFE-ENT POSITIONS.



Starting block

Made of AISI-316 stainless steel, electropolished. Non-slip F.V. platform. Rear opening system to place the electronic timing speaker inside. Numbering on 4 sides. Compatible with false start detection.
Platform 74 x 52 x ht 40 cm
Reference z506fe5204

LINE POLES





Turn Line

Four 2metrehigh posts made of AISI-316 stainless steel.
Equipped with rings to fix the line.
Turning line made of a nylon rope and pennants. Available in 12.5m, 17m, 21m, 25m.



False Start Line

Two 2-metre-high posts in AISI-316 stainless steel. Equipped on one post with a ring to fix the line and on the other post with a pulley to tension and tie the line.
False start line composed of a nylon rope and Roma type floats.
Available in 12m, 17m, 21m, 25m.

FASTENERS



AISI-316br stainless steel ratchet tensioner includes hook z506fe5202

Nylon Rope - 6 mm Sold by the metre z506fe5200

Accroche ø 8mm en acier inox AISI-316 z506fe5231

Carabiner 60mm or 80mm stainless steel AISI-316 z506fe511 z506fe5215

Stabilizer swim line 50 m stainless steel AISI-316d z506fe5298

Tendeur en acier inox AISI - 316 z506fe5233

ANCHORS



Swim line anchor rectangular stainless steel AISI-316 z506fe516

Stainless steel round swim line anchor AISI-316 z506fe5028

Stainless steel assembly bollard with tubular anchor - AISI-316 z506fe552

Tubular anchor in stainless steel AISI-316 Diameter 45mm or 46mm. Straight or inclined NC



AQUAFITNESS PROFESSIONAL EQUIPMENT

Antibacterial Foot Pedal

STAINLESS STEEL SPORT RANGE

- Fully adjustable according to the depth of the water and the height of the user
- All stainless steel - 316L - Patented pedal with progressive resistance.
- Low maintenance

The pedals are made of TM7LF medical elastomer, which is antibacterial and antiallergic.

Pédale testée biologiquement
Class VI 6.6.1 ISO 10993-5/10/11
Fabriquée en France



PROGRESSIVE RESISTANCE

BIKE INOX SPORT



Hexa Bike 200

Weight	18.3 kg
Maximum load	120 kg
Material	Inox 316 L
Depth of use	110 - 150 cm
Dimensions	127 x 60.4 x 101 cm
Pads	4
Casters	2 à l'avant
Reference	z247f0492-001

HEXA BIKE INOX, long live aquatic fitness!



BIKE INOX ULTRA



Hexa Bike Ultra

Weight	28 kg
Maximum load	150 kg
Material	Inox 316 L
Depth of use	110 - 150 cm
Dimensions	127 x 60.4 x 101 cm
Pads	4
Casters	2 à l'avant
Reference	z247f0492-001

Rampe Hexa BIKE Inox



Custom-made, boat ramp for aquabikes. Help to secure and facilitate the entry and exit of bikes.

HEXA ARE

Handle and transport wheels





Hexa XL PA system on wheels

Weight	17.4 kg
Power	240W
Connection	Bluetooth, portée 10m
Dimensions	32.6 x 68.8 x 36.8 cm
Runtime	18 heures
Battery	lithium-ion 72 Wh
Charging time	3.5 heures
Reference	z150f70782

UNDERWATER SPEAKER





60W UNDERWATER LOUDSPEAKER

Immersible shell version loudspeaker
- 12 m cable supplied and approved (H07RNF) to convey electricity in total immersion
- Power 60 Watts

26 x 23 x 6 cm - ± 5 kg



HEXA FORMATION

THE AQUAFITNESS TAILOR-MADE TRAINING!
Contact us for more information



AQUA SHAPE DESIGN

IDEAL FOR FITNESS FITNESS SPACES
THAT NEED DESIGN

THE ELEGANT AQUAFITNESS

- Multicolored, attractive design
- Adjustable posture adjustment
- Increased stability with its specific suction cups Barefoot pedal!

6 COLOURS TO CHOOSE FROM

Light Blue


Orange


Green


Royal Blue


Red


Yellow

KIT SUPPORT BUTTERFLY


Saddle height adjustment



Handlebar height adjustment

Cut-resistant



Suction cup fasteners



Removable feet





Hexa Bike Optima 100

Maximum load	120 kg
Weight	12 kg
Material	Polyéthylène/inox
Depth of use	120-140 cm
Dimensions (WxDxH)	115 x 92 x 66 cm
Pads	8
Brakes	Sans



Hexa Bike Optima 200

Maximum load	120 kg
Weight	16 kg
Material	Polyéthylène/inox
Depth of use	120-170 cm
Dimensions (WxDxH)	120 x 160 x 66 cm
Pads	9
Brakes	Avec

RUN / JUMP / POLE / STEP

Hexa run

25 kg
Polyethylene/stain-less steel
120-140 cm
135 x 82 x 153 cm (unfolded)
8 pads
4 casters front
6 colours optional (variegated)



Hexa jump

9 kg
Polyethylene/stainless steel
80-170 cm - ø 106 cm H. 22 cm
8 stamps
6 colours optional (variegated)



Hexa multi-exercises

20 kg
Polyethylene/stainless steel
160-180 cm
ø 98 cm H. 170 cm
10 pads
Without wheels
1 colour



Hexa step

7 kg
Polyethylene
110-130 cm
67 x 35 x 19 cm
8 pads
1 color



KIT AQUA GYM SANTÉ





Marine-grade ABS material.
Pink or blue color.
Unrestricted depth of use.

Ankle braces	Bracelets
380 gr	440 gr
W.20 x D.12 x H.21 cm	ø 23 - D.16 cm
2 ankle braces	2 bracelets

AQUA REHABILITATION PROGRAM:

- Back pain
- Breast cancer
- Prenatal / Postnatal
- Heavy legs (circulation)
- Sports gesture (tennis, golf, etc.)
- Upper and lower body



IDEAL PROGRAM PRENATAL



REHABILITATION AFTER BREAST CANCER



REINFORCEMENT BACK POSTURE

EVERYTHING FOR KIDS AND BABY SWIMMERS

BABY SWIMMER SAFETY IN THE SHOWER

- Showering and changing are part of the experience
- Safe for parents and babies alike.

NEW



HEXA BIKE KIDS

Hexa bike KIDS

Children can now also enjoy aqua fitness with Hexa bike KIDS!



Weight	12 kg
Maximum load	100 kg
Material	Inox 316 L
Depth of use	110 - 150 cm
Dimensions	84 x 60.4 x 120 cm
Pads	4
Casters	2 à l'avant
Reference	z247f0492-006

SHOWER CHAIRS



Hexa baby chair

Can be stacked up to 8 chairs!
Dimensions (WxDxH): 60 x 50 x 76 cm.
Weight: 3.9 kg.
Black/Grey
Order no. z195fm212bg
Black/Red
Order no. z195fm212br

CHANGING TABLES



Changing table

Dimensions (WxDxH): 100 x 65 x 95 cm.
Delivered with mattress.
Reference z506fe5109



Wall-mounted changing table vertical

It can support a load of
15 kg maximum.
Dimensions (WxDxH): 40 x 50 x 120 cm.
Foldable. Vertical
Reference z153f113778




Wall-mounted changing table horizontal

It can support a load of
15 kg maximum.
Dimensions (WxDxH): 56 x 86 x 12 cm.
Foldable. Horizontal
Reference z153f112523

SAFETY CHILDREN



PLATFORM



Platform d'apprentissage

Made of PVC in the style of furniture.
Lightweight and easy to use
Various colours available.
From 0.5 to 3 m deep, with or without railing, module can be added to create a platform up to 250m2
Tailor-made according to your needs.

BABY SWIMMING EQUIPMENT



Formula 1 floating

Made of Golfoam. 2 nylon axles.
Various colors.
Dimensions: 180 x 100 x 80 cm.
Reference z506fd1052



Island with hoops

Made of Golfoam and foam fries.
Various colors.
Dimensions: 100 x 100 x 65 cm.
Reference z506fd1056



Tapis panier baby pool

Made of Golfoam. Baskets included.
Assorted colors. Double basket
Dimensions: 200 x 100 x 6 cm
(Also available in 1 basket and 3 baskets).
2 baskets Reference z506fd109d

FLOATING MAT



Carpet with holes

Made of Golfoam.
Different colors. Different sizes (contact us).
Reference NC



Floating mat

Made of Golfoam.
Different colors. Different sizes (contact us).
Reference NC



Round relaxation mat


Made of Golfoam.
Different colors.
100 x 35 x 3 cm Reference z506fd1036
100 x 45 x 3 cm Reference z506fd1037

AQUATIC CAGE CIRCUITS



Water maze

Made of aluminium tube.
3 hoops, 1 round inlet,
1 square inlet included.
Dimensions: 200 x 200 x 200 cm.
Reference z506fj263



Tunnel submersible

Made of PVC.
Dimensions: 100 x 75 cm.

Reference z506fj226



Submersible Arch

Made of PVC.
Dimensions: 75 x 75 cm.
Reference z506fj256



Educational circuit

Made of Golfoam.
Octagon (unit).
Dimensions: 25 x 25 x 8.5 cm.
Reference z506fj251
PVC tube 65 cm
Reference z506fj228.1
PVC tube 100 cm
Reference z506fj228.3

WEIGHTED GAMES



Weighted seaweed

For slalom. Made of synthetic textile.
For ponds from a depth of 1.60 m.
Reference z506fj215



Submersible fish

Stays in an upright position on the bottom of the water. Numbered in packs of 6. Various colours.
References z506fj255



Marine objects

Made of solid synthetic material.
Set of 6 units.
Reference z506fj209

FRIES



Round fries

Made of highly resistant Golfoam.
Different colors.
152 x 6.5 cm Reference z506fh948
100 x 4 cm Reference z506fh966
100 x 6.5 cm Reference z506fh987
100 x 7.5 cm Reference z506fh964



Square fries

Made of highly resistant Golfoam.
Different colors.
100 x 6 x 6 cm Reference z506fh903 200 x 6 x 6 cm Reference z506fh904



Junction system

Junction system for round fries.
Made of heavy-duty Golfoam.
42 x 10 x 9 cm - 3 holes Z506FH95956 x 10 x 9 cm - 4 holes Z506FH96071 x 10 x 9 cm - 5 holes Z506FH96186 x 10 x 9 cm - 6 holes Z506FH96250 x 10 x 4 cm - 7 holes Z506FH94150 x 10 x 9 cm - 7 holes Z506FH921 100 x 10 x 9 cm - 7 holes Z506FH922

PLATES



Plates

Made of Retifoam.
Dimensions:
Small 29 x 22 x 3 cm
Reference z506ft440
Medium 38 x 23 x 3 cm
Reference z506ft439
Eurokick 47 x 28 x 3 cm
Reference z506ft437



Great board

Made of Retifoam.
Dimensions:
Medium 38 x 23 x 4 cm
Reference z506ft486
Large 45 x 28 x 4 cm
Reference z506ft484
Eurokick 45 x 30 x 4 cm
Reference z506ft485



Triangular plank

Made of Retifoam.
Multifunction board: pull-buoy, leg/back training and endurance.
Dimensions: 55 x 33 x 4 cm
Reference z506ft455

POOL
TURF
GYM



SPECIAL STORAGE FOR COMMUNAL POOLS

CHLORINE-RESISTANT PLASTIC FURNITURE

- Optimal and adapted storage
- Better longevity of your equipment
- Stainless steel wheels.

3 colours available, (dark grey, light grey, beige).

FIGHT AGAINST MSDS

STERI-KLEEN

Sterilizes your peda" equipment

Plant to create stabilized aqueous ozone to clean and disinfect chemical-free.
· No residue on surfaces
· PPE-free, food-grade





Power supply	100-240V/50-60Hz
Working time	60 min in the open air
Ozone concentration	3 h in a container
Production capacity	0.5-1.0mg/l
Water flow rate	900,000 liters
Dimensions (W x D x H)	2.5l/min-6l/min
Weight	27.7 x 8.9 x 36.7cm
Reference	1.9 kg
	z549fwpoz1.0-e

GARBAGE CANS



Poubelle Arnold & Willy

Rotomolded polyethylene.
Arnold: Capacity 70 liters.
Height 90 cm. Width 74 cm.
Reference: Z134HPBLURAINW**illy:** Capacity 70 liters.
Height 120 cm. Width 75 cm.
Reference: z134hpbludaup

BARRIERS



Plastic barriers

Unbreakable. Weight 9.2 kg. 100% recyclable.
Lightweight and easy to move.
Dimensions: 198 x 55.5 x 102 cm.
Available in 5 colors
variegated. White, yellow, red, green, blue.
Reference: z304furban2000

PVC BENCHES



Bench L.100/200 cm

Dimensions (D x H): 40 x 50 cm.
White, beige and grey.
W.100 cm Reference z506fe590
W.200 cm Reference z506fe591



Bench with back

Dimensions (D x H): 40 x 77 cm.
White, beige and grey.
W.100 cm Reference z506fe513.1
W.150 cm Reference z506fe513.15
W.200 cm Reference z506fe513.2



Single and double cloakroom

Dimensions (D x H): 56 x 185 cm.
White, beige and grey.
W.100 cm Reference z506fe510.1
W.150 cm Reference z506fe510.15
W.200 cm Reference z506fe510.2

Dimensions (D x H): 88 x 185 cm.
White, beige and grey.
W.100 cm Reference z506fe507.1
L.150 cm Reference z506fe507.15
L.200 cm Reference z506fe507.2

PVC SHELVES



PVC shelves

Dimensions (D x H): 40 or 50 x 195 cm.
White, beige and grey.
W.100 cm Reference z506fe5004.1
W.150 cm Reference z506fe5004.15
L.200 cm Reference z506fe5004.2



Shelf on wheels

Dimensions (D x H): 60 x 195 cm.
White, beige and grey.
W.140 cm Reference: z506fe5160



French fries basket

Dimensions (D x H): 46 x 85 cm.
White, beige and grey.
W.66.5 cm Reference NC
Base only Reference NC

PVC BINSTORAGE TROLLEYS



Storage Cart/Bin

Dimensions (D x H): 87 x 80 cm. White, beige and grey colours.
W.200 cm Reference z506fe558



Storage trolley/bin with lid

Dimensions (D x H): 87 x 80 cm.
White, beige and grey.
W.200 cm Reference z506fe558t



Palm trolley/tray

Solid structure. Resistant to moisture, acids and greases. 6 castors
3 of which have brakes.
Dimensions (D x H): 80 x 115 cm.
White, beige and grey.
W.150 cm Reference z506fe5170



Cart/Fry Tray

Dimensions (D x H): 50 x 130 cm.
White, beige and grey.
W.100 cm Reference z506fe5092



Trolley/Belt storage bin

Dimensions (D x H): 80 x 150 cm.
White, beige and grey.

W.220 cm Reference z506fe5221



Dumbbell Trolley/Tray

Dimensions (D x H): 40 x 125 cm. White, beige and grey colours.
W.140 cm Reference z506fe5155

ALL FOR THE RECEPTION

COMFORT AND WELCOME FOR YOUR CUSTOMERS

CHANGING ROOM EQUIPMENT & WELLNESS AREA

- **Quick drying solutions:**
  Professional swimsuit dryers and hair dryers.
- **Signalling devices:**
  Shower alarms to encourage compliance with hygiene instructions.
- **Relaxation furniture:**
  Sunbeds and accessories for sauna, hammam and wellness areas.





SWIMSUIT DRYERS

YOUR CUSTOMERS WILL LOVE IT!

EXTRACTS 95% OF THE WATER FROM THE SWIMSUIT IN 8s

- Extra service for your customers
- Prevents your customers from leaving with a wet bag
- Adapts to any environment
- Easy and safe to use

5 STEPS OF USE



1- Lift the lid



2- insert the wet swimsuit



3- Close the lid





4- Lift the lid



5- Take back the swimsuit that has been 99% wrung out

DRY 'N' GO motorized

- Wide color gamut
- End-of-Cycle timer



Quiet operation
Heavy-duty brackets significantly reduce unwanted noise and vibration during operation.



The DRY 'N' GO IS easy to maintain and requires little intervention from your teams for cleaning.



Quick and easy installation



Caractéristiques	DRY 'N' GO
Alimentation	240V / 50 / 60Hz, 3600 tr/min
Poids	20 kg
Structure	Polyéthylène
Dimensions (LxPxH)	37,5 x 36,5 x 59 cm
Couleurs	9 au choix
Référence	z184hssd

CONFIGURATOR

1 Choose your colour, 9 availabilities



☐ Grey



☐ Bright



☐ White ☐ brown ☐ Yellow ☐ Red ☐ Grey ☐ Blue ☐ Black

2 Available Options



☐ **Water Tank High Capacity 25L :**

Our water recovery tank is compatible with all current and existing wall mounted swimsuit dryers.



☐ **Stand swimsuit dryer**

Our new stand swimsuit dryer requires no installation. Simply plug it into an electrical outlet and it's ready to use.

HAIR DRYER

RESISTANT TO ACTS OF VANDALISM

- New high-power asynchronous motor
- Compressed gas spring system for the height adjustment
- With 90 cm mirror (rail version)
- Easy maintenance.



OPTIMA HAIR DRYER



Neptune Height Adjustable

Power	2000W
Sound level	70 dB
Dimensions (WxDxH)	15 x 41 x 115 cm
Colours	3
Reference	z466f82214



Wall-mounted with flexible


Power	900W
Sound level	72 dB.
Dimensions (WxDxH)	32,2 x 18,2 x 50 cm
Colours	Blanc
Reference	z661ftb-c1



Vandal-proof mural

Power	2100W
Sound level	70 dB
Dimensions (WxDxH)	25.5 x 14 x 28 cm
Colours	Blanc
Reference	z466f822009

HOT AIR SHOWER REZ



NEW MODEL

- Robust hot air shower, for intensive use
- 20 to 30 years of **operation**
- **Radar with 2.5 min** timer, automatic trigger
- Fixed or adjustable on 1.20m rail
- With 90 cm mirror (rail version)
- Adjustable height 53 cm

Hexa Rez

Power	2000W, 70°C
Noise level	70 dB
Fixed dimensions	24.5 x 30 x 30.5 cm
Stem dimensions	25 x 38 x 121 cm
Colours	6

Choice of 6 colors



Pure white RAL 9010 · White RAL 9006 aluminium · Mouse Grey Pearl RAL 7048

Anthracite grey RAL 7016 · Azure Blue RAL 5009 · Ruby Red RAL 3003

Also available in ABS aluminium colour RAL 9006 and anthracite grey RAL 7016

SPARTEL SHOWER ALARM



"Take a shower, bof, don't want to"



Reminder system automatic




"Ok... I take the shower"

UNIQUE AUTOMATIC REMINDER SYSTEM FOR THE MANDATORY SWITCH TO THE SOAPY SHOWER



SPARTEL SOAPY SHOWER MANDATORY

Housing width 20 cm.
Height 30 cm.
220V/24V DC.
Speaker 70 dB. IP66.
Infrared sensor.
Recorded
automatic and customizable.
Detector up to 5m.
Reference eks004n000





WELLNESS ET IDLENESS

MATERIALS AND FRAGRANCES

- Many colours available
- Resistant to salt and other weather conditions.
- A unique and resistant design.

CUSTOM-MADE, WIDE RANGE OF COLOURS





Adjustable in canvas

· UV
resistance· Antibacterial treatment
· Stackable
· Non-slip feet



The upper part of the deckchairs is movable
and has 5 possible heights depending on the desired position.
The sun loungers are made of polypropylene resin.
Dimensions: 194 x 76 x 57 cm.
Extended height approx. 37 cm.
Wide range of canvas colours
(to be specified)
NC reference



Fixed in canvas

Fixed in canvas.
Dimensions: 194 x 77 x 57 cm.
Height elongated: 37 cm.
Wide range of canvas colours
(to be specified)
NC reference



Adjustable slat

5 positions.
Dimensions: 194 x 77 x 57 cm.
10 color choices to be specified.
NC Reference



Slat

Fixed.
Dimensions: 194 x 76 x 49 cm.
10 color choices.
NC Part Number

Chassis available in 6 colours



PARASOLS



Chassis available in 3 colors

· UV
· 100% acrylic 290 g/m2
· Wide range of colours



Matisse

Diameter: 200, 220 or 240 cm,
height 160 cm.
Anodized aluminum mast 20 microns Ø 4 cm
Weight: 5 to 5.70 kg
NC reference



Miro

Diameter: 180, 200, 220, 240 or 260 cm,
height 140 cm.
Anodized aluminum pole
20 microns Ø 4 cm
Weight: 4.30 to 5.90 kg
Reference NC



Mondrian

190 x 190 or 200 x 200 cm,
height 150 cm.
Anodized aluminum pole
20 microns Ø 4 cm
Weight: 7.3 to 7.8 kg
NC reference



Picasso

200 x 200 or 250 x 250 cm,
height 165 or 85 cm.
Anodized aluminum mast
20 microns Ø 4.5 cm
Weight: 4.80 to 5.10 kg
NC reference

SAUNA EQUIPMENT



Thermometer sauna

Hygro-thermometer sauna
Reference z218fsas92300



Wooden bucket

Wooden sauna bucket.
4 liters
Reference z218fsac10003

Wooden ladle

Wooden sauna ladle.
36 cm
Reference z218fsac10640



Wooden hourglass

Hourglass sauna
15 minutes
Reference z218fsac19900

Sauna Lamp

Sauna Lamp 40W.
Delivered without bulb.
Suitable for all saunas.
Order no. z218fsas21060t



Wooden Headrest

Wooden sauna pillow.
Reference z218f34011



Sauna stone Rock

in a 20 kg bag.
Part number z370fac3000



CHUTES, CUSTOM-MADE, PERPENDICULAR, PARALLEL OR CORBTABLE


DON'T NEGLECT YOUR POOL SURROUNDINGS

- Withstands up to 1500 kg per m2
- The trunkings are custom-made, they adapt to the shapes and specificities of your pond
- With their non-slip grooves they reduce the risk of slipping at the edge of the pond
- Wide variety of colors!

SAFETY FOCUS



FINGER AND TOE ENTRAPMENT SAFETY





MEASUREMENT GOULOTTE

TRUNKING GRIDS, AESTHETIC, CUSTOM-MADE AND NON-SLIP


THE CHOICE IS YOURS:

Parallel, perpendicular or curved chutes





FROM 150 MM TO 900 MM WIDE



AVAILABLE IN 4 HEIGHTS (X)




T-FORMAT I-FORMAT



PERPENDICULAR GRILLE



PARALLEL GRID



CURBABLE GRID

CUSTOM CHUTES

Chutes Parallel



Width (y)	Height (x)	Curbable (y)
25 mm in I	from 150 to 400 mm	1 m elements
25 mm PVC	standard 245mm	250 mm elements
25 mm PP	standard 245 mm	500 mm elements
25 mm	182, 254, 330 mm	333 mm elements
35 mm T-shaped	from 150 to 400 mm	1 m elements

Chutes perpendicular




Rigid (y)	Height (x)	Curbable (y)
22 mm	from 175 to 295 mm	from 150 to 295 mm
25 mm	from 175 to 400 mm	from 150 to 330 mm
30 mm	175 to 500 mm	from 150 to 330 mm
35 mm	from 175 to 900 mm	from 150 to 330 mm
Length (z)	in standard 1 m sections	in standard2.5 m sections

Chutes curveable



Width (y)	Height (x)	Length (z)
25 mm	180, 200, 205, 250, 300 mm	segments of
25 mm	195, 245, 295, 335 mm	1 m segments

CORNERS FOR TRUNKING



Curbable Parallel Perpendicular



GLISS' PROTECT R13

SOIL SAFETY IS NOT ADVICE, BUT A LEGAL OBLIGATION!

ANTI-SLIP SYSTEM FOR EXISTING TILES

- Quick application 50m2/h
- Invisible, safe and economical product
- Durable, your non-slip floors guaranteed for 3 years
- Avoids changing your tiles and the work that goes with them.
- Reduces the risk of your users and agents falling.

6x
PLUS ECONOMICAL. ECOLOGICAL, COMPLIANT WITH NF EN 15288-1

-80%
slipperiness



NON-SLIP, INVISIBLE AND ECO-FRIENDLY

PRODUCT PATENTED

ACCIDENTS, IT'S NOT INEVITABLE

FRENCH SERVICE PROVISION AND IMPLEMENTATION WITHOUT WORK HOW DOES IT WORK?

THE R13 SYSTEM IS COMPOSED OF 3 PRODUCTS:



Deep cleaning N°1




Deep cleaning phase with R13 alkaline and anti-limescale chemical N°1.
Removes dirt from the pores of the tiles.



Setting up R13 N°2



Filling the pores of the tile with the product antigliss N°2.
Prevents clogging of the tile.



Crystallization of the R13 product N°3



Crystallization and stabilization of the product for 5 years minimum.

Product Activation



Anti-slip
Rough edges invisible to the eye naked prevent from slipping on your floor.

HEXA-SUPERKAL

DESCALING CLEANER - 1 L BOTTLE



Applications: tiles, ceramics, joints, stainless steel, copper, painted surfaces, etc.
Domaines: swimming pools, communities, sanitary facilities, shops, hotels, restaurants
Composition: based on hydrochloric urea (≤ 20%)
Dilution: 5 to 10% for routine maintenance; Most concentrated possible for refurbishment with gum discs




THERMAL BLANKET AND ITS IMPLEMENTATION

USE LESS WATER AND SAVE ENERGY BY INSTALLING A BLANKET.

REDUCE YOUR OPERATING COSTS

Reduce evaporation from the pool.
During hot spells, the water in your pool evaporates.
This is especially the case at the beginning of the night, when the outside temperature drops and becomes lower than the water.
Evaporation is not to be taken lightly because it is the main cause of water loss.




PROTECTS FROM EVAPORATION



SAVINGS

WHY IMPLEMENT A COVER?




• **EVAPORATION: UP** to 70% heat loss, evaporation is the main cause of water loss in a swimming pool.
• Thermal radiation: up to **25% HEAT LOSS. EVERY BOdy** emits radiation, so it naturally loses heat. Water is no exception. Clear nights accentuate this phenomenon, and the sun's radiation is not enough to counterbalance it during the day.
• Convection heat transfer: up to 25% loss: the heat from the wat**er ESCAPES BY CONVECTION WITH THE COOLER** ambient air. The effect is accentuated by the wind.
• Conduction is the heat transfer due to direct contact between materials.

QUICK RETURN ON INVESTMENT


Your installation can start saving m**oney as soon as the th**ermal bl**anket is installed. In most cases, a poo**l can recoup its investment in a cover system **between 12 and 24 months. Regular use of a thermal pool cover insulates the po**ol during off-peak hours and can thus reduce the costs of heat**ing, chemicals, w**ater exchange and cleaning time.
By re**ducing the phenom**ena of evaporation and water renewal (several m3 per year varying depending on your pool), you reduce your water bill.
By reducing heat loss and the supply of water for re"ewal, you heat less, therefore you reduce your **electricity consumption. Here are** meas**urable an**d quantifiable savings!


CUSTOM SHAPES






For irregularly shaped pools, consider them rectangular









IMPROVING ENVIRONMENTAL IMPACT



TAILOR-MADE



REELS & COVERS


YOU WILL ONLY USE THE S COVER IF IT IS EASY TO IMPLEMENT

THE CHOICE OF TARPAULIN (length/width) DETERMINES THE NECESSARY REEL

- Are you more motorized or manual?
- Mobile or fixed?
- More than 250 configurations

SAVE WATERAND ENERGY

IMPROVING ENVIRON-MENTAL IMPACT



Strap brake to slow down or block the axle of the manual reel

Motorized plug option

Crank for rolling up or unwinding the cover

Remote control for motorized version

All-stainless steel wheel

MANUAL OR MOTORIZED MOBILE REELS



1-axis furler
up to 10 m wide

- 1 stainless steel axle of ø 140
- brake and crank
- 2 mobile stainless steel supports with 3 swivel
- wheels



2-axis reel
10 to 15 m wide

- Custom-made French for a perfect adaptation to each pool
- All-stainless steel structure guaranteeing robustness and longevity
- Designed for public, Olympic or private XXL swimming pools

Configure your furler according to your needs and constraints. Desired mast width, contact us.

BLANKETS/TARPAULINS




6mm foam cover
6 mm. Edged all around.
For pools up to 50m.
Closed-cell foam.
Blue color.



8mm foam cover
8 mm. Edged on all 2 widths.
For pools up to 50m.
Closed-cell foam.
Blue color.



ECO Bubble Cover
400 gr/M².
For pools up to 20 m.
Flexible bubbles.
Translucent.
Made-to-measure reference





Wintering net
235 gr/M². Made of polyethylene. Fixings suitable for wooden or concrete beaches. 89% opacity to combat photosynthesis while allowing water to drain.
Reference z074fv-shfs30100 per M2



Wintering float
During periods of frost, the ice compresses the float, which absorbs the pressure of the ice. The wintering floats are attached to each other to form a chain that is installed diagonally from the pool.
Reference z218f65135n




PRESENTATIONS OF SERVICES

Hygiene - Disinfection

1 Hexa PURE

No need to drain to scrub your pond. No need to close your pool. The intervention can be done at night or on low-traffic slots.


More information p.46



3 Sani PURE

Our teams deploy a shock action that disinfects and neutralizes bad odors for locker rooms and sanitary facilities with impeccable hygiene.

More information p.110



4 Analysis PC calibration

We will send you a carrier and we will send the device back to you once it has been calibrated.

More information p.112



Renovation - Security

2 Gliss Protect R13

Floor safety is not a advice, but a legal obligation! Quick application 50m2/h, invisible, safe and economical product.


More information p.108



3 Chutes

Broken chutes, holes, toes that get stuck, it's time to change your chutes.
Opt for the precision of our pool chute installation service.

More information p.110



4 Tarpaulins


Protect your investment with professional tarpaulin installation.
Less evaporation, less cleaning, more energy savings for your public or leisure pools.

More information p.112





ROBOTIZATION OF MAINTENANCE FOR YOUR OUTDOOR SPORTS FIELDS



LINE DRAWING

View	**P.120**
Vista MINI	P.126

LAWN MOWER

Moxy Pro	**P.128**
Moxy 520	P.136
Moxy LITE	P.138
Moxy RAPTOR	**P.140**
Moxy 730	P.144

LAWN MOWER

Hexa RIDER	**P.128**

SYNTHETIC TURF

Buky one	**P.146**

1,000 km/year
This is the distance that an agent can cover when mowing, marking and maintaining a sports field.

Robots are now taking over.



VISTA PRO

ROBOTIC PRECISION IN "ALL INCLUSIVE" MODE.

Zero hidden costs

120 Layouts Included: Unlike others that sell each sport on a pay-per-view basis, the Vista PRO includes 120 ready-to-use court configurations for more than 30 different sports with purchase. Football, rugby, athletics, tennis... Everything is already in the robot, at no extra charge.

Save time:
Complete autonomy to free up your teams on a daily basis.

Save paint:
Optimized spraying for budget and environmental friendliness.

Total versatility:
30 sports and 120 tracks available immediately with a single click on your screen.



VISTA PRO

THE NEW BENCHMARK IN ROBOTIC TRACING MATTER

Vista PRO is a multi-sport GPS tracking robot (RTK). It guarantees precise and clean sporty lines all season long. Centimetric accuracy and complete autonomy thanks to its satellite guidance and field sensors. Save time, paint and simplify the layout of your sports fields.


5 HOURS RUNTIME
5 COURTS PER CHARGE

RECHARGE IN 2 HOURS
POSSIBILITY OF HAVING2 BATTERIES

60 KG
EASY TO PUSH TO MOVE IT BY HAND.



Obstacle detection
The Vista detects obstacles and humans independently




Tactille control tablet
Launch of a 1-click tracing cycle. Remote tracking mobile app. Control of the robot by Bluetooth.



Plotting module
Spray system adjustable from 3 to 10 bar. Pump priming system and solenoid valve. Lines from 5 to 18 cm

DESIGNED TO MAKE THE DAILY LIFE OF TEAMS EASIER

Vista is designed for the agent and guarantees clean lines.
Centimeter accuracy of tracings thanks to GPS - RTK.
Intelligent Obstacle Detection (Artificial Intelligence)
Remote diagnostics and custom plots





We've ditched disposable, which are difficult to clean when bclogged, in favor of stainless steel nozzles that can be **removed, cleaned, and reu**sable.
If you don't lose it, you have a nozzle for almost life.
The goal is to make the process **more sustainabl**e, simpler and more reliable for the customer.



Paint Management
Simplified refueling thanks to a removable 20L canister. Our nozzle technology makes it possible to draw a regulation football field with less than 4 L of paint.



Efficiency / Autonomy
The 0.5 kWh battery can cover up to 5 regulation-sized football pitches. Possibility to extend to 10.




Stud wheel
Gain stability at low speeds

LINES DRAWN WITH A RULER

HANDMADE TRACING




ROBOTIC TRACKING




If manual tracing faces the vagaries of fatigue, lack of landmarks or visual approximations resulting in oscillating or irregular lines, the Vista PRO plotter robot redefines the standards of perfection.

Caractéristiques	Vista
Poids (avec les outils)	73,4 kg (162 lbs)
Dimensions (L × l × H)	1074 × 1023 × 672 mm
Largeur du traçage / Hauteur de buse	6 cm à 18 cm / 3–8 cm
Autonomie	5 heures (option 10 h avec batterie XL)
Vitesse de marquage	1–3 km/h
Temps de recharge	2 heures
Température de fonctionnement	5–45 °C
Composants inclus	Bidon 20 L, Batterie 0,5 kWh, Buses

30 SPORTS AND 120 TRACKS







More than 30 sports supported: football, rugby, track and field, American football, baseball, multi-sports, etc.



TRACE CUSTOM

Need customization? Tailor-made support according to your expectations. Our technicians configure your pitches at no extra cost, for surfaces that comply with FFR / FFF standards and are ready for your important matches.









Service provision

Our teams are at your service to offer you tailor-made tracing for your needs and events/events

Contact us to find out more about the terms and conditions of our services.

ACCESSIBLE CONNECTIVITY AND TECHNOLOGIES

The Vista PRO has been designed to automate sports tracking without complex infrastructure.
RTK precision, 4G connectivity and intelligent pitch management: everything is integrated to offer simple, fast and completely autonomous control.



RTK NTRIP & CENTIMETER ACCURACY

The Vista PRO uses RTK NTRIP technology to ensure ultra-precise lines every time.

No antennas to install on the stadium: the robot connects directly to the RTK network thanks to its on-board 4G.

Available with an annual subscription or lifetime plan.



4G EMBEDDED & TELE-ASSISTANCE

The robot remains permanently connected to allow complete monitoring of activity.

Remote control, alerts, track history, technical diagnosis and connected assistance directly from the HexaConnect platform. Our technicians work remotely on your robot.



MULTI-TERRAIN & INTELLIGENT AUTOMATION

The Vista PRO memorizes several layouts and easily switches from one field to another.

Football, rugby, training grounds or athletics: program your tracks in a few clicks and let the robot work automatically with consistent quality all season long.



IPX5



1 FULL FOOTBALL FIELD
A FULL CHARGE COVERS
2 STANDARD FOOTBALL PITCHES

8 L PAINT TANK
LOW-POWER NOZZLE
4 L/HOUR

POSITIONING GNSS RTK
RTK ANTENNAS GUARANTEE
CENTIMETER ACCURACY.

21.85 KG
COMPACT AND LIGHTWEIGHT, EASY TOWEAR



THE VISTA MINI FITS IN THE TRUNK OF A CAR.

Its compact size and weight make it easily transportable by your teams. The robot fits in the trunk of a car to pass it from one field to another or to the locations of your various events.

Caractéristique modèle	Valeur
Dimensions	656×655×453 mm
Plage de largeur de ligne	5–12 cm
Autonomie	2 h / 190 Wh (2 × 95 Wh)
Température de fonctionnement	5–45 °C
Temps de recharge	8 heures / 230V ou 110V
Vitesse de traçage	2 km/h

OPTIMIZED PAINTS AND CONSUMABLES *(RECOMMENDATIONS)*

Ready-to-use paints and high-performance nozzles designed to work perfectly with the VISTA robot.

Result:

Clean, durable MARKING ANd controlled consumption.

READY-TO-USE PAINT
Our MAX-LINE RTU paints are ready-to-use, without dilution or mixing. Immediate application, easy cleaning and time savings on each line.

ECONOMY WITH EVERY TRACE
Formulated for optimal coverage and long-lasting adhesion. Less waste, less rework, up to 20% paint saved.

STRENGTH & DURABILITY
Excellent resistance to weathering, trampling and repeated mowing. Bright and stable colors all season long.

RESPECT FOR THE PITCHES AND THE ENVIRONMENTSolvent-free paints, with a low environmental impact and safe for users and turf surfaces.



LASER SIGHT
The Vista Laser allows for even more accurate tracing for the field of honor or in indoor conditions when the RTK is out of range. Ideal for Fives or indoor events

CONFIGURATOR

Ready-to-use paints

☐ **MAX-LINE RTU TITANIUM PRO**



- High opacity and enhanced whiteness
- Professional formula ready-to-use
- No mixing needed
- Excellent hold on sports fields
- Compatible with high-precision robotic tracing

☐ **MAX-LINE RTU**



- Cost-effective and versatile solution
- Immediate use without dilution
- Optimized performance for daily use
- Compatible with all VISTAbr plots

Nozzles



☐ **RED** débit 0.15 l/min
☐ **Green** débit 0.3 l/min
☐ **Amber** débit 0.19 l/min

Dyes (1 L)



☐ Red ☐ Yellow
☐ Blue ☐ Orange
☐ Green ☐ Black

Sprays



☐ White
☐ Red
☐ Blue
☐ Green
☐ Yellow
☐ Orange

5 Packages Paint
☐ Subscription annual painting
☐ Paint stock 1 year

6 RTK+ 4G
☐ annual
☐ 5 years
☐ Physical antenna (3 km)

7 Funding
☐ Purchase
☐ 60-month long-term lease
☐ 12-month lease

8 Maintenance
☐ Hexafix PREVENTION
☐ Hexafix SERENITY

9 Installation
☐ Commissioning
☐ Training



MOXY PRO

THE REFERENCE FOR ELECTRIC FOR SPORTS FIELDS

Designed for communities, Moxy PRO takes care of the complete maintenance of your turf pitches with centimetre precision and total autonomy.

One grassy field, three needs, one solution:
- Mowing
- Tracing
- Collection

Thanks to its interchangeable kits, it goes from one mission to another without interruption or overload of work for your teams.
Less manpower, more efficiency. A concrete response to the challenges of performance, budget and comfort of agents.

IMMEDIATE HANDLING, THE NEW ALLY FOR MUNICIPAL AND LANDSCAPE USERS IN ALL SEASONS.



1. Piloting / launching

Wi-Fi remote control control. Touchscreen tablet included and joystick remote control optional.

2. Remote control

Scheduling and launching tasks remotely. The robot goes from one area to another.

3. control Screen

Control screen on the machine with locking PIN code.

MULCHING MOWING ROBOTICS



NETWORK RECEPTION


4G network for remote control.
Wi-Fi network to manually control the robot.



PARE-CHOCS INTELLIGENTS

In the event of contact or obstacle, the robot interrupts its mission instantly.





SMART TONTE

Our app makes mowing easier and smarter by giving you the ability to control your mower anytime, anywhere.



TRAY AND BLADE

Electrically adjustable plate from 20 to 127 mm and 63.5 cm stainless steel rotary blade.



Operational training and best practices

At commissioning, our teams carry out a handover on site and show the operating gestures: launching, cycles, handling, routine checks. We provide a
summary poster of the steps.

Caractéristique en tonte	Moxy PRO
Poids	170 kg (approx. 375 lbs)
Dimensions (L × l × H)	1330 × 853 ×980 mm
Largeur de la coupe	63,5 cm (approx. 25 in)
Autonomie	5 heures en fonctionnement
Taux de couverture	12 000 m²
Autonomie / Batterie	5 heures / 4 kWh 48 V DC
Inclinaison maximale	20°
Composants inclus	Robot, chargeur, tablette, Batterie

SENSORS AT THE ROBOT'S CORE



3D LIDAR

Real-time mapping

Detecting obstacles

Vision at 50m

RTK GNSS

Accuracy centimeter

Linear mowing - sport mowing patterns possible

Physical antenna (3km) or NTRIP subscription

SECURE

AI Vision & Camera - real-time image capture

Anti-theft alarm - GPS geolocation and alarm - instant notification

Bumper & STOP button - total stop in the event of collision and integrated kill switch



UP TO 5 COURTS PER DAY!

Moxy Pro mows a football field in just 3 hours. Top speed of 6 km/h and route calculation algorithm to optimize working time. It adapts the cutting height according to the zones.

INTELLIGENT AUTO RETURN

Moxy Pro has 5 hours of autonomy and recharges in 5 hours on its autonomous charging station. Once the cycle is complete, it returns to load on its own and resumes the task if it is incomplete. He can link different areas on his own.



SMART PLANNING



INTEGRATED CHARGING STATION

A JOB WELL DONE

The maintenance of sports fields is entering a new era.
The Moxy Pro isn't designed to replace your teams' know-how, it's designed to elevate it.
It's the perfect tool for the 21st-century gardener and municipal official: a tireless collaborator who executes the routine to let you focus on expertise.

THE SERENITY OF THE SURGICAL CUPA pitch worthy of a stadium of honour, every morning, effortlessly.

THE TIRELESS COMPANION OF THE FIELDBR TEAMSA true daily teammate, the robot is entirely piloted by the agent who dictates its tasks, its zones and its schedules

ROBUST AND DURABLE STEEL STRUCTURE Mechanical resistance to projections, ground shocks and bad weather. The assurance of investing in a solid, reliable and heavily armed tool for everyday use.

- ROBOT 100 % ÉLECTRIQUE
- DÉPANNAGE SUR SITE
- RENTABILITÉ & RSE
- SÉCURITÉ JOUEURS

MOXY PRO CONFIGURATOR

VISTA SPORTS LINE DRAWING KIT

Turn Moxy Pro into a sporty line plotter. The Vista kit guarantees accurate and consistent markings for all types of terrain.



KIT COLLECT

After mowing, the Collect kit allows collect grass or waste from the field via the flow generated by the rotating spiral brush. It ensures a clean and neat result, without additional effort for the teams.



THE GOLF KIT

With this kit, turn your Moxy into a golf ball collector. Ideal for your practice and practice grounds.



PNEUMATIC OPTIONS

- Roue crampon Moxy PRO
- Kit roue double Moxy PRO grey





REMOTE CONTROL JOYSTICK *OPTIONAL*

Keep control of your robot with the Hexagone Wi-Fi remote control and its digital interface identical to that of the interface available on the back of the robot. With a range of 30 m and a 7-inch screen and a battery life of 5 hours.



L'APPLICATION HEXACONNECT

Thanks to the HexaConnect app, you can manage your entire fleet from your smartphone or computer. Planning, real-time monitoring, alerts... Everything is centralized. Two levels of access are available: a manager mode to supervise several machines, and a user mode for field management and daily use.

Moxy

- Works in the rain
- In case of loss of RTK, Moxy Pro activates its 3D LIDAR for identical accuracy.
- Works at night and activates its visual w



MOXY 520

ROBOT LAWN MOWER FOR SPORTS FIELDS

THE PROFESSIONAL SOLUTION AT THE RIGHT PRICE

- Football field mowed in 6 H
- Automatic return to charging station
- RTK GNSS & Vision IA
- 100% electric and silent
- Front bumper & STOP button
- 360° wheels and shock absorbers at the front
- Up to 4 km/h
- Cutter blades (2 discs of 6 blades)



PRO VISUAL FINISHES



INTEGRATED CHARGING STATION


RTK MOWING, PRECISE AND ECONOMICAL.



RTK MAPPING AND AI VISION
The fusion of satellite navigation coupled with a detection camera ensures optimal trajectories and avoids obstacles.



SPORT LINEAR MOWING
The linear working mode allows for an aesthetic and high-quality mowing result.






BATTERY REMOVABLE

SUSPENSION WITH ACTIVE BUMPER
Ensures stable and smooth operation even on rough terrain



IPX5 WATERPROOF ENCLOSED CHASSIS
Whether it's rainy day operation or daily cleaning, the Moxy 520 is perfectly splash-resistant.



BLADE GUARD
Minimizes the risk of hand injury during daily use, maintenance and cleaning.

6,500 M²
TREATED SURFACE PER CHARGE

10-100 MM
CUTTING HEIGHT ADJUSTMENT

5 HOURS
AVERAGE BATTERY LIFE

5 HOURS
CHARGING TIME
FAST-CHARGING OPTIONAL 2H30

520 MM
CUTTING WIDTH
2 DISCS / 12 BLADES

≤ 25°
TILT
MAXIMUM MANAGED

Caractéristique modèle	Moxy 520
Dimensions	967 x 757 x 513 mm
Poids	62 kg
Hauteur de coupe	10–100 mm
Taux de couverture par heure	1 400 m²/h
Temps de recharge	5 heures / 230V ou 110V
Vitesse de déplacement	0–4 km / h



MOXY LITE

ROBOT LAWN MOWER FOR YOUR GREEN SPACES

FOR YOUR SURROUNDINGS, GARDENS, SOLARIUMS...

MOXY QUALITY IN A COMPACT, 100% SELF-CONTAINED FORMAT.

SUR-ROUNDINGS TERRAINS



SOLARIUMS



LAWNS

HEDGE EDGES



NARROW PATHS AND PASSAGES

4000 M²
TREATED SURFACE PER CHARGE

20-60 MM
CUTTING HEIGHT ADJUST-MENT

5 HOURS
CHARGING TIME
FAST-CHARGING OPTIONAL 2H30

260 MM
CUTTING WIDTH
1 DISC / 6 BLADES



REAL-TIME OBJECT DETECTION AND AVOIDANCE

Automatically detects and changes its paths to avoid people and obstacles without stopping mowing.
Guarantee safety and peace of mind.



CUTTING SYSTEM


6 reversible cutter blades



4G ANTI-THEFT SECURITY SYSTEM

PIN code lock + GPS tracking + 4G module + virtual barrier (geofencing) and lifting alarms to instantly discourage theft.

RTK MOWING, PRECISE AND ECONOMICAL.





SIMPLIFIED BLADE MAINTENANCE.

Quickly replace the blade block by removing the cutting deck. The blades are retractable to protect against damage from stones or twigs, ensuring consistent performance.

Caractéristique modèle	Moxy LITE
Dimensions	632 × 440 × 412 mm
Poids	13,5 kg
Niveau sonore	60 dB
Capacité de tonte	4000 m²
Temps de recharge	2 h
Batteries	95 Wh × 2



RAIN DETECTION AND IPX5 WATERPROOFING

Automatically shuts off in rainy weather and resumes in clear weather



HILLY TERRAIN

Easily handles difficult terrain, up to 33° slope (65%). This ensures uniform cuts and protects your lawn from being pulled up.



CHARGING STATION



MOXY RAPTOR

ROBOT LAWN MOWER FOR GOLF COURSES

SHEARING HELICAL



HIGH-PERFORMANCE SENSORS LIDAR 3D

Maintain high-precision navigation without signal loss under trees or in areas where the signal is obstructed.



3 STEERING WHEELS

A 3-wheel system for optimized steering and steering that gives the Moxy raptor agility at all times.





CONTROL APP

Control machines remotely, schedule mowing schedules, and monitor live or historical data.

HELICAL BLADE

Ultra-precise cutting stimulates tillering, transforming the grass into a dense, healthy and perfect green carpet.



Operational training and best practices

At commissioning, our teams carry out a hand-over on site and show the operating gestures: launching, cycles, handling, routine checks. We provide a summary poster of the steps.

Caractéristiques	Moxy Raptor
Poids (avec les outils)	364 kg (approx. 802 lbs)
Dimensions (L × l × H)	1905 × 1077 × 1077 mm
Largeur de la coupe	686 mm (approx. 27 in)
Autonomie	10 heures en fonction
Taux de couverture par heure	3000 m²/h
Temps de recharge	5 heures
Surface couverte par charge	30 000 m²
Hauteur de coupe	7-44 mm



CUTTING DOWN TO THE MILLIMETRE



30,000 M²
TREATED SURFACE PER DAY

7–44 MM
HEIGHT RANGE CUT

10 A.M.
AVERAGE BATTERY LIFE

5 HOURS
CHARGING TIMEFULL

686 MM
PROFESSIONAL CUTTING WIDTH

≤ 15°
TILT MAXIMUM MANAGED

MOWING ALGORITHM

Moxy RAPTOR has been designed for Golf. Choose your mowing mode and customize your areas. Can map up to 15 hectares with the combination of 3D LIDAR & RTK GNSS. It can work with a weak RTK signal.



SMART PLANNING



DYNAMIC TERRAIN ADAPTABILITY



NO SIGNAL LOSS UNDER TREES



SECURITY PROTECTION COMPLETE



REMOTE CONTROL

OPTIONAL

Stay in control of your robot with the Hexagone Wi-Fi remote control and its digital interface identical to that of the interface available on the back of the robot. With a range of 60 m, a 7-inch screen and a battery life of 5 hours.

SINGLE SCAN, REUSE INFINITE

Map in minutes — no remote driving. Create a real, long-term digital map that is shared seamlessly across your entire robot fleet.





L'APPLICATION HEXACONNECT

Thanks to the HexaConnect app, you can manage your entire fleet from your smartphone or computer. Planning, real-time monitoring, alerts... Everything is centralized. Two levels of access are available: a manager mode to supervise several machines, and a user mode for field management and daily use.

MOXY RAPTOR

- All weather conditions
- Night silent operation
- All types of artificial grass and aggregates



MOXY 730

ROBOT LAWN MOWER FOR GOLF COURSES

The Moxy 730 works seamlessly with CORS-type RTK correction networks, enabling accurate mapping, intelligent management, and efficient mowing in a variety of field conditions.

18,000 M²
TREATED SURFACE PER CHARGE

10-100 MM
HEIGHT RANGE CUT


8 HOURS
RANGE PER CHARGE

730 MM
CUTTING WIDTH PROFESSIONAL

Caractéristique modèle	Moxy 730
Dimensions	1400 × 1050 × 650 mm
Poids	122 kg / 287 lbs
Autonomie	8 heures en fonction
Taux de couverture par charge	18 000 m²
Temps de recharge	2 heures / 230V ou 110V
Vitesse de déplacement	3,6 km / h

WIDE-CUT PRODUCTIVITY





3 BLADE DISCS FOR A CUTTING WIDTH OF 730 MM

RELIABLE ON ALL TERRAINS

Its 3D LIDAR allows it to work in signal-free areas. In the event of a loss of RTK, Moxy 730 activates its 3D LIDAR for identical accuracy.




NIGHT SILENCER

Allows for quiet mowing at night to maximize course uptime during the day.



TRACTION FOR ALL TERRAINS

Handles difficult terrain with ease, climbing up to 33° (65%) for smooth, consistent mowing on slopes. Double wheel kit for greasy grass





MADE IN FRANCE

ANTI CORROSION
7 YEARS

BUKY ONE

YOUR SYNTHETIC TURF ALSO NEEDS REGULAR MAINTENANCE

Your synthetic pitch is a playground that deserves maintenance like any other.

With advanced technology, to make cleaning fast and accurate. Packed with colossal power.

Validated by science. An international study published in 2025 by Linköping University – ScienceDirect, shows t**hat the Buky One reduces the carbon footprint of the maintenance** of synthetic pitches by up to 50% over 10 years, while actively contributing to exten**ding their lifespan and preserving their performance. Recommen**ded by researchers, the electric robotic solution is the new benchmark against diesel tractors.
With Buky One, long-lasting performa**nce and longevity of the pitch go hand in hand.**

LINKÖPING UNIVERSITY



THE RISKS OF A BPOORLY MAINTAINED PITCH

1 Drastic increase in the risk of injury

With time and trampling, the filling compacts. The pitch becomes hard as concrete, which increases joint trauma and the risk of burns during tackles or falls.

2 Degradation of playing performance Refusal of approval

FIFA and rugby unions impose strict criteria on the bounce of the ball, the flexibility of the ground and the rotation of the support. An unmaintained pitch loses its sporting qualities, which can lead to the withdrawal of its official homologation for competitions.

3 Major drainage and flooding problems

Dust, pollution and plant debris eventually clog the pores of the synthetic mat. As a result, the water no longer drains, puddles form on the surface, and the terrain becomes impassable at the slightest rainfall.

4 Lifespan halved

A well-maintained synthetic pitch can last 10 to 12 years. Without maintenance, the fibre crushes, breaks under the effect of UV and wear and tear, and the ground often needs to be replaced after 5 or 6 years.

5 Legal Liability and Conflicts of Use Schools & Associations

A bumpy, slippery or hardened ground becomes a direct danger for school children and association members. In the event of a serious injury due to a flagrant lack of maintenance, the civil or criminal liability of the manager (often the town hall or the club) can be engaged for "lack of vigilance" or "lack of maintenance".



RESULT OF GOOD MAINTENANCE

IS YOUR TRACTOR REALLY SUITABLE?

Buky is a precision and performance performance solution that preserves your infrastructure, where the tractor acts as a traumatic brute force (speed, weight, rotations).

BUKY ONE

AUTONOMOUS
Buky operates alone, without a driver. He can work at night or early in the morning, unsupervised.

MAXIMUM AVAILABILITY
The ground is always ready. Buky's interventions are short and don't get in the way the overall gameplay.

ZERO EMISSION SAND QUIET
Noisy and CO_2-emitting combustion engine, limiting intervention hours. Requires maintenance, servicing and insurance.

TRACTOR

WITH DRIVER
Requires a dedicated technical agent, limiting interventions to classic working hours and his driving style (speed, maneuvers, etc.).

BLOCKING THE PITCH
Tractor maintenance requires blocking the field for several hours, which can disrupt the schedules of clubs and schools.

NOISY AND POLLUTING
100% electric, it can operate in urban areas or at night without any noise or pollution.

WHAT DOES REALLY COST POORLY MAINTAINED GROUND

COST ITEM	Maintenance tractor	Costs	Buky one
Cost of a plot of land	800 000 €	Land to be redone every 7 - 8 years: 800 000 € investment cost: 100 000 € year	Land to be redone every 10 - 12 years: 800 000 € investment cost: 66 666 € annual
Relining of the pitch	€20,000 annual	80 000 €	€13,334 annual
Workforce	20 000 € annual (9h / week)	Technical agent dedicated cleaning and maintenance of the grounds:	7 500 € annual (2h / week)
Operating costs Tractor / Robot (excluding purchase)	€3,000 year	Fuel - Energy Insurance - Servicing - Technical inspection - GPS	€1,400 annual
Total		€143,000 annual	€88,900 annual

ESTIMATED ANNUAL SAVINGS: € 54,10

OVER 12 YEARS € 649,20

IN SUMMARY

Over 12 years, a wellmaintained pitch avoids prematurely brrenewing the carpet and at least a complete recycle.

Compared to the average annual cost of a synthetic pitch, this is a saving that far exceeds the cost of acquiring or renting your Buky One over a year year.



Investment
Buky ONE

PRESERVING PUBLIC INVESTMENT
A sustainable playground for the municipality

An unmaintained synthetic pitch deteriorates twice as fast. The regular passage of the Buky robot avoids the compaction of the infrastructure and extends the life of the ground by several years, delaying an extremely expensive replacement.

PLAYER SAFETY & HEALTH
No more hard-to-concrete pitches

No more hard-to-concrete terrain. Too much compacted land becomes a traumatic "parking lot" for the joints of children and local clubs.

CONTINUITY OF SERVICE
Autonomy at the service of agents

There is no need to block the field for long hours or to mobilize several technical agents. The Buky robot can intervene at night.

ECOLOGICAL PERFORMANCE
Zero waste, maximum performance

By straightening the fiber and redistributing perfectly-mentl e filling (cork, sand or aggregates), the robot limits the loss of material by the wind.



TOOLS AND HANDLES

Easy access to tools, and ergonomic handles to easily move
the Buky with ease.



SAFETY BRAKES

Easier retrieval to assist
extraction and limit operator effort.

AN IMMEDIATE, TO A CONTROLLED CYCLE.





RTK SENSOR

Consistent coverage, cycle after cycle, with decimeter accuracy.



PROGRAMMING SCREEN

A simple and intuitive interface to manage your cycles in just a few clicks.



Technician's favorite


At commissioning, our teams carry out a handover on site and show the operating gestures: launching, cycles, handling, routine checks. We provide a
summary poster of the steps.

Caractéristiques	Buky ONE
Poids (avec les outils)	175 kg (approx. 385 lbs)
Dimensions (L × l × H)	1225 × 1486 × 934 mm
Largeur de la brosse	120 cm (approx. 47 in)
Autonomie	7 heures en fonctionnement
Taux de couverture par heure	2350 m²/h
Temps de recharge	8 heures / 230V ou 110V
Surface couverte par charge	12 000 m2
Composants inclus	Robot, chargeur, télécommandes , 3 outils

THE MAINTENANCE OF THE PITCH WITH THE BUKY ONE

Designed for operation from the start to the end of its cycle. Technology serves the result: operational cleanliness, on a daily basis.

A MAINTENANCE CYCLE



STEP 1

The robot is placed on its left or right starting point (with multi-terrain management)



STEP 2

The robot starts its cycle. Each line is made in one direction or the other, ensuring homogeneous maintenance



STEP 3

End of the cycle and return to the defined parking point on the land or in the vicinity.

CERTIFICATION Buky

- All weather conditions
- Allows you to take FFF Tests 1-7
- All types of turf synthetic and aggregates

CONFIGURATEUR BUKY ONE

1 PVC Brush

The high-frequency PVC brush ensures that the fiber is always straightened, doubling the life of the coating.



2 Decompacting claw

Prevents the formation of the "hard pan" and guarantees optimal drainage to avoid the risk of serious injury.



3 Fixed magnet

Our full-width magnet captures this micro-waste daily.
Safety guaranteed.



4 Waste Collector Module

Picks up garbage in all seasons that may end up on your property.




5 Collection net

Net designed for the collection of autumn falls.



6 Flattening roller

A wheel designed for terrain that has level problems.



7 HexaConnect

- ☐ Smartphone Apps
- ☐ Bluetooth
- ☐ 4G

8 Funding

- ☐ Purchase
- ☐ Annual leasing
- ☐ LLD season

9 Maintenance

- ☐ Hexafix PREVENTION
- ☐ Hexafix SERENITY

10 Installation

- ☐ Commissioning
- ☐ Training



Hexa RIDER

PROFESSIONAL SWEEPER FOR STADIUMS AND ATHLETICS TRACKS

Designed to quickly remove leaves, sand and dust, these machines ensure flawless, secure and always performance-ready running surfaces.

HEXA RIDER

SWEEPER AUTOPORTED ELECTRIC

Cleaning Width	1,200 mm
Productivity	10,200 m²/h
Forward Speed	7.70 - 8.5 km/h
Primary Motor	24 V - 1,200 W
Waste Bin Capacity	85 L
Weight (including batteries and charger)	435 kg - 340 kg
Dimensions with 2 side brushes	1,560 x 1,200 x 1,250 mm




85 L DEBRIS HOPPER

An 85-litre debris hopper is one of the key features that allow for longer operation without having to stop frequently to empty.

EXCEPTIONALLY EASY TO USE

ERGONOMIC SEAT



POLYESTER POCKET FILTER AND AN ELECTRIC SHAKER.



SIMPLE, ERGONOMIC CONTROLS.



BUILT-IN VACUUM CLEANER




RELIABLE ON ALL TERRAINS

Whether you're picking up wet leaves on a tartan athletics track or vacuuming fine dust from a parquet or resin gym floor, our adjustable brushes won't damage technical surfaces and guarantee a flawless result without damaging your sports floors.



PERFECT SWEEPING EVEN ON UNEVEN SURFACES

The floating, self-leveling main brush ensures excellent performance even on uneven surfaces. It can also be replaced quickly without the need for tools.




RUGGED VERSION FOR HARSH ENVIRONMENTS

In this version, the entire machine is surrounded by a steel body and special reinforcement plates protect the entire side brush.



ROBOTIZATION OF THE MAINTENANCE OF YOUR INDOOR SPORTS COMPLEXES



AUTONOMOUS ROBOTS

jimmy fit	**P.156**
jimmy XL	**P.164**
Jimmy Brush	P.168

SCRUBBER DRYERS

Hexa PADEL	**P.172**
Hexa MOP	P.172
Hexa TWIST	P.173
scrubber dryers	P.174
Hexa MATIC	P.175

WHILE THE CITY SLEEPS, YOUR SPORTS EQUIPMENT IS GETTING READY FOR TOMORROW.



JIMMY FIT

NIGHT CLEANING

With Jimmy FIT, the autonomous scrubber dryer, daily maintenance no longer burdens your teams.

Agents gain in comfort, relieved of repetitive tasks, to devote themselves to missions with higher added value. For the public, it is the guarantee of a place that is always clean, safe and welcoming, whether it is a gymnasium, a gymnasium, or a collective space. 100% autonomous, Jimmy FIT vacuums, washes and disinfects your floors continuously.

SENSORS FOR WORKING DAY AND NIGHT

DETECTS

Wall infrared sensor detection

Obstacle intensity sensor detection

Virtual wall algorithm

CONTROL

Wall infrared sensor detection

Obstacle intensity sensor detection

Virtual wall algorithm


SECURES

Wall infrared sensor detection

Obstacle intensity sensor detection

Virtual wall algorithm

3D LIDAR



AVOIDANCE OBSTACLE



CHARGING STATION TO INSTALL ANYWHERE

With a simple 220V socket, you can install sa mini charging station almost anywhere without requiring a direct connection to the clean water network and a waste water drain.





AUTOMATIC DEPARTURES AND RETURNS

JIMMY FIT can operate independently at night, when the facilities are unoccupied. This ensures a clean and ready-to-use gym as soon as it opens the next morning, without any inconvenience to users.

DAY

During downtime or in case needed, the robot remains at the full disposal of your agents. The latter can use it or launch it on demand to optimize the maintenance of the premises during these brief windows of vacancy.



PROTECTIVE NICHE
available as an option

- Electric actuator
- Connected to the robot via wifi
- Wall and/or floor mounting possible
- Opaque PVC
- Charging station integrated inside

FREES UP CLEANING TIME DURING THE DAY

Designed to fit into the rhythm of your facility.
Jimmy FIT cleans autonomously overnight, when facilities are unoccupied.
A clean gym as soon as it opens, no inconvenience for users and precious time savings for maintenance workers.



SELF-EMPLOYED NIGHT WORK

THE SAVINGS FROM SELF-EMPLOYED NIGHT WORK

COST ITEM	Agent (Cat. C) during the day	Details	Jimmy FIT de nuit
Daily cost	2 hours / day during 300 days: dedicated to cleaning	60 € / day 18 000 € / year	7,5 € / day €2,250 / year
Machines	Acquisition Hardware	15 € / day €4,500 / year	7 € / day €2,100 / year
Consumables	Chemicals Parts wear	10 € / day 2400 € / year	8 € / day €3,000 / year
Total		€23,100 year	€9,150 annual

ESTIMATED ANNUAL SAVINGS: **€ 13,95**

OVER 4 YEARS **€ 55,80**

IN SUMMARY

The agent time freed up each week can be reallocated to other tasks (reception, minor maintenance, other equipment in the complex) rather than being eliminated.
This is an important argument to formulate in this way to the trade unions and the HR department, so as not to give the impression that the robot is replacing the agent: it reposition him on higher-value tasks.



GOODBYE TO DUST

No more sheep, feathers, hair... The Jimmy FIT vacuums in every corner to ensure grip and cleanliness.

CLEAN WATER CANISTERS DIRTY WATER

12.5 L tanks for clean and waste water that are easy to fill/empty.
with LED level indicator.

MAINTENANCE PRIORITY TO SIMPLICITY

Even with an automatic station, human maintenance remains essential (brushes, checking the caps). Simple manual water management is therefore much more reliable in everyday life than a complex installation.

SCRUBBER DRYER ROBOTICS



BUILT-IN TOUCH INTERFACE

The Jimmy FIT's front screen centralizes all controls: cycle start, fill level, battery status, and automatic return to base.



GREEN & ECONOMICAL TECHNOLOGY

Less detergent, less water, smart resource management. A robot designed to avoid waste.



JIMMY FIT UV FOR DOJO


UV Disinfection Lamp





SIMPLIFIED OPERATIONAND MANUAL

You can use Jimmy FIT manually and move it to inaccessible areas.



EASY-TO-HANDLE TOOLS

Motorized removable squeegee



Operational training and best practices


At commissioning, our teams carry out a handover on site and show the operating gestures: launching, cycles, handling, routine checks. We provide a summary poster of the steps.



JIMMY FIT R

CLEANING WITH AN EXTRACTOR SQUEEGEE

Equipped with a high-performance squeegee, the Jimmy FIT R guarantees perfect automated maintenance for smooth sports floors that are always ready for use.



- Raclettes
- Balai helicoidale
- Wet vacuum cleaner
- Dry vacuum cleaner
- Brushes
- Rotary brooms

SUITABLE FOR:



TARAFLEX



POLYURETHANE RESIN



TILES



CONCRETE
SMOOTH CONCRETE



HEXA RESIN

Hexa Resin is a powerful cleaner specially designed to effectively remove handball resin residues and stubborn dirt from all types of protected floors.







JIMMY FIT UV

CLEANING/DISINFECTING WITH LITTLE WATER

Absolute hygiene for your tatami mats and complex floors: the Jimmy FIT UV thoroughly sanitizes and eliminates bacteria thanks to its exclusive UV disinfection system



- Rotary brooms
- Spiral brush
- Dry vacuum cleaner
- UV light
- Mop
- Microfibers



SUITABLE FOR:



TATAMI (DOJO)



SPORTS PARQUET



LINO / LINOLÉUM



RESIN



JIMMY XL HYBRID

- DURING THE DAY WITH THE AGENTS
- AT NIGHT IN AUTOMATIC ROBOT MODE

A HYBRID MANUAL/AUTONOMOUS MACHINE

In hallways, corridors, common areas and hightraffic areas, floor cleaning becomes a continuous task – time-consuming, expensive and difficult to delegate.

Jimmy XL simplifies the essentials: thanks to its two rotating brushes, 3D LiDAR navigation and smart charging station, It automatically cleans, vacuums, and restarts while your team focuses on what's important.



ROBOTOR MANUAL MODE



ERGONOMIC SEAT WITH PRESENCE SENSOR




WIDE CURVED SQUEEGEE 860 MM WIDE.





INTUITIVE 10.1" TOUCHSCREEN



3 ADJUSTABLE PRESSURE LEVELS

12,000 m²
COVERED WITH A SINGLE FILLINGBR OF THE WATER TANK

4 hours
FOR A FULL CHARGE

860 mm
WIDTH OF CLEANING

3 levels
PRESSURE OF THE BRUSH

17 kPa
POWER SUCTION

120 L
TANK CAPACITY TANK





PERFECT CLEANLINESS, EFFORTLESS

In hallways, hallways, common areas, and high-traffic areas, floor cleaning is becoming an ongoing task – time-consuming, expensive, and difficult to delegate.


WHY CHOOSE JIMMY XL?

The Jimmy XL combines mechanical power, high-performance suction and high capacity to ensure long-lasting cleanliness on all surfaces.

- GYM
- CHANGING
- HOME
- OFFICES
- CORRIDORS
- PARKING



CLEANING WIDTH:860 MM




TWO ROTATING BRUSHES TO REMOVE BROWNDIRT




360° DETECTION & AUTOMATIC BRAKING

Avoids collisions and stops in the face of obstacles or anomalies.



3 PRESSURE LEVELS ADJUSTABLE



INTELLIGENT NAVIGATION-BY 3D LIDAR



ACTIVE BLIND SPOT DETECTION

Jimmy XL operates autonomously or can be controlled manually, offering more flexibility depending on the area and needs.



17 KPA SUCTION POWER



AUTO-RELOAD AFTER COMPLETING MISSION

Caractéristiques du modèle	Jimmy XL
Poids (hors peinture)	318 kg
Dimensions	1715 × 1120 × 1475 mm
Largeur de nettoyage	860 mm
Indice de protection (IP)	IPX3
Mode de conduite	Propulsion arrière (2 roues motrices)
Niveau sonore	75 dBA
Vitesse maximum	6,5 km / h
Capacité de montée en charge maximale	15° (26 %)
Rayon de braquage minimal	1211 mm
Température de fonctionnement	de 0 °C à 45 °C



HEXA MOP

THE NEW GENERATION SCRUBBER DRYER

FAST, EFFICIENT AND STREAK-FREE

- Limits Musculoskeletal Disorders
- Record 360° handling, ultra light
- Controlled and fluid handling without splashes



**Long battery life,
2 interchangeable batteries
on the Hexa Mop,
Hexa Matic M and Hexa Vac range.**

HEXA MOP

Cleaning width	44 cm
Power	2 x 200 W
Cover per tank	Up to 680m²
Rotation speed brushes	140 rotations per minute
Weight without battery and water	21.3 kg
Dimensions (L x W x H)	52 x 45 x 120 cm
Power supply	36V Lithium-ion
Runtime	1h20' maximum
Charging time	1h at 80% - 2h at 100%

FIGHT AGAINST MUSCULOSKELETAL DISORDERS
SKELETAL DISORDERS


BATTERY-POWERED SCRUBBER DRYER



EASY TO USE



FOOT ACTIONABLE



2 POWERFUL ROTATING BRUSHES!





ULTRA-MANEUVERABLE AND LIGHTWEIGHT



BATTERIES AND CHARGER



BRUSHLESS MOTORS POWERFUL



BATTERIES INTERCHANGEABLES





Battery-powered Electric Backpack Sprayer

Model	KF-16C-48
Capacity	4 gallons (16 L)
Pump	Mini Diaphragm Pump
Pressure	0–90 psi
Performance max	(4.1 ± 0.3) L/min
Charger	100–240 V — 50/60 Hz — 0.5 A
Battery	lithium (DC 12 V, 8 Ah)



CTD900

Motor	2 x 1060W
Supply voltage	230 V AC 50/60Hz
Air volume	98L/s.
Depression	2400 mm/CE
Cable	10 m
Water/dust usable capacity	32L / 40L
Injector capacity	17L
Weight	25.5 kg
Dimensions	800 x 490 x 880 mm



CTD570L

Motor	2 x 1060W
Supply voltage	230 V AC 50/60Hz
Air volume	98 L/s
Depression	2 400 mm CE
Cable	10 m
Water/dust usable capacity	15 L / 23L
Injector capacity	10 L
Weight	18.4 kg
Dimensions	415 x 415 x 645 mm



HEXA MATIC

WITH SEMI-AUTOMATIC TRACTION

THE ULTRA-COMPACT SCRUBBER DRYER

- Equipped with an intuitive steering position
- Wide range of 42m in diameter
- Its system diffuses water at 360° and its circular nozzle over 200° allows for streak-free suction.

Long battery life, 2 interchangeable batteries on the Hexa Mop, Hexa Matic M and Hexa Vac range.



Hexa Matic M

Cleaning Width	ø 40 cm
Power/ Brushing Speed	175 W/ 150 tours/min
Weight	34 kg
Surface Output	1400 m²/h
Brushing	Brosse nylon ou pad
Detergent Tank/Recovery	18/19 L
Feeding	36 V
Reference	z236f918578



Hexa Matic XL

Cleaning Width	ø 45 cm
Power/ Brushing Speed	300 W/100 tours/min
Weight	90 kg
Surface Output	1600 m2/h
Brushing	Brosse nylon ou pad
Detergent Tank/Recovery	30/31 L
Feeding	24 V
Reference	z236f918528

RIDE-ON

OR SELF-PROPELLED

BEST-IN-CLASS WASH WIDTH

The TRL720 Professional Ride-on Scrubber Dryer is a professional cleaning machine powered by lithium phosphate battery created to give you the ultimate cleaning performance.



Battery scrubber dryer TBL6055

Cleaning Area	1485 m²/heure
Net Weight	126.09 kg
Brush Pressure	14.4 / 19 g/cm²
Disc Width	550mm
Suction Power	400W
Brush Motor Power	300W
Brushing Speed	140 rpm
Battery Life	3h10min
Charging Time	5h
Water Tank	60L
Dimensions	1425 x 560 x 1120mm



Battery scrubber dryer TRL720

Cleaning Area	2750 m²/heure
Net Weight	282.6 kg
Brush Pressure	19.8 G/cm²
Disc Width	2X360mm
Suction Power	600W
Pulling Power	700W
Brushing Speed	150 rpm
Battery Life	4h
Charging Time	7h05
Tank	120L
Dimensions	1580 x 740 1425 mm





JIMMY BRUSH

AUTOMATE THE DAILY MAINTENANCE OF YOUR SURFACES.

In hallways, corridors, common areas, and hightraffic br areas, floor cleaning becomes an ongoing task – time-consuming, expensive, and difficult to delegate.

Jimmy BRUSH simplifies the essentials: with two rotating brushes, 3D LiDAR navigation and smart charging station.

PADEL

SYNTHETIC TURF

RESIN ACRYLIC

CONCRETE POROUS

CARPET NEEDLEPUNCHED

ARTIFICIAL EARTH



3D LIDAR



DOUBLE BROSSES





EASY TO-HANDLE WASTE BIN



EMERGENCY STOP BUTTONAND USER INTERFACE

12,000 m²
COVERED WITH A SINGLE FILLINGBR OF THE WATER TANK

4 hours
FOR A FULL CHARGE

860 mm
WIDTH OF CLEANING

3 levels
PRESSURE OF THE BRUSH

17 kPa
POWER SUCTION

120 L
TANK CAPACITY TANK

Caractéristiques du modèle	Jimmy BRUSH
Poids (hors peinture)	318 kg
Dimensions	1715 × 1120 × 1475 mm
Niveau sonore	≤70 dBA
Indice de protection (IP)	IPX3
Mode de conduite	Propulsion arrière (2 roues motrices)
Niveau sonore	Lithium-ion
Capacité de montée à pleine charge	2 h
Capacité de montée en charge maximale	15° (26 %)
Rayon de braquage minimal	1211 mm
Température de fonctionnement	de 0 °C à 45 °C



Hexa PADEL

PROFESSIONAL SWEEPER FOR PADEL AND TENNIS COURTS

Due to its specific characteristics, the most suitable machine for cleaning an artificial turf padel court is the Hexa PADEL walk-behind sweeper equipped with a specific kit.

HEXA PADEL

ELECTRIC FOOT SWEEPER

Cleaning Width	780 mm with side brush
Productivity	3,510 m²/h
Forward Speed	4.5 km/h
Motor	12 V - 600 W / Honda 4.6 hp
Waste Bin Capacity	40 L
Weight	127 kg - standard battery included
Dimensions with 2 Side Brushes	1,555 x 835 x 980 mm

SPECIAL PADEL HOPPER

The special double grid system allows you to pick up debris, distribute the sand on the Padel court and protect the filter.

EXCEPTIONALLY EASY TO USE



THE PULL CAN BE CONTROLLED BY MEANS OF A PRACTICAL LEVER ON THE HANDLE.





DUST FILTRATION SYSTEM

RABATS LIFTING DEVICE

A flap lift at the front of the sweeper makes it easy to collect bulky waste.



MAIN AND SIDE BRUSHES

Both the main brush and the side brush can be changed quickly without the need for tools.



SIMPLE AND ERGONOMIC CONTROLS.



ADJUSTABLE ERGONOMIC HANDLE




CLEANING KIT FOR SYNTHETIC TURF PITCHES

A dedicated waste bin ensures optimal cleaning of synthetic turf surfaces in a single pass, while evenly redistributing the infill material.



NO INTERMEDIARY "FACTORY DIRECT"

Since 1987







CAN I SEE THE ROBOTS IN ACTION?

We offer free on-site demonstrations and introductory videos to help you see how our robots work in real life.

CONTACT US FOR A DEMO

Phone: +33 (0)1 34 34 11 55

Email : info@myhexagone.com

GENERAL TERMS AND CONDITIONS OF SALE HEXAGONE MANUFACTURE S.A.S.

I GENERAL PROVISIONS OF SALE:

I.1. APPLICATION AND ENFORCEABILITY OF THESE GENERAL TERMS AND CONDITIONS

These general terms and conditions of sale (hereinafter the "T&Cs") are systematically sent or given to each buyer (hereinafter "the Customer") with the valid Hexagone Manufacture S.A.S. rate to enable him or her to place an order. Consequently, the fact of placing an order implies the Client's full and unreserved acceptance of these T&Cs. No specific conditions may, unless formally accepted in writing by Hexagone Manufacture S.A.S., prevail over the T&Cs. Any condition to the contrary set up by the Client will therefore, in the absence of express acceptance, be unenforceable against Hexagone Manufacture S.A.S., regardless of when it may have been brought to its attention. The fact that Hexagone Manufacture S.A.S. does not avail itself at a given time of any of these T&Cs cannot be interpreted as a waiver of the right to subsequently invoke any of the said conditions. These T&Cs take precedence over any general terms and conditions of the Client. These T&Cs apply to all countries and only allow for individual negotiation.

I.2. ORDER:

By order, we mean any order relating to our products appearing on our prices, and accepted by Hexagone Manufacture S.A.S. Offers made by our agents or by telephone do not constitute a commitment on our part until we have confirmed it in writing. To be taken into account, all orders must be confirmed in writing or communicated by e-mail and must be identical to the written confirmation communicated by Hexagone Manufacture S.A.S upon receipt, it is irrevocable

The benefit of the order is personal to the Customer and may not be transferred without the agreement of Hexagone Manufacture S.A.S.

I.3. ORDER EXECUTION:

We reserve the right to make any changes or improvements to our products at any time that we deem useful, without this ever justifying the cancellation of the order on the part of the Customer, or obliging us to make changes or improvements to the products previously delivered.

I.4. ORDER CANCELLATION:

With the exception of an order cancellation justified by the non-compliance by Hexagone Manufacture S.A.S with its obligations hereunder, no cancellation of our Customers' orders may be made without our prior and express agreement. In the event that Hexagone Manufacture S.A.S. accepts the cancellation of an order, the deposit paid by the Customer will remain with us as compensation.

I.5. DELIVERY:

Deliveries are made by handing over the goods either directly to the Customer or to a carrier.

1.5.1. DELIVERY TIMES:

Delivery times as well as transport times are given on a case-by-case basis and for information purposes only and without guarantee. Unless otherwise expressly agreed, they never constitute a commitment on our part. Any delay in delivery cannot constitute a cause for termination of the order, nor will it give rise to the right to the payment of penalties, damages, deductions, compensation, cancellation of an order in progress or refusal of the goods or to any compensation whatsoever. If in the event of force majeure, and in particular: fire, flood, work stoppages of any kind, machine breakdown, war, riot, requisition, pandemic, authoritarian reduction in imports, accident or delay in manufacturing at our suppliers, lack of raw materials and necessary supplies, delay in the transport of goods, as well as in the event of the occurrence of any event beyond our control preventing the performance of the contract under normal conditions, manufacture and/or shipment were prevented or delayed, our contractual obligations will be suspended as long as the case of force majeure exists, without liability on the part of Hexagone Manufacture S.A.S., even if a firm deadline has been subscribed. If the force majeure event lasts for more than forty-five (45) days, the most diligent party may, if it so wishes, cancel the order affected by the force majeure event without either party being able to claim damages.

1.5.2. TRANSFER OF RISKS

The transfer to the Client of the risks of loss, theft or deterioration of the goods sold as well as the damage they may cause is carried out as soon as they are taken over by the carrier. The Client acknowledges, therefore, that it must take out insurance covering the risks arising from the delivery of the goods to the carrier for delivery.

1.5.3. TRANSPORT

Unless otherwise stipulated, shipping is made by our approved carriers with an invoice of the shipping costs to the Customer in addition to the price of the goods, the amount of which will have been specified on the order confirmation form by Hexagone Manufacture S.A.S. Hexagone Manufacture S.A.S. cannot be held responsible for damage during transport or unloading. The goods always travel at the Customer's own risk, even in the event of a return or shipment made free of charge or cash on delivery. It is the Customer's responsibility to check the good condition of the goods at the time of delivery. This verification must also cover the quality, quantities and references of the goods as well as their conformity to the order. It is the Client's responsibility to formulate, if necessary, any reservations to the carrier concerning missing and/or deteriorated goods, the type of damage and its extent. These reservations must be notified by the Client to the carrier by extrajudicial document or by registered letter with acknowledgement of receipt within three (3) days; not including public holidays, of receipt of the said goods (Article L133-3 of the French Commercial Code); a copy must be sent simultaneously to Hexagone Manufacture S.A.S. Any appeal can only be made to the carrier. When, in accordance with commercial practices, Hexagone Manufacture S.A.S. carries out ancillary transport operations, such as loading, tarpaulin, stowage or taking out an insurance policy, customs formalities, etc. it acts only as an agent of the addressee, who retains responsibility for the costs, risks and perils of these operations.

I.6. COMPLAINT AND RETURN OF GOODSWithout prejudice to the measures to be taken by the Client vis-à-vis the carrier as described in Article 1.5.3., in the event of apparent defects or shortages, any claim, whatever its nature, relating to the products delivered, will only be accepted by Hexagone Manufacture S.A.S. if it is made in writing, by registered letter with acknowledgement of receipt, within fifteen (15) days of the date of delivery. No return of goods may be made without our express consent and for goods returned in perfect resalable condition. The Client must allow Hexagone Manufacture S.A.S. to make it possible for Hexagone Manufacture S.A.S. to establish these defects and to remedy them. He will refrain from intervening himself or bringing in a third party for this purpose. The costs and risks of the return are always borne by the Customer. Any goods returned without our consent will be made available to the Client and will not give rise to the establishment of a credit note. The justified return will be replaced by the goods that Hexagone Manufacture S.A.S. deems best suited to the Customer's requirements, or in the event that we are unable to provide a credit note for the benefit of the Customer after qualitative verification of the returned product, and this will exclude any compensation or damages, less the price of the consumable accessories, missing equipment and costs of refurbishing them. In the event that Hexagone Manufacture S.A.S. accepts the return of goods that comply with the Client's initial requirements, the purchase price of said goods will be returned to the Client at a maximum of 75% of the invoice value.

I.7. PRICE AND PAYMENT

I.7.1. The prices, information and technical characteristics appearing in our catalogues, prices, prospectuses, technical data sheets or other documents are given for information purposes only and cannot be considered as binding offers. Prices and documents are not contractual in nature and may be changed at any time without notice. Our prices are expressed in Euros. All taxes, duties, duties or other services to be paid pursuant to French legislation and regulations, or those of an importing country or a transit country, are the responsibility of the Client.

I.7.2. Our equipment is always invoiced at the rate in force at the time of acceptance of the order by Hexagone Manufacture S.A.S., and is exclusive of taxes on departure from our headquarters in Argenteuil, with VAT, shipping costs and packaging not taken back applying in addition to the Customer's charge.

I.7.3. A lump sum of €21 excl. VAT is charged for any invoice of less than €80 excl. VAT

I.7.4. Our invoices are payable upon receipt unless a different payment term is indicated on the invoice. Only the actual cashing of a negotiable instrument or a cheque or the receipt of a bank transfer will be considered as full payment within the meaning of these T&Cs. In the event of payment by draft, the Client is required to return within a maximum period of seven (7) days the accepted commercial instruments presented to him. Any amount including VAT not paid by the due date will give rise automatically and without prior notification to the payment by the Client of late penalties set at 3% per month of delay, as well as a lump sum indemnity for recovery costs due to our Company in the amount of FORTY (40) EUROS. If the recovery costs are higher than the amount of the said compensation, our Company may then request, upon justification, additional compensation (Articles L.441-10 and D.441-5 of the French Commercial Code).

I.7.5. Recourse to our warranty obligation or any other claim of any Kind that the Customer may make does not in any way and under no circumstances allow the Customer to withhold or delay payments due to us, and it is further expressly agreed that any delay or failure to pay will result in a termination of our warranties and agreements.

I.7.6. Our sales are made in cash and without discount at our head office in Argenteuil, unless otherwise stipulated. Acceptance of our bills of exchange or payment by any other means does not constitute novation or derogation from this clause.

I.7.7. Refusal to accept our bills of exchange or failure to pay a negotiable instrument or an invoice on its due date, regardless of its method of payment or in the event of cessation of activity or transfer of funds, will result in forfeiture of the term, making all of our debts immediately payable, including those not yet due. It also entails the suspension or termination of current contracts, contracts and orders, without the Client being able to argue an unjustified refusal to sell, or claim any compensation.

I.8. TRANSFER OF TITLE – RETENTION OF TITLE CLAUSE

Hexagone Manufacture S.A.S. retains ownership of the goods sold until the full price in principal and ancillary is actually paid, even if payment terms are granted. As the goods remain the property of Hexagone Manufacture S.A.S. until their price has been paid in full, the Client may not under any circumstances resell, transform, pledge or grant a security interest on the goods delivered and not fully paid. Failure to pay any of the instalments may result in the return of the goods. In the event of a trade-in, the deposits already paid shall remain with Hexagone Manufacture S.A.S. by way of compensation and the sale shall be terminated by operation of law if it sees fit

II GUARANTEES AND LIABILITIES:

II.1. The goods must be checked by the Client on delivery, and any complaint, reservation or dispute relating to apparent shortages or defects must be made under the conditions set out in Article 1.6. In the event of apparent defects, the defective parts will be replaced by Hexagone Manufacture S.A.S. or the replaced goods, subject to verification of the alleged defects. The Client must provide any document or element capable of demonstrating the reality of the defects observed. No action for non-conformity may be brought by the Client more than fifteen (15) days after the delivery of the goods. The information on performance, speed, power consumption, weight or other information is given for information purposes only and without any commitment or guarantee on our part, and any inaccuracy may not under any circumstances lead to the termination of the order or a claim for compensation.

II.2. Our products are intended for professionals, therefore they must be handled only by people who have benefited from the free training and/or at least who have read the instructions for use of the product offered by Hexagone Manufacture S.A.S. or its authorized distributor to the Customer. Our robots are guaranteed against all defects in material and construction for a period of twenty-four (24) months from the date of delivery and within the limit of 1200 operating hours. Our equipment other than robotic pool cleaners is guaranteed for 12 months from the date of delivery. Our warranty only applies to products that have become the Customer's regular property.

II.3. We will be relieved of our warranty obligation in the event that the warranty seals placed on certain components of our products are broken without our express consent.

II.4. Our warranty is limited to the replacement or repair of parts that we have deemed to be defective to the exclusion of any other compensation.

II.5. It is expressly agreed between Hexagone Manufacture S.A.S. and the Client that only direct, personal and certain damage is compensable. The resulting damage would then be compensated by a sum not exceeding the amount of the goods at issue.

It is specified that this compensation ceiling does not apply to resellers to whom Hexagone Manufacture S.A.S disclaims any liability resulting from indirect damage such as operating loss, loss of profit, any commercial loss as well as more generally any lost profit. Finally, it is recalled that the Client must imperatively have a palliative solution to a material defect. In addition, the Client must immediately stop using the equipment in the event of a defect found on the equipment itself or on the place of use or its mode of use. Customers undertake to scrupulously comply with the instructions for use delivered with the equipment. In no way can Hexagone be held liable for premature wear and tear of the surface of the floor and/or the sports facility related to the use of its equipment or its maintenance.

II.6. All new or remanufactured spare parts are guaranteed for 6 months within the limit of 500 operating hours.

II.7. Warranty on consumable parts. Filters, brushes, tracks, belts, cables, trolley tyres are considered consumable parts, the warranty is limited to 6 months within the limit of 300 hours of use.

II.8. Exclusions from warranty in the following cases:

The warranty owed by Hexagone Manufacture S.A.S. does not cover: damage and wear resulting from a special adaptation or assembly, abnormal or not, of its products, carried out by the Customer or a third party without the prior written consent of Hexagone Manufacture S.A.S.; the use of our goods in conditions of use or performance that do not comply with the technical specifications of Hexagone Manufacture S.A.S., and more generally defective or clumsy use; deterioration or accident resulting from the intervention of an employee of the Customer who is not trained in the product or a company not approved by Hexagone Manufacture S.A.S.; defects and/or deterioration of the goods resulting from maintenance that does not comply with Hexagone Manufacture S.A.S.'s recommendations or from a lack of maintenance, or from abnormal storage and/or conservation conditions at the Customer's premises; the Customer has not notified Hexagone Manufacture S.A.S. in writing (in particular by fax or email) as soon as the defect in the goods under warranty has been noticed and that a part or part of the device has been kept in service that is defective and that may result in any more significant damage to the device or to the place of use; malfunctions resulting from normal wear and tear (e.g. loose belts, worn radio control battery, used brushes, etc.) or related to coating problems and/or specific shapes of pools that do not comply with the table of requirements of Hexagone Manufacture S.A.S.; breakdowns resulting from improper electrical installation, power fluctuations, poor connections or the Customer's failure to comply with the electrical standards in force in the country of use; damage caused by external accidents: falls, transport, fire, flooding, lightning, power cuts, short circuits, as well as accidents such as shocks, blows, introduction of foreign objects and/or liquids (acid, cleaning product, chlorine, water, tropical rain, etc.); when a third party or the Customer himself has opened the electrical box and/or the motor boxes or pump or gyroscope without our prior written consent. The anti-corrosion guarantee does not apply in sulphur water and without daily cleaning of the stainless steel with clear water. Consequently, Hexagone Manufacture S.A.S. cannot be held liable for material damage or personal accidents resulting from any of the cases referred to above.

Shipping and reshipment costs incurred by the application of the warranty are the responsibility of the Customer when it turns out that the of the warranty is caused by a breach of contractual obligations by the Customer.

We cannot be held liable for damage caused to the goods by our products as a result of a defect in material or a construction defect in the equipment sold.

REMARKS

The warranty period for the defective equipment or part under warranty will be extended by a period equal to the immobilization in our

workshops if the period exceeds one week.

An out-of-warranty repair is subject to a quote fee of 150 Euros excluding tax. This amount is only payable if the Customer refuses the repair.

Any part shipped by Hexagone Manufacture S.A.S. will be invoiced at the time of shipment.

In the event of a warranty claim, the defective part must be returned to Hexagone Manufacture S.A.S. within (1) month maximum for expertise and agreement of support. Outside the deadline, we will not be able to give our agreement. Hexagone Manufacture S.A.S can in no way be held solely responsible for the cleanliness of the pools. It is therefore recommended that the Customer always have a palliative for a machine defect.

If a Hexagone Manufacture S.A.S. technician determines that the breakdown is not covered by the warranty, the technician may invoice the non-covered problem according to the current rate.

When testing equipment under warranty whose defect has not been found in the workshop, Fees will be charged for fault finding.

The method of intervention: you can contact the Technical Service only at 0134341155 or any other Hexagone Manufacture S.A.S. agency. For warranty coverage, shipments of materials or parts must only be made to the following address: Hexagone Manufacture S.A.S., 34 rue du Perouzet, 95100 Argenteuil, France, Quality Department.

To request warranty coverage, the Customer must complete a warranty form, including the serial number of the device, the date of commissioning, the number of the part replaced, as well as observations regarding the detected fault.

III. INDUSTRIAL PROPERTY:

All technical documents provided to our customers remain the exclusive property of Hexagone Manufacture S.A.S., the sole holder of the intellectual property rights to these documents, and must be returned to it at its request. The Client undertakes not to reproduce in whole or in part our technical and commercial documents, nor to make any use likely to infringe the industrial or intellectual property rights of Hexagone Manufacture S.A.S. The Client also undertakes not to disclose it to any third party. The software, applications and all their components associated

the products sold by the Client also remain the exclusive property of Hexagone Manufacture S.A.S.,

sole holder of the intellectual property rights on the software, the application and their components. The Customer has a right to use the software and/or application in connection with the product sold. However, this right of use does not entail any transfer of ownership rights. In particular, the Client is prohibited from adapting,

arranging, modifying, disassembling, decompiling, decoding, exporting, disseminating, marketing, reconstituting, merging, translating, reproducing all or part of the software, the application and/or its components, without prior written and for authorization from Hexagone Manufacture S.A.S. Resellers are responsible for the proper use of the software, the application and their components.

IV. INTERNET

We reserve the right to request the withdrawal of our products offered for sale on a website that does not comply with our commercial policy in terms of price and commercial conditions.

V. TERMINATION CLAUSE

In the event of non-compliance with one of the Client's obligations, the sale may be terminated by operation of law and the goods returned to Hexagone Manufacture S.A.S. If it sees fit, without prejudice to any damages that Hexagone Manufacture S.A.S. may claim against the Client, within 48 hours after a formal notice has remained ineffective for a period of 15 days after its receipt. In this case, Hexagone Manufacture S.A.S. is entitled to claim from the Client a fixed compensation of 15% of the amount excluding tax of the sale, in addition to default interest and any legal costs.

VI. WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (EEE) PROFESSIONALS

In accordance with the provisions of Article R543-195 of the Environmental Code, our Company has joined the approved eco-organisation LOXY located at Parc d'Activité du Vert Galant 17 rue Antoine Balard – 95310 Saint-Ouen l'Aumône (RCS Pontoise 482 644 952) for the purpose of removing and treating waste professional electrical and electronic equipment.

VII. APPLICABLE LAW - ATTRIBUTION OF JURISDICTIONThis contract is governed by French law. The application of the Vienna Convention on the International Sale of Goods is expressly excluded. Any dispute relating to the formation, performance and termination of contractual obligations between the parties that cannot be settled amicably will be submitted to the French courts. In the event of a dispute with professionals and/or traders, it will be subject to the jurisdiction of the PONTOISE COMMERCIAL COURT in whose jurisdiction the registered office of Hexagone Manufacture S.A.S. is located, regardless of the terms of sale and the method of payment accepted, even in the event of an incidental claim, a warranty claim or multiple defendants, Hexagone Manufacture S.A.S. reserves the right to refer the matter to the territorially competent court in which the Client's registered office belongs.

VIII. PARTIAL NULLITY

If one of the clauses or provisions of these T&Cs were to be annulled or declared ineffective by a final court decision, this nullity or lack of effect will not affect the other clauses and provisions, which will continue to apply. Any order necessarily implies that the customer is aware of the general terms and conditions of sale and their acceptance as an integral part of the contract.

The data and photos in this catalogue are not contractual and may be modified at any time and without notice by the company Hexagone Manufacture SAS. Catalogue reserved for professionals in the world of sport. Catalogue printed in 2026/2027.

CONTACT

HEXAGONE SPORT ROBOTICS

YOUTUBE
HEXAGONE
SPORT ROBOTICS

LINKEDIN
HEXAGONE
MANUFACTURE

INSTAGRAM
HEXAGONE
SPORT ROBOTICS


TIKTOK
HEXAGONE
SPORT ROBOTICS

Address: 1-5 Rue Michel Carré
95100 Argenteuil - France

Phone: +33 (0)1 34 34 11 55

Email : info@myhexagone.com

Site : www.myhexagone.com



Printed in a imprim'vert workshop in France on eco-responsible papers from sustainably managed forests.